Product ID: ISOPROPYL ALCOHOL MSDS Date:09/29/1986 FSC:6810 NIIN:00-855-1158 MSDS Number: BNPSF === Responsible Party === Company Name: CDS INC. Address: 5-HACKBURRY STREET Box:687 City:CONROE State:TX ZIP:77305 Country:US Info Phone Num:704-821-9822 Emergency Phone Num:704-821-9822 CAGE:MO108 === Contractor Identif ication === Company Name:CDS INC. Address: 5-HACKBURRY STREET Box:687 City:CONROE State:TX ZIP:77305 Country:US Phone:704-821-9822 CAGE:MO108 Company Name: CHEMICAL SPECIALISTS AND DEVELOPMENT INC Address:2210 HACKBERRY LN Box:687 City:CONROE State:TX ZIP:77305 Country:US Phone:409-756-1065 CAGE:4N760 Ingred Name: ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 99.0% OSHA PEL:400 PPM/500 STEL

ACGIH TLV

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN,RESPIRATORY TRACT; COUGHING, SHORTNESS OF BREATH, DIZZINESS, AND INTOXICATION, POSSIBLE BURNING SENSATION, TEARING, REDNESS OR SWELLING OF EYES, CNS DEPRESSION, CHRONIC: IRRITATION, POSSIBLE DERMATITIS. Explanation of Carcinogenicity:NO DATA AVAILABLE.

Effects of Overexposure:SEE HEALTH HAZARDS DATA. Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

First Aid:INHALATION: REMOVE TO FRESH AIR;SEEK MEDICAL HELP, INGESTION: DO NOT INDUCE VOMITING; CALL A PHYSICIAN IMMEDIATELY. SKIN AND EYES: FLUSH WITH PLENTY OF WATER FOR ABOUT 15 MINUTES CALL FOR MEDICAL HELP IF NEEDED.

Flash Point Method:TCC Flash Point:53F/11.6C Lower Limits:2.0 Upper Limits:12.0

Extinguishing Media:DRY CHEMICAL,WATER SPRAY,WATER FOG,CARBON DIOXIDE FOAM.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS IN AN ENCLOSED AREA.

Unusual Fire/Explosion Hazard: AVOID EXTREME HEAT, HOT METAL SURFACES.

Spill Release Procedures: USE PROPER PERSONAL PROTECTION: REMOVE ALL IGN

ITION SOURCES: CONTAIN FREE LIQUID; USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED AREA. KEEP AWAY FROM HEAT, SPARK OPEN FLAMES. Other Precautions:NONE STATED

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE PEL

/TLV.

Ventilation:LOCAL EXHAUST/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves:IMPEMEABLE/RUBBER Eye Protection:SAFETY GLASSES/CHEMICAL GOGGLES Other Protective Equipment:APRON, EYE-WASH, SAFETY SHOWER. Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN: DO NOT BREATHE VAPORS/MIST. DO NOT USE CONTAMINATED CLOTHES.

Supplemental Safety and Health

HCC:F2 Boiling Pt:=82.2C, 180.F B.P. Text:180F/82C Melt/Freeze Pt:=-88.3 C, -127.F Vapor Pres:33 Vapor Density:2.1 Spec Gravity:0.78 Evaporation Rate & amp; Reference:1.7 (BUTYL ACETATE=1) Solubility in Water:COMPLETE Appearance and Odor:CLEAR,COLORLESS LIQUID WITH ODOR OF RUBBING ALCOHOL. Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS,ALUMINUM,METAL NITROFORM,OLEUM Stability Condition to Avoid:EXTREME TEMPERATURES,OPEN FLAMES,SPARKS Hazardous Decompo

sition Products:CARBON MONOXIDE AND OTHER TOXIC GASES.

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information t o be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.