

DOW CORNING CORP -- KIT RAIN REPELLENT -- 6850-00-139-5297

===== Product Identification =====

Product ID:KIT RAIN REPELLENT

MSDS Date:08/26/1992

FSC:6850

NIIN:00-139-5297

MSDS Number: BNPZK

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-6000/8577 (TRANSPORTATION)

Emergency Phone Num:517-496-

5900/800-424-9300(CHEMTREC)

Preparer's Name:DOD HMIS/DGSC-SSH

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

Company Name:KAFKO INTERNATIONAL, LTD.

Address:3535 N. CLARK ST.

Box:City:CHICAGO

State:IL

ZIP:60657

Coun

try:US  
Phone:312-528-0333  
CAGE:9J862  
Company Name:REGAL AIR CORP  
Address:568 MYRTLE AVE  
Box:City:BOONTON  
State:NJ  
ZIP:07005  
Country:US  
CAGE:98511  
Company Name:UNELKO CORP  
Address:7428 E KAREN DR  
Box:City:SCOTTSDALE  
State:AZ  
ZIP:85260-6923  
Country:US  
Phone:602-991-7272  
CAGE:50159

=====  
===== Composition/Information on Ingredients =====

Ingred Name:THIS PRODUCT CONTAINS SOME OF OR ALL OF THE FOLLOWING  
INGREDIENTS. BASED ON SIMILAR PRODUCT SUPPLIED BY THREE VENDORS.  
RTECS #:999999  
9ZZ

Ingred Name:THE ALCOHOL CONTENT CONSISTS OF SOME OR ALL OF THE ALCOHOLS  
LISTED. THE TOTAL ALCOHOL CONTENT VARIES FROM 80% TO >90%.  
RTECS #:9999999ZZ  
Fraction by Wt: 80->90%

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)  
CAS:67-56-1  
RTECS #:PC1400000  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:S,200PPM/250STEL  
ACGIH TLV:S,200PPM/250STEL; 93  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ETHYL ALCOHOL (ETHANOL)  
CAS:64-17-5  
RTECS #:KQ6300000  
Other REC Limits:NONE SPECIFIED  
OSHA PE

L:1000 PPM  
ACGIH TLV:1000 PPM; 9192

Ingred Name:ISOPROPYL ALCOHOL (SARA III)  
CAS:67-63-0  
RTECS #:NT8050000  
Fraction by Wt: 80-89%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:400 PPM/500 STEL  
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:SILICON (SILICONE DERIVATIVE, PROPRIETERY)  
CAS:7440-21-3  
RTECS #:VW0400000  
Fraction by Wt: TO 20%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:DIMETHYL SILICONE FLUIDS (ALKYL POLYSILOXANES)  
RTECS #:VW1620000  
Fra  
ction by Wt: TO 10%  
Other REC Limits:NONE SPECIFIED

Ingred Name:SULFURIC ACID (SARA III)  
CAS:7664-93-9  
RTECS #:WS5600000  
Fraction by Wt: 1  
Spec Gravity:0.8  
Evaporation Rate & Reference:1.5 (N-BUTYL ACETATE=1)  
Solubility in Water:COMPLETE  
Appearance and Odor:CLEAR LIQUID,ALCOHOL ODOR  
Percent Volatiles by Volume:TO 91%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS, ALDEHYDES, HALOGENS AND CONCENTRATED  
MINERAL  
ACIDS.

Stability Condition to Avoid:EXCESS HEAT, SPARKS, OPEN FLAMES.  
Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY GENERATE  
CARBON MONOXIDE, CARBON DIOXIDE, SULFUR DIOXIDE.  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE  
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
Th

is information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.