View NSN Online: https://aerobasegroup.co.il/nsn/6140-01-135-2777

GNB INC INDUSTRIAL BATTERY DIV WOODLAKE CORP PARK -- LEAD-ACID CELL (ANTIMONY), MODEL NO. 18-75C -- 6140-01-135-2777

Product ID:LEAD-ACID CELL (ANTIMONY), MODEL NO. 18-75C

MSDS Date:08/05/1988

FSC:6140

NIIN:01-135-2777

MSDS Number: BNWCL === Responsible Party ===

Company Name: GNB INC INDUSTRIAL BATTERY DIV WOODLAKE CORP PARK

Address:829 PARKVIEW BOULEVARD

City

:LOMBARD

State:IL

ZIP:60148-3249

Country:US

Info Phone Num:708-629-5200

Emergency Phone Num:708-629-5200 Preparer's Name:JAMES B. DOE, P.E.

CAGE:88219

=== Contractor Identification ===

Company Name: EXIDE TECHNOLOGIES INC CO, GNB INDUSTRIAL POWER DIV

Address:829 PARKVIEW BOULEVARD

Box:City:LOMBARD

State:IL

ZIP:60148-3249 Country:US

Phone:800-872-0471/630-691-7841

CAGE:88219

======= Composition/Information on Ingredients =========

Ingred Name:LEAD (SARA III)

CAS:7439-92-1 RTECS #:OF 7525000

Fraction by Wt: 51.4%

Other REC Limits:NONE SPECIFIED OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9192

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: ANTIMONY (SARA III)

CAS:7440-36-0

RTECS #:CC4025000 Fraction by Wt: 1.0%

Other REC Limits: NONE SPECIFIED

OSHA PEL:0.5 MG/M3

ACGIH TLV:0.5 MG SB/M3; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:LEAD(IV) OXIDE

CAS:1309-60-0

RTECS #:OG0700000

C ACID (SARA III) CAS:7664-93-9 RTECS #:WS5600000 Fraction by Wt: 18.6% Other REC Limits: NONE SPECIFIED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name: NONE HAZARDOUS INGREDIENTS RTECS #:9999999ZZ Fraction by Wt: 8.2% Other REC Limits: NONE SPECIFIED Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO _____ First Aid Measures ========== First Aid:EYES- IMMEDIATELY FLUSH WITH WATER AND CONTINUE FLUSHING FOR 15 MIN. GET MEDICAL ATTENTION PROMPTLY. SKIN- PROMPTLY WASH THE EXPOSED SKIN WITH SOAP AND WATER. GET MEDICAL ATTENTION. INHALATION- REMO VE PERSON TO FRESH AIR. IF BREATHING ISSTOPPED, PERFORM ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION IMMEDIATELY. INGESTION- GET MEDICAL ATTENTION IMMEDIATELY. INGEST LARGE QUANTITIES OF WATER. _____ Fire Fighting Measures ========== Lower Limits:4, HYDROGEN Upper Limits:75, HYDROGEN

Fire Fighting Procedures: IF ELECTROLYTE IS EXPOSED DURING A FIRE, DO

======== Accidental Release Measures ============

Unusual Fire/Explosion Hazard: KEEP SPARKS AND FLAMES AWAY FROM CELLS. HYDROGEN AND OXYGEN GASES ARE GENERATED DURING CHARGING.

Extinguishing Media: DRY CHEMICAL

NOT COVER OR SPLASH WITH DRY CHEMICAL.

Spill Release Procedures: APPLY CAUSTIC SODA OR EQUIVAL

ELECTROLYTE. Neutralizing Agent: CAUSTIC SODA.
======================================
Handling and Storage Precautions: AVOID DROPPING OR BUMPING CELLS. DO NOT STORE CELLS ABOVE 130F. MAINTAIN CHARGE AND ELECTROLYTE IN STORED CELLS. Other Precautions: DO NOT SHORT CIRCUIT CELL AS THIS CAN RESULT IN
EXPLOSION AN/OR CELL DAMAGE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY RE QUIRED.
Ventilation:MECHANICAL EXHAUST TO FRESH AIR. Protective Gloves:RUBBER
Eye Protection:GOGGLES OR FACE SHIELD. Other Protective Equipment:RUBBER BOOTS, RUBBER APRON, AND POLYESTER CLOTHING.
Work Hygienic Practices:WASH HANDS AND EQUIPMENT WITH WATER AFTER USE. Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:C1 Appearance and Odor:BATTERY
======== Stability and Reactivity Data =========
Stability Indicat or/Materials to Avoid:YES Stability Condition to Avoid:EXCESSIVE OVERCHARGING WHICH CAN GENERATE SULFUR OXIDES, HYDROGEN SULFIDE, ETC. Hazardous Decomposition Products:THERMAL DECOMPOSITION RELEASES SULFUR OXIDE, HYDROGEN SULFIDE, AND STIBINE (ANTIMONY HYDRIDE).
========== Disposal Considerations ==============

Waste Disposal Methods: NEUTRALIZED ELECTROLYTE MAY BE DISPENSED IN

SEWER SYSTEM IF LOCAL REGULATIONS PERMIT. DELIVER DISCARDED CELLS

ENT TO NEUTRALIZE

TO QUALIFIED BATTE

RY WASTE HANDLING SERVICE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.