View NSN Online: https://aerobasegroup.co.il/nsn/6830-01-333-1692

MINE SAFETY APPLIANCES CO -- 478192 CALIBRATION CHECK GAS -- 6830-01-333-1692

Product ID:478192 CALIBRATION CHECK GAS MSDS Date:11/02/1987 FSC:6830 NIIN:01-333-1692 MSDS Number: BNWFJ === Responsible Party === Company Name: MINE SAFETY APPLIANCES CO Box:426 City:PITTSBURGH State:PA ZIP:15230 Country:US Info Phone Num:412-967-3000 Emergency Phone Num:412-967-300 0 CAGE:55799 === Contractor Identification === Company Name: MINE SAFETY APPLIANCES CO DBA MSA Address:3880 MEADOWBROOK RD Box:City:MURRYSVILLE State:PA ZIP:15668-1753 Country:US Phone:724-733-9272 CAGE:55799 Company Name: MINE SAFETY APPLIANCES CO; INSTRUMENT DIV Address:1000 CRANBERRY WOODS DR Box:City:CRAMBERRY TWP State:PA ZIP:16066-5296 Country:US Phone:724-733-9270 CAGE:1CS58

Ingred Name:METHANE CAS:74-82-8 RTECS #:PA1490 000 Fraction by Wt: 1.45% Other REC Limits:NONE RECOMMENDED ACGIH TLV:ASPHYXIANT; 9192

Ingred Name:OXYGEN CAS:7782-44-7 RTECS #:RS2060000 Fraction by Wt: 15% Other REC Limits:NONE RECOMMENDED

Ingred Name:NITROGEN CAS:7727-37-9 RTECS #:QW9700000 Fraction by Wt: BALENCE Other REC Limits:NONE RECOMMENDED ACGIH TLV:ASPHYXIANT; 9192

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC: NO OSHA:NO Health Hazards Acute and Chronic:METHANE IS A SIMPLE ASPHIXIANT. Explanation of Carcinogenicity:COMPONENT GASES NOT LISTED IN NIOSH RTECS. Effects of Overexposure:NONE KNOWN FOR 1.47% METHANE.

Medical Cond Aggravated by Exposure:NO INFORMATION.

First Aid:REMOVE FROM EXPOSURE.

Lower Limits:5.3 METHANE Upper Limits:14.0 METHANE Extinguishing M edia:THIS GAS IS NON FLAMMABLE. Fire Fighting Procedures:SEE NEXT ITEM Unusual Fire/Explosion Hazard:GAS UNDER PRESSURE, 1000 PSIG @ 70F. DO NOT EXCEED 120F,

Spill Release Procedures: VENTILATE AREA. AVOID BREATHING GAS. Neutralizing Agent: SUPPLIER DID NOT ADDRESS THIS FIELD.

Handling and Storage Precautions:STORE IN A COOL, DRY WELL-VENTILATED AAREA.

Respiratory Protection:DUE TO THE LIMITED AMOUNT OF GAS IN THE CYLINDER AND THE LOW RELEASE RATE EMPLOYED IN INSTRUMENT CALIBRATION, RESPIRATORY PROTECTION IS NOT INDICATED UNDER CONDITIONS OF INTENDED USE.

Ventilation:MECHANICAL VENTILAATION IS SUITABLE. Protective Gloves:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

Eye Protection:NO INFORMATION GIVEN ON MSDS BY SUPPLIER Oth

er Protective Equipment:NO INFORMATION GIVEN ON MSDS BY SUPPLIER Work Hygienic Practices:AVOID BREATHING GAS.

Supplemental Safety and Health

MSDS RECEIVED FROM NAVY (FOCAL POINT N). NAVY IDENTIFIED NSN.

HCC:G3 pH:UNKNON Appearance and Odor:GAS UNDER PRESSURE

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decompos

ition Products:SUPPLIER DID NOT ADDRESS THIS FIELD.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DO NOT PUNCTURE OR INCINERATE CYLINDER. BEFORE DISCARDING CYLINDER, SLOWLLY RELEASE CONTENTS TO A SAFE EXHAUST.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.