

SOUTHWEST PETRO-CHEM DIV WITCO CHEMICAL CORP -- SA 827 7092 GREASE --
9150-00-530-6814

=====
===== Product Identification =====

Product ID:SA 827 7092 GREASE
MSDS Date:06/10/1992
FSC:9150
NIIN:00-530-6814
MSDS Number: BPBMS
=== Responsible Party ===
Company Name:SOUTHWEST PETRO-CHEM DIV WITCO CHEMICAL CORP
Address:1400 S HARRISON
Box:1974
City:OLATHE
State:KS
ZIP:66061
Country:US
Emergency Phone Num:91
3-782-5800
Preparer's Name:RAY LAWSON, MGR.TECH.COMP
CAGE:70878
=== Contractor Identification ===
Company Name:EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT
Address:1400 S HARRISON
Box:1974
City:OLATHE
State:KS
ZIP:66061
Country:US
Phone:913-656-3701/800-424-9300(CHEMTREC)
CAGE:70878

=====
===== Composition/Information on Ingredients =====

Ingred Name:NONHAZARDOUS INGREDIENTS
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:CHRONIC: NONE WHEN USED WITH GOOD
PERSONAL HYGIENE PRACTICES. MAY OTHERWISE CAUSE SKIN AND EYE
IRRITATION UPON PROLONGED OR REPEATED CONTACT. ACUTE: NO DATA
AVAILABLE.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Me
asures =====

First Aid:EYES: IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER FOR AT
LEAST 15 MIN & CALL A PHYSICIAN. SKIN: REMOVE EXCESS WITH CLOTH OR
PAPER & WASH AREA THOROUGHLY WITH SOAP & WATER. FOR HIGH PRESSURE
INJECTI ON UNDER THE SKIN SEE A PHYSICIAN IMMEDIATELY. INHALATION:
REMOVE EXPOSED PERSON TO FRESH AIR IS EXPERIENCED WHILE HANDLING
HOT PRODUCT. IF SWALLOWED: CONTACT A PHYSICIAN IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:>356F,>180C
Extinguishing Media:DRY CHEMICAL, WATER FOG, CARBON DIOXIDE, FOAM, OR
SAND/EARTH.
Fire Fighting Procedures:WATER MAY CASUE FROTHING. DENSE SMOKE. FIRE
FIGHTERS SHOULD WEAR AN APPROVED SELF-CONTAINED BREATHING
APPARATUS.
Unusual Fire/Explosion Hazard:DENSE SMOKE.

===== Accidental Release Measures =====

Spill Release Procedures:TRANSFER BULK OF MATERIAL INTO ANOTHER
CONTAINER. ABSORB RES
IDUE WITH AN INERT MATERIAL SUCH AS EARTH,
SAND OR VERMICULITE. SWEEP UP & DISPOSE AS SOLID WASTE IN
ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED UNTIL READY FOR
USE.
Other Precautions:KEEP OUT OF REACH OF CHILDREN!!!

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Ventilation:NONE
Protective Gloves:NONE

Eye Protection:CHEMICAL SAFETY GOGGLES/FULL FACE SHIELD

Other Protective Equipment:NONE

Work Hygienic Practices:PRACTICE GOOD PERSONAL HYGIENE.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>410F,>210C

Spec Gravity:0.936

Evaporation Rate & Reference:N/RNOWN

Solubility in Water:NEGLIGIBLE @25C

Appearance and Odor:FORM: SEMI-SOLID. ODOR: MINERAL OIL. COLOR: AMBER.

APPERANCE: GREASE.

Percent Volatiles

by Volume:UNK

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS SUCH AS HYDROGEN PEROXIDE, BROMINE, AND CHROMIC ACID.

Hazardous Decomposition Products:CARBON MONOXIDE; CARBON DIOXIDE;

OXIDES OF SULFUR, NITROGEN, CALCIUM; ALKYL SULPHIDES; MERCAPTANS;

HYDROGEN SULFIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE

FE

DERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this info

rmation to their
particular situation.