View NSN Online: https://aerobasegroup.co.il/nsn/3040-00-740-9565

RAYMARK INDUSTRIES INC -- WOVEN BRAKE LINING,M 98 -- 3040-00-740-9565

Product ID:WOVEN BRAKE LINING,M 98

MSDS Date:11/25/1985

FSC:3040

NIIN:00-740-9565

MSDS Number: BPBYW === Responsible Party ===

Company Name: RAYMARK INDUSTRIES INC

Address:100 OAKVIEW DRIVE

City:TRUMBULL

State:CT

ZIP:06611-4724 Country:US

Emergency Phone Num:717-665-2211

CAGE:81977 === Contra

ctor Identification ===

Company Name: HIGHLAND AUTO & TRUCK SUPPLY

Address:1536 N INDIANA ST Box:City:LOS ANGELES

State:CA

ZIP:90063-2520 Country:US

Phone:213-268-1311

CAGE:02386

Company Name: RAYMARK INDUSTRIES INC

Address:100 OAKVIEW DRIVE

Box:City:TRUMBULL

State:CT

ZIP:06611-4724 Country:US

Phone:717-665-2211

CAGE:81977

======= Composition/Information on Ingredients ========

Ingred Name: ASBESTOS, CHRYSOTILE

CAS:12001-29-5 RTECS #:Cl6478500 Fraction by Wt: 40 - 70%

Other REC Limit

s:NONE RECOMMENDED OSHA PEL:0.2 FIBERS/CC ACGIH TLV:2 FIBERS/CC; A1;9293 Ingred Name: CELLULOSICS Fraction by Wt: 5 - 30% Other REC Limits: NONE RECOMMENDED Ingred Name: PHENOLIC RESIN Fraction by Wt: 5 - 30% Other REC Limits: NONE RECOMMENDED ========== Hazards Identification ================ LD50 LC50 Mixture:TLV FOR ASBESTOS IS 2F/CC. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Health Hazards Acute and Chr onic:ACUTE-EYE/SKIN:MAY CAUSE IRRITATION.INHALED:OVEREXPOSURE MAY CAUSE ASBESTOSIS ASSOCIATED WITH SYMPTOMS OF LABORED BREATHING, CHEST PAINS, WEAKNESS & CHEST TIGHTNESS.SYMPTOMS ARE NOT USUALLY MANIFEST UNT IL 15-20 YEARS LATER.ORAL:NONE.CHRONIC-OVER EXPOSURE MAY CAUSE ASBESTOSIS & CANCER.SMOKING INCREASES RISK TO HEALTH. Explanation of Carcinogenicity: PER MSDS. Effects of Overexposure: MAY CAUSE IRRITATION OF EYE AND SKIN. OVEREXPOSURE BY INHALATION OF DUST (FIBERS) MAY CA **USE ASBESTOSIS** ASSOCIATED WITH SYMPTOMS OF LABORED BREATHING, CHEST PAINS, WEAKNESS & CHEST TIGHTNESS. SYMPTOMS ARE NOT USUALLY MANIFEST UNTIL 15-20 YEARS LATER. Medical Cond Aggravated by Exposure: OVER EXPOSURE TO FREE FIBERS CAN INCREASE THE CHRONIC RISK OF LUNG FIBROSIS AND CANCER. TOBACCO SMOKING CAN INCREASE THE EXPOSURE RISK. First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:FLUSH WITH LENTY OF WATER. EYE:FLUSH GENTLY WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED: REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED . ORAL:SEE A PHYSICIAN.

Flash Point:NONE

Extinguishing Media:WATER, CO2, DRY CHEMICAL AND FOAM Fire Fighting Procedures:WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

======== Accidental Release Measures =========

===
Spill Release Procedures:WEAR NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS IF DUSTS PRESENT. VACUUM OR WET CLEANING IF DUST INVOLVED.
======================================
Handling and Storage Precautions:STORAGE- AVOID CREATING DUST. Other Precautions:AVOID BREATHING FIBERS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. REMOVE CONTAMINATED CLOTHING PROMPTLY. KEEP OUT OF REACH
OF CHILDREN.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:WHEN NECESSARY, USE NIOSH-APPROVED RESPIRATOR WITH HIGH EFFICIENCY PARTICULATE AIR FILTER. Ventilation:LOCAL VENTILATION IF ENGINEERING CONTROLS ARE INADEQUATE. Protective Gloves:NEOPRENE OR PLASTIC Eye Protection:SAFETY GLASSES Other Protective Equipment:PROTECTIVE CLOTHING, BARRIER CREAMS FOR SENSITIVE INDIVIDUALS, EYE WASH STATION AND QUICK SHOWER Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health
======== Physical/Chemical Properties =========
HCC:T7 Spec Gravity:1.4 Solubility in Water:INSOLUBLE Appearance and Odor:BLACK WOVEN MATERIAL- SOLID ===================================
Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE Hazardous Decomposition Products:INCOMPLETE COMBUSTION MAY YIELD TOXIC MATE

-	_	

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF WASTE MATERIAL IN SEALED IMPERMEABLE BAGS OR OTHER IMPERMEABLE CLOSED CONTAINERS USING PROPER LABELS IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, express

ly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.