View NSN Online: https://aerobasegroup.co.il/nsn/8415-00-266-8843

Product ID:MITTENS, CLOTH, NATURAL, ASBESTOS

MSDS Date:10/27/1992

FSC:8415

NIIN:00-266-8843

MSDS Number: BPDZQ === Responsible Party ===

Company Name: SAGER GLOVE CORP

Address:700 N 4TH STREET

City:MURRAY

State:KY

ZIP:42071-2154 Country:US

Preparer's Name: DGSC-SSH

CAGE:6B614 === Contracto r Identification ===

Company Name: SAGER GLOVE CORP

Address:700 N 4TH STREET

Box:City:MURRAY

State:KY

ZIP:42071-2154 Country:US CAGE:6B614

======= Composition/Information on Ingredients ========

Ingred Name: ASBESTOS, CHRYSOTILE

CAS:12001-29-5 RTECS #:Cl6478500

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:2 FIBERS/CC; A1;9293

======== Hazards Identification ===========

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of

- Carcinogenicity:NTP:YES IARC:YES OSHA:YES
- Health Hazards Acute and Chronic:PROLONGED OR REPEATED EXPOSURE TO AIRBORNE ASBESTOS FIBERS FROM USE OF THIS MITTEN MAY LEAD TO ASBESTOSIS AND MESOTHELIOMA. SMOKING COMBINED WITH FIBER INHALATION GREATLY INCREASES LUNG CANCER RISK.
- Explanation of Carcinogenicity:OVEREXPOSURE TO AIRBORNE CONCENTRATIONS OF ASBESTOS MAY LEAD TO ASBESTOSIS AND MESOTHELIOMA.
- Effects of Overexposure:INHALATION OF AIRBORNE DUST CONTAINING ASBESTOS FIBER
- S ON REPEATED EXPOSURE MAY CAUSE OR CAN LEAD TO ASBESTOSIS / MESOTHELIOMA; DUST MAY CAUSE EYE IRRITATION.
- Medical Cond Aggravated by Exposure:PERSONS WITH RESPIRATORY DISEASE OR PERSONS WHO SMOKE MAY BE AT INCREASED RISK FROM EXPOSURE TO DUST CONTAINING ASBESTOS FIBERS.

	First Aid Measures	
--	--------------------	--

- First Aid:INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. EYE: PROMPTLY FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE LIFTING EYEL
- ID. GET MEDICAL ATTENTION. SKIN: PROMPTLY FLUSH WITH SOAP AND WATER. REM OVE CONTAMINATED CLOTHING. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: GET MEDICAL ATTENTION AS REQUIRED.

	Fire Fighting Measures	
--	------------------------	--

Flash Point:NONE

Autoignition Temp: Autoignition Temp Text: NONE

Extinguishing Media:MATERIAL IS NOT FLAMMABLE; USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures: COMBUSTION PRODUCTS OF THIS MATERIAL MAY BE

TOXIC. USE A SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES INVOLVING THIS ITEM.

Unusual Fire/Explosion Hazard:NONE

=======================================	Accidental	Release	Measures	============
---	------------	---------	----------	--------------

Spill Release Procedures:IF DUST IS GENERATED FROM THIS ITEM, USE PROPER PERSONAL PROTECTION, VACUUM OR WET CLEAN. ANY VACUUM SYSTEM SHOULD BE EQUIPPED WITH AN OUTLET "HEPA" FILTER TO PREVENT REINTRODUCING ASBESTOS FIBERS TO THE ATMOSPHERE.

======= Handling and Storage

Handling and Storage Precautions:HANDLE IN A MATTER TO MINIMIZE FORMATION OF AIRBORNE DUST. USE PROPER PERSONAL PROTECTION WHEN USED.

Other Precautions: AS MANUFACTURED, ASBESTOS PRESENTS A DANGEROUS HEALTH HAZARD. IF DUST IS GENERATED BY ABRADING ACTIONS, ASBESTOS FIBERS MAY BECOME AIRBORNE.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: EXPOSURE TO AIRBORNE ASBESTOS SHALL NOT EXCEED 0.2 FIBERS PER CUBIC C

ENTIMETER OF AIR AS AN 8-HOUR TWA. USE NIOSH

APPROVED FULL FACEPIECE AIR PURIFYING RESPIRATOR EQUIPPED WITH HEPA
FILTER OR AIR SUPP LIED RESPIRATOR IN PRESSURE DEMAND MODE.

Ventilation:LOCAL EXHAUST IS RECOMMENDED IN OPERATIONS WHERE THIS MITTEN MIGHT BE USED.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment: WORK CLOTHES OR COVERALLS.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINAT

ED CLOTHING BEFORE

REUSE.

Supplemental Safety and Health

CONTAINS ASBESTOS FIBERS. AVOID CREATING DUST. CANCER AND LUNG DISEASE HAZARD. AVOID BREATHING AIRBORNE ASBESTOS FIBERS. USE OF THIS ITEM CAN CREATE A HEALTH HAZARD. NSN WAS CANCELLED WITH OUT REPLACE MENT.

	Ph	ysical/Chemical Properties	
--	----	----------------------------	--

HCC:T6

Decomp Temp:Decomp Text:>900F,>482C

Solubility in Water: NEGLIGIBLE

Appearance and Odor:UNIVERSAL SIZE DUCK CLOTH GAUNTLET STYLE MITTEN, AM

BIDEXTROUS, NATURAL COLORED.

Percent Volatiles by Volume:NONE

===========	Stability and	Reactivity Data	============

Stability Indicator/Materials to Avoid:YES

NONE

Hazardous Decomposition Products: AIRBORNE ASBESTOS DUST

======= Disposal Considerations ===========

Waste Disposal Methods:DUST SHOULD BE HANDLED AS A HAZARDOUS AIR POLLUTANT I/A/W 40CFR61 SUBPART "M" PERTAINING TO ASBESTOS. USE LANDFILLS APPROVED FOR ASBESTOS DISPOSAL. INDICATE IF ITE

M UNDER CONSIDERATION FOR DISPOSAL IS "FRIABLE OR NON-FRIABLE".

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibilit

y for the suitability of this information to their particular situation.