View NSN Online: https://aerobasegroup.com/nsn/6840-01-065-3662 ROYAL LUBRICANTS COMPANY INC. -- ROYCO 603 (OR ASA-3 ANTISTATIC COMPOUND) 6850-01-065-3662 ============= Product Identification ======================== Product ID:ROYCO 603 (OR ASA-3 ANTISTATIC COMPOUND) MSDS Date:04/08/1991 FSC:6850 NIIN:01-065-3662 MSDS Number: BPJHP === Responsible Party === Company Name: ROYAL LUBRICANTS COMPANY INC. Address:72 EAGLE ROCK AVE Box:518 City: EAST HANOVER State:NJ ZIP:07936 Country:US nfo Phone Num:201-887-3100 Emergency Phone Num:201-887-7411 CAGE:07950 === Contractor Identification === Company Name: INLAND PACKAGING INC Address: 209 PETERSON DR Box:644 City:ELIZABETHTOWN State:KY ZIP:42701-9804 Country:US Phone:502-737-6757 CAGE:66172 Company Name: ROYAL LUBRICANTS COMPANY INC. Address:215 MERRY LN Box:518

City: EAST HANOVER State:NJ ZIP:07936 Country:US

Phone:973-887-7411/7410

CAGE:07950

======= Composition/Information on Ingredients ========

Ingred Name:XYLENES

(O-,M-,P- ISOMERS) (SARA III) CAS:1330-20-7 RTECS #:ZE2100000 Fraction by Wt: 50.0% Other REC Limits:NONE SPECIFIED OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name:TRIVALENT CHROMIUM COMPOUND CAS:114959-48-7
Fraction by Wt: ROYAL 603. THIS PRODUCT CONTAINS XYLENE & EXPOSURE TO 10,000 PPM IS IMMEDIATELY DANGEROUS TO LIFE OR HEALTH.
========= Physical/Chemical Properties ==========
HCC:V3 Melt/Freeze Pt:M.P/F .P Text:-45C Vapor Pres:8.4 Vapor Density:>1.0 Spec Gravity:0.91 Solubility in Water:INSOLUBLE Appearance and Odor:DARK BROWN,VISCOUS LIQUID WITH AN ODOR OF XYLENE Percent Volatiles by Volume:50.0
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:HEAT,OPEN FLAME. Hazardous Decomposition Products:AIRBORNE SOLIDS, LIQUID PARTICULATES & GASES WILL EVOLVE ALONG WITH UNIDENTIFIED OR GANIC COMPOUNDS & CARBON MONOXIDE.
====== Disposal Considerations =========
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and d

isclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.