View NSN Online: https://aerobasegroup.co.il/nsn/6810-00-297-9540

LIQUIPHARM INC

-- BATTERY WATER (PURIFIED WATER)

MSDS Safety Information

_____ FSC: 6810 NIIN: 00-297-9540 MSDS Date: 10/20/1992 MSDS Num: BPKWC Product ID: BATTERY WATER (PURIFIED WATER) MFN: 01 **Responsible Party** Cage: 0VYT4 Name: LIQUIPHARM INC Address: 10716 MCCUNE AVE City: LOS ANGELES CA 9 0034 Info Phone Number: 310-558-3344/213-664-2121POISON CTR Emergency Phone Number: 310-558-3344/800-424-9300(CHEMTREC) Preparer's Name: JALIL HAZRATI Review Ind: Y Published: Y ______ Contractor Summary Cage: 0VYT4 Name: LIQUIPHARM INC Address: 10716 MCCUNE AVE City: LOS ANGELES CA 90034 Phone: 310-558-3344 Cage: 65701 Name: UNITED STATES TRADING CORP Address: 10718 MCCUNE AVE City: LOS ANG ELES CA 90034-6292 Phone: 800-588-4666 _____ Item Description Information _____ Item Manager: S9G Item Name: BATTERY WATER Specification Number: O-B-41 Unit of Issue: DR Quantitative Expression: 0000000005GL UI Container Qty: 1 Type of Container: BOTTLE _____ Ingredients _____ Cas: 7732-18-5 RTEC

S #: ZC0110000 Name: WATER % Wt: 100 Other REC Limits: NONE RECOMMENDED Health Hazards Data _____ Route Of Entry Inds - Inhalation: NO Skin: NO Ingestion: NO Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: ACUTE AND CHRONIC- THIS MATERIAL IS NON TOXIC BY INGESTION AND IS NOT AN EYE AND MUCOUS MEMBRANE IRRITANT. Signs And Symptions Of Overexposure: NONE Medical Cond A ggravated By Exposure: PRE-EXISTING SKIN SENSITIVITIES. First Aid: NONE Handling and Disposal _____ Spill Release Procedures: NONE

Handling And Storage Precautions: STORAGE- KEEP CONTAINER CLOSED. Other Precautions: NONE

Fire and Explosion Hazard Information

Flash Point Text: NONE

Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard: NONE

Control Measures

Respiratory Protection: NONE NORMALLY REQUIRED. Ventilation: NONE Protective Gloves: NONE NORMALLY REQUIRED. Eye Protection: NONE NORMALLY REQUIRED. Other Protective Equipment: NONE Work Hygienic Practices: NONE

Physical/Chemical Properties

HCC: N1 B. D. Toyt: 212E 100C
B.P. Text: 212F,100C M.P/F.P Text: 32.0F,0.0C
Vapor Pres: 760
Spec Gravity: 1 PH: 5-7
Appearance and Odor: CLEAR LIQUID - ODORLESS
Percent Volatiles by Volume: 100
Reactivity Data
Stability Indicator: YES
Stability Condition To Avoid: EXCESSIVE HEAT Materials To Avoid: STRONG MINERAL ACIDS, REACTIVE METALS SUCH AS SODIUM ,
POTASSIUM, LITHIUM
Hazardous Decomposition Products: NONE
Hazardous Polymerization Indicator: NO
Toxicological Information
Ecological Information
MSDS Transport Information
=======================================
======================================
e=====================================
Transportation Information
Responsible Party Cage: 0VYT4
Trans ID NO: 68906
Product ID: BATTERY WATER (PURIF

IED WATER) MSDS Prepared Date: 10/20/1992 Review Date: 11/30/1992 MFN: 1 Net Unit Weight: 41.7 LBS Multiple KIT Number: 0 Review IND: Y Unit Of Issue: DR Container QTY: 1 Type Of Container: BOTTLE
Detail DOT Information
DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail IMO Information
IMO PSN Code: ZZZ IMO PSN Code: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
Detail IATA Information
IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail AFI Information
AFI PSN Code: ZZZ AFI PSN Code: NOT REGULATED BY THIS MODE OF TRANSPORTATION
HAZCOM Label
Product ID: BATTERY WATER (PURIFIED WATER) Cage: 0VYT4 Company Name: LIQUIPHARM INC Street: 10716 MCCUNE AVE City: LOS ANGELES CA Zipcode: 90034 Health Emergency Phone: 310-558-3344/800-424-9300(CHEMTREC) Label Required IND: Y Date Of Label Review: 12/16/1998 Status Code:

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants

, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitabi

lity of this information to their

particular situation regardless of similarity to a corresponding Department of Defense or other government situation.