View NSN Online: https://aerobasegroup.co.il/nsn/2520-00-949-0816

WELLMAN S K CORP THE, SUB OF MLX CORP -- SINTERED FRICTION MATERIAL 2520-00-949-0816

Product ID:SINTERED FRICTION MATERIAL MSDS Date:03/15/1991 FSC:2520 NIIN:00-949-0816 MSDS Number: BPMTW === Responsible Party === Company Name: WELLMAN S K CORP THE, SUB OF MLX CORP Address:6190 COCHRAN RD City:SOLON State:OH ZIP:44139-2952 Country:US Info Phone Num:216-498-2275 Emergency Phone Num:216-498-2275 CAGE:79370 === Contractor Identification === Company Name: WELLMAN S K CORP THE; SUB OF MLX CORP Address:6190 COCHRAN RD Box:City:SOLON - FORMERLY BEDFORD State:OH ZIP:44139-2952 Country:US Phone:216-498-2275 CAGE:79370

Ingred Name:COPPER (SARA III) CAS:7440-50-8 RTECS #:GL5325000 Fraction by Wt: SECRET Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1MG/M3 FUME/1 DUST ACGIH TLV:0.2MG/M3 FUM E; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:TIN CAS:7440-31-5 RTECS #:XP7320000 Other REC Limits:NONE RECOMMENDED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9293

Ingred Name:LEAD (SARA III) CAS:7439-92-1 RTECS #:OF7525000 Other REC Limits:NONE RECOMMENDED OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9293 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:GRAPHITE, NATURAL CAS:7782-42-5 RTECS #:MD9659600 Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MPPCF RDUST ACGIH TLV:2 MG /M3 RDUST; 9293

Ingred Name:IRON CAS:6596-57-0 Other REC Limits:NONE RECOMMENDED

Ingred Name:MOLYBDENUM DISULFIDE CAS:1317-33-5 RTECS #:QA4697000 Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name:SILICON DIOXIDE (AMORPHOUS) CAS:67762-90-7 Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health

INHALATION-REMOVE FROM EXPOSURE, CONTACT PHYSICIAN.

Extinguishing Media:FOAM. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:NOT APPLICABLE.

Handling and Storage Precautions:NO SPECIAL PRECAUTIONS FOR SAFETY OR HEALTH PURPOSES. Other Precautions:NONE

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR WHEN EXPOSED TO BRAKE WEAR PRODUCTS. Ventilation:NO SPECIAL REQUIREMENTS. Protective Gloves:OPTION AL Eye Protection:OPTIONAL Other Protective Equipment:OPTIONAL Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE

HCC:N1 Melt/Freeze Pt:M.P/F.P Text:>1550F,>843 Spec Gravity:5.20 Solubility in Water:INSOLUBLE Appearance and Odor:COPPER COLOR IN APPERANCE, NO ODOR.

Stability Indicator/Materials to Avoid:YES NONE SPECI FIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: METAL SCRAP. REFER TO LOCAL ORDINANCE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressl

y or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.