

CREST PRODUCTS CORP -- 2079A -- 8040-00-753-4800

=====
Product Identification
=====

Product ID:2079A
MSDS Date:03/23/1989
FSC:8040
NIIN:00-753-4800
Kit Part:Y
MSDS Number: BPVCK
=== Responsible Party ===
Company Name:CREST PRODUCTS CORP
Address:2000 S SUSAN ST
City:SANTA ANA
State:CA
ZIP:92704
Country:US
CAGE:34469
=== Contractor Identification ===
Company Name:CREST PRODUCTS CORP
Address:2000 S
SUSAN ST
Box:City:SANTA ANA
State:CA
ZIP:92704-4415
Country:US
Phone:714-965-9292
CAGE:34469

=====
Composition/Information on Ingredients
=====

Ingred Name:BISPHENOL A/EPICHLOROHYDRIN EPOXY RESIN
CAS:25068-38-6
RTECS #:KC2100000
Other REC Limits:NONE SPECIFIED

Ingred Name:FREE BISPHENOL A 1-1- PPM FREE EPICHLOROHYDRIN 1PPM
RTECS #:9999999ZZ
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Effects of Overexposure:SHORTNESS

OF BREATH; THROAT IRRITATION; REDNESS
OF RASH ON SKIN.

Medical Cond Aggravated by Exposure:NONE KNOWN

=====
===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR; REMOVE CONTAMINATED CLOTHING; WASH
AFFECTED AREA WITH SOAP AND WATER. CONSULT PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>446F,>230C

Extinguishing Media:WATER, FOAM, DRY CHEMICAL, CARBON DIOXIDE

Fire Fighting Proce

dures:MATERIAL WILL NOT BURN UNLESS PREHEATED. COOL

CONTAINERS WITH WATER SPRAY. SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NO UNUSUAL HAZARDS

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB MATERIAL WITH SAND OR VERMICULITE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM ALL HEAT SOURCES.

=====
===== Exposure Controls/Personal Protection =

=====

Respiratory Protection:NOT NORMALLY NEEDED. RECOMMENDED IF MATERIAL IS
TO BE HEATED.

Ventilation:LOCAL EXHAUST: RECOMMENDED.

Protective Gloves:RECOMMENDED AS GENERAL PRECAUTION

Eye Protection:RECOMMENDED AS GENERAL PRECAUTION

Other Protective Equipment:APRON IF NEEDED FOR CLOTHING PROTECTION.

Work Hygienic Practices:NORMAL INDUSTRIAL PRACTICES.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>500F,>260C

Vapor Pres: