View NSN Online: https://aerobasegroup.com/nsn/5970-00-871-7337

VARFLEX CORPORATION -- UNTREATED NYLON SLEEVING-BLACK -- 5970-00-871-7337

Product ID:UNTREATED NYLON SLEEVING-BLACK

MSDS Date:06/25/1993

FSC:5970

NIIN:00-871-7337

MSDS Number: BPVDQ === Responsible Party ===

Company Name: VARFLEX CORPORATION

Address:512 WEST COURT STREET

Box:551 City:ROME State:NY ZIP:13440 Country:US

Info Phone Num:315-336-4400

Emergency Phone N um:315-336-4400

Preparer's Name: BRIAN PEREZ

CAGE:79074

=== Contractor Identification ===

Company Name: VARFLEX CORPORATION

Address:512 WEST COURT STREET

Box:City:ROME

State:NY ZIP:13440 Country:US

Phone:315-336-4400

CAGE:79074

======= Composition/Information on Ingredients ========

Ingred Name: ADIPIC ACID (CERCLA) HEXAMETHYLENEDIAMINE

CAS:124-04-9

RTECS #:AU8400000

Other REC Limits: NONE RECOMMENDED

ACGIH TLV:5 MG/M3; 9596

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:POLYA

MIDE FIBER, NYLON 6.6 FIBER Other REC Limits: NONE RECOMMENDED ========= Hazards Identification =============== LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NO ADVERSE HEALTH EFFECTS. Effects of Overexposure:NO TOXICOLOGICAL EFFECTS REPORTED. Flash Point:581F,305 Autoignition Temp: Autoignition Temp Text: NP Lower Limits:NA **Upper Limits:NA** Extinguishing Media: CLASS A EXTINGUISHING AGENT. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard: NYLON FIBER IS A COMBUSTIBLE THERMOPLASTIC MATERIAL & MAY MELT AND DRIP. ======== Accidental Release Measures ============= Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: GOOD INDUSTRIAL HYGIENE. Other Precautions:NONE. ====== Exposure Controls/Personal Protection ======== Ventilation: USE LOCAL EXHAUST. Work Hygienic Practices: WASH AND SHOWER NORMALLY AT END OF WORK DAY. Supplemental Safety and Health FLASH POINT METHOD: ASTM-D 1929-77. ======== Physical/Chemical Properties =========== HCC:N1 Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:490F,254C

Decomp Temp:Decomp T

ext:NP Vapor Pres:NA Vapor Density:NA Spec Gravity:1.14

pH:NP

Viscosity:NP

Evaporation Rate & Deference: NA Solubility in Water: SLIGHTLY IN BOIL H2O

Appearance and Odor: ESSENTIALLY ODORLESS, BLACK.

Percent Volatiles by Volume:NP

Corrosion Rate:NP

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:AT TEMPERATURES >660C DECOMPOSITION PRODUCTS MAY INCLUDE CO

, HCN,NO,UNID HYDROCARBON & FRAGMENTS OF ORIGINAL MONOMER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.