View NSN Online: https://aerobasegroup.co.il/nsn/7930-00-926-5262

GURTLER CHEMICALS, INC -- SOAP, LAUNDRY BUILT, HIGH TEMPERATURE -- 7930-00-926-5262

Product ID:SOAP, LAUNDRY BUILT, HIGH TEMPERATURE MSDS Date:01/28/1991 FSC:7930 NIIN:00-926-5262 **MSDS Number: BPVFG** === Responsible Party === Company Name: GURTLER CHEMICALS, INC Address:15475 SOUTH LASALLE STREET City:SOUTH HOLLAND State:IL ZIP:60473 Country:US Info Phone Num:70 8-331-2550 Emergency Phone Num:708-331-2550 Preparer's Name: MICHAEL A JACOBS CAGE:0CA58 === Contractor Identification === Company Name: GURTLER CHEMICALS INC Address:15475 S LASALLE ST Box:City:SOUTH HOLLAND State:IL ZIP:60473 Country:US Phone:708-331-2550 CAGE:0CA58

Ingred Name:SILICIC ACID, DISODIUM SALT CAS:6834-92-0 RTECS #:VV9275000 Fraction by Wt: 20-40% Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM CARBONATE (NUIS

ANCE DUST PARTICLES) CAS:497-19-8 RTECS #:VZ4050000 Fraction by Wt: 10-30% Other REC Limits:NONE SPECIFIED ACGIH TLV:10 MG/M3

Ingred Name:PENTASODIUM TRIPHOSPHATE CAS:7758-49-4 RTECS #:YK4900000 Fraction by Wt: 5% MIN Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM TALLOWATE CAS:61789-66-0 Fraction by Wt: 30% MIN Other REC Limits:NONE SPECIFIED

Ingred Name:POLY (OXY-1,2-ETHANE DIYL), ALPHA-(NONYL PHENYL)-OMEGA-HYDROXY CAS:9016-45-9 RTECS #:WZ4750000 Fraction by Wt: 2% MIN Other REC Lim its:NONE SPECIFIED

Health Hazards Acute and Chronic:ACUTE: MAY CAUSE SEVERE IRRITATION OF THE EYES, INCLUDING CORNEAL OPACITIES. DUST IS IRRITATING TO THE SKIN, MUCOUS MEMBRANES, AND UPPER RESPIRATORY TRACT. CHRONIC: MAY CAUSE INFLAMATION OF THE MUCOUS MEMBRANES IN THE RESPIRATORY TRACT ANDOF THE SKIN.

First Aid:EYES: FLUSH WITH COPIOUS AM OUNTS OF WATER FOR AT LEAST 15 MINUTES. SEE AN OPTHALMOLOGIST IF IRRITATION PERSISTS. SKIN: WASH WITH PLENTY OF WATER. IF IRRITATION OCCUES AND PERSISTS, OBTAIN MEDICAL ATTE NTION. INGESTION: DRINK A GLASS OF WATER OR MILK.

Flash Point:N/K * 12.5 Extinguishing Media:WATER, FOAM, DRY CHEMICALS Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:SPONTANEOUS HEATING, MODERATE

====== Accide

ntal Release Measures ================

Spill Release Procedures: SWEEP UP AS MUCH AS POSSIBLE FOR SALVAGE OR DISPOSAL. WASH AWAY RESIDUE WITH WATER.

Handling and Storage Precautions:DO NOT STORE CLOSE TO ACIDS. MINIMIZE
THE FREE FALL WHEN HANDLING TO MINIMIZE THE DUST GENERATED.
Other Precautions:WEAR EYE PROTECTION AND NIOSH/MSHA APPROVED DUST
RESPIRATOR TO PREVENT IRRITATION WHERE EXCESSIVE DUST IS PRESENT.

 Respiratory Protection:WEAR DUST RESPIRATOR IF NUISANCE DUST TLV OF 10 MG/M3 IS EXCEEDED OR DISCOMFORT IS PRESENT.
Ventilation:GENERAL VENTILATION - LOCAL EXHAUST IF NEEDED FOR DUST CONTROL.
Protective Gloves:GENERAL PURPOSE
Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment: FULL COVER CLOTHING

Supplemental Safety and Health

=

Vapor Pres:NEGLIGI BLE Spec Gravity:0.79 (WATER=1) pH:11.5* Solubility in Water:10% Appearance and Odor:AN OFF WHITE POWDER WITH A SOAP ODOR

Stability Indicator/Materials to Avoid:YES CONTACT WITH ACIDS RELEASES LARGE VOLUMES OF CARBON DIOXIDE GAS AND HEAT. STRONG OXIDIZING AGENTS. Stability Condition to Avoid:CONTACT WITH ACIDS EXCEPT UNDER CONTROLLED CONDITIONS.

Hazardous Decomposition Products:NONE

====== Disposal Cons

iderations ========================

Waste Disposal Methods: IF MATERIAL CANNOT BE SALVAGED, THE PREFERRED METHOD OF DISPOSAL IS IN A SECURE CHEMICAL LAND FILL IN ACCORDANCE WITH ALL FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATIONS. EMPTY CONTAINERS MAY BE INCI NERATED OR DISCARDED AS GENERAL TRASH.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.