

XEROX CORP -- 1R99, 8200/8700/9200/9210/9400/9500/9700/99 -- 3610-01-326-6495

=====  
Product Identification  
=====

Product ID:1R99, 8200/8700/9200/9210/9400/9500/9700/99

MSDS Date:01/22/1987

FSC:3610

NIIN:01-326-6495

MSDS Number: BPVKL

=== Responsible Party ===

Company Name:XEROX CORP

Address:100 CLINTON AVE S

City:ROCHESTER

State:NY

ZIP:14644

Country:US

Info Phone Num:800-828-6571

Emergency Phon

e Num:716-422-2177

CAGE:0E6G9

=== Contractor Identification ===

Company Name:XEROX CORP

Address:300 MAIN ST NO 27C

City:EAST ROCHESTER

State:NY

ZIP:14645

Country:US

Phone:800-828-6571; 800-351-2024

CAGE:0E6G9

Company Name:XEROX CORPORATION

Address:100 CLINTON AVE SOUTH

Box:City:ROCHESTER

State:NY

ZIP:14644-1877

Country:US

Phone:800-828-6571/716-422-2177

CAGE:26921

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NICKEL; (NICKEL BELT), (SUBSTRATE) (SARA III)

CAS:

7440-02-0  
RTECS #:QR5950000  
Fraction by Wt: 75-80%  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3

Ingred Name:COATING (CONSISTING OF INGREDIENTS 3 & 4)  
RTECS #:9999999ZZ  
Fraction by Wt: 20-25%

Ingred Name:SELENIUM (SARA III)  
CAS:7782-49-2  
RTECS #:VS7700000  
Fraction by Wt: >99%  
OSHA PEL:0.2 MG/M3  
ACGIH TLV:0.2 MG/M3  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:ARSENIC (SARA III)  
CAS:7440-38-2  
RTECS #:CG0525000  
Fraction by Wt: 5 G/KG.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:THIS MATERIAL HAS BEEN EXTENSIVELY TESTED & EVALUATED BY XEROX CORPORATION. WHEN USED AS INTENDED, IT DOES NOT REPRESENT ANY KNOWN HEALTH OR SAFETY HAZARD.  
Explanation of Carcinogenicity:NICKEL:GROUP 1(IARC), ANTICIPATED TO BE A CARCIN (NTP). ARSENIC:GROUP 1(IARC), KNOWN CARCIN (NTP), OSHA REGULATED.  
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure:NONE WHEN USED AS DESCRIBED BY PRODUCT LITERATURE.

=====  
===== First Aid Measures =====

First Aid:INGEST:CALL MD IMMEDIATELY . INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O\*2/ARTF RESP) . EYES:FLUSH W/WATER FOR AT LEAST 15 MINUTES. SKIN:WASH W/SOAP & WATER.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:WATER, CO\*2, FOAM.  
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . WHE

N IN A MACHINE, TREAT AS AN ELECTRICAL  
FIRE.

Unusual Fire/Explosion Hazard:EXPOSURE TO HIGH TEMPERATURES CAN RESULT  
IN MELTING & PYROLYSIS. FUMES MAY CAUSE RESPIRATORY SYMPTOMS.  
DELAYED EFFECTS MAY OCCUR UP TO 72 HOURS.

===== Accidental Release Measures =====

Spill Release Procedures:PARTICLES OF COATING DETACHED THROUGH PHYSICAL  
DAMAGE MUST BE COLLECTED & DISPOSED OF AS A CHEMICAL WASTE.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE WET PUMICING & POLISHING  
PROCEDURES.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHEN USED AS INTENDED IN XEROX  
EQUIPMENT. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR  
EXPOSURE OF CONCERN .  
Ventilation:NONE SPECIFIED BY MANUFACTURER.  
Protective Gloves:NONE REQD WHEN USED A  
S INTENDED (SUPDAT)  
Eye Protection:NONE REQD WHEN USED AS INTENDED (SUPDAT)  
Other Protective Equipment:NONE REQUIRED WHEN USED AS INTENDED IN XEROX  
EQUIPMENT.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
MFR'S TRADE NAME/PART NO:PHOTORECEPTOR. PROT GLOVES:IN XEROX EQUIP.  
IMPERVIOUS GLOVES . EYE PROT:IN XEROX EQUIP. CHEMICAL WORKERS  
GOGGLES .

===== Physical/Chemical Properties =====

Solubility in Water:INSOLUBLE  
A

pearance and Odor:SOLID; ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS.

Stability Condition to Avoid:AVOID EXPOSURE TO HIGH TEMPERATURES.

Hazardous Decomposition Products:OXIDES OF SELENIUM & ARSENIC.

===== Disposal Considerations =====

Waste Disposal Methods:RETURN USED/DMGD PHOTORECEPTOR TO  
XEROX/SUPPLIER. UNDER PRESENT EPA REGS, IT IS NOT CLASSIFIED AS HAZ  
WASTE

. HOWEVER, DISP IN CHEM WASTE LANDFILL IS RECOM. ENSURE  
CONFORMITY W/FEDERAL, STATE OR LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional

advice to verify and

assume responsibility for the suitability of this information to their  
particular situation.