View NSN Online: https://aerobasegroup.co.il/nsn/6550-01-248-4808

LERNER LABORATORIES -- S3149-3 EOSIN Y (ALCOHOLIC)

MSDS Safety Information

_____ FSC: 6550 NIIN: 01-248-4808 MSDS Date: 01/01/1991 MSDS Num: BPXZT Product ID: S3149-3 EOSIN Y (ALCOHOLIC) MFN: 01 **Responsible Party** Cage: 52380 Name: LERNER LABORATORIES Address: 171 INDUSTRY DR City: PITTSBURG PA 15 275 Info Phone Number: 412-788-1133 Emergency Phone Number: 412-788-1133 Review Ind: Y Published: Y ______ Contractor Summary _____ Cage: 52380 Name: LERNER LABORATORIES Address: 171 INDUSTRY DRIVE City: PITTSBURGH PA 15275 Phone: 800-253-7637/800-424-9300(CHEMTREC) _____ Item Description Information _____ _____ Item Name: EOSIN-Y STAIN Specification Number: UNKNOWN Type/Grade/Class: UNKNOWN Unit of Issue: BT **UI Container Qty: 1** Type of Container: BOTTLE Ingredients Cas: 67-56-1 RTECS #: PC1400000 Name: METHYL ALCOHOL (METHANOL) (SARA III) % Wt: <:50 Other REC Limits: NONE RECOMMENDED OSHA PEL: S,200PPM/250STEL ACGIH TLV: S,200PPM/250STEL; 93 EPA Rpt Qty: 5000 LBS DOT Rpt Qty: 500

0 LBS

Cas: 548-26-5 RTECS #: DH6832500 Name: EOSIN Y % Wt: &It;1 Other REC Limits: NONE RECOMMENDED OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

Cas: 64-19-7

RTECS #: AF1225000 Name: ACETIC ACID (SARA III) % Wt: &It;1 Other REC Limits: NONE RECOMMENDED OSHA PEL: 10 PPM ACGIH TLV: 10 PPM/15 STEL; 9293 EPA Rpt Qty: 5000 LBS DOT Rpt Qty: 5000 LBS

Health Hazards Data

=====

LD50 LC50 Mixture: ORAL LD50 (RAT) IS UNKNOWN Route Of Entry Inds - Inhalation: YES Skin: YES Ingestion: YES Carcinogenicity Inds - NTP: NO IARC: NO

OSHA: NO

Effects of Exposure: ACUTE: INHALATION OF HIGH CONCENTRATIONS MAY CAUSE RESPIRATORY TRACT IRRITATION AND NARCOSIS. CONTACT MAY CAUSE EYE IRRITATION AND DRY SKIN. INGESTION MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION, EYE DAMAGE, DEATH. CHRONIC: PROLONGED OR REPEATED CONTACT WITH SKIN MAY CAUSE

TOXIC EFFECTS.

Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Signs And Symptions Of Overexposure: INHALED: COUGHING, SHORTNESS OF BREATH, DIZZINESS, STUPOR. EYES: REDNESS, DISCOMFORT, BLURRED VISION. SKIN: DRY SKIN, REDNESS, ITCHING. INGESTED: NAUSEA, VOMITING, DIARRHEA, DIZZINESS, DROWSINESS, HEA DACHES, VISUAL DISTURBANCES.
Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACT URER.

First Aid: INHALED: MOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. SEE DOCTOR. EYES: FLUSH WITHN LOTS OF WATER FOR 15 MINUTES, HOLDING LIDS OPEN. SEE DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER. INGESTED: CONTACT POISON CONTROL CENTER AND GET IMMEDIATE MEDICAL HELP.

Handling and Disposal

Spill Release Procedures: ELIMINA

TE ALL SOURCES OF IGNITION. SOAK UP SPILLS IN

INERT MATERIAL AND PLACE IN A MARKED CONTAINER FOR DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. MANUFACTURER SUGGESTS INCINERATION.

Handling And Storage Precautions: STORE IN A FLAMMABLES AREA. STORE AWAY FROM SOURCES OF IGNITION AND INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED WHEN

NOT IN USE.

Other Precautions: NONE SPECIFIED BY MA NUFACTURER.

Fire and Explosion Hazard Information

Flash Point Method: COC Flash Point Text: 72.0F,22.2C Lower Limits: UNKNOWN Upper Limits: UNKNOWN Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, ALCOHOL FOAM Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS. DO NOT USE ORDINARY FOAM. USE WATER FOG TO COOL FIRE EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard: FL AMMABLE LIQUID. VAPORS ARE HEAVIER THAN AIR AND TRAVEL ALONG GROUND TO AN IGNITION SOURCE AND FLASH BACK.

Control Measures

Respiratory Protection: IF ENGINEERING CONTROLS FAIL; USE NIOSH/MSHA APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE. USE IN ACCORDANCE WITH 29 CFR 1910.134.

Ventilation: USE ADEQUATE EXPLOSION-PROOF MECHANICAL VENTILATION. Protective Gloves: RUBBER Eye Pro tection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment: CLOTHING TO PREVENT PROLONGED OR REPEATED SKIN CONTACT. EYE WASH STATION. Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. _____ Physical/Chemical Properties _____ HCC: F3 B.P. Text: 160F,71C M.P/F.P Text: UNKNOWN Decomp Text: UNKNOWN Vap or Pres: UNKNOWN Vapor Density: >1 (AIR=1) Spec Gravity: 0.86 (WATER=1) Evaporation Rate & amp; Reference: UNKNOWN Solubility in Water: COMPLETE Appearance and Odor: ORANGE-PINK LIQUID WITH FLUORESCENT GREEN CAST; METHANOL ODOR Corrosion Rate: UNKNOWN _____ Reactivity Data _____ Stability Indicator: YES Stability Condition To Avoid: SOURCES OF IGNITION AND CONTACT WITH INCOMPATIBLE MATERIAL S. Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG MINERAL ACIDS, STRONG ALKALIS. Hazardous Decomposition Products: OXIDES OF CARBON Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NONE _____ Toxicological Information _____ ______ Ecological Information

=====

MSDS Transport Information _____ _____ **Regulatory Information** _____ _____ Other Information ______ Transportation Information _____ Responsible Party Cage: 52380 Trans ID NO: 118195 Product ID: S3149-3 EOSIN Y (ALCOHOLIC) MSDS Prepared Date: 01/01/1991 Review Date: 02/19/1993 **MFN: 1** Tech Entry NOS Shipping Nm: METHYL ALCOHOL SOLUTION, EOSIN-Y STAIN Net Unit Weight: 7.2 LBS Multiple KIT Number: 0 **Review IND: Y** Unit Of Issue: BT Container QTY: 1 Type Of Container: BOTTLE _____ Detail DOT Information _____ _____ DOT PSN Code: GJJ Symbols: G DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S. Hazard Class: 3 **UN ID Num: UN1993** DOT Packaging Group: II Label: FLAMMABLE LIQUID Special Provision: T8,T31 Non Bulk Pack: 202 Bulk Pack: 242 Max Qty Pass: 5L Max Qty Cargo: 60 L Vessel Stow Reg: B _____ Detail IMO Information _____ IMO PSN Code: HIN

IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.

S. 0 IMDG Page Number: 3230 UN Number: 1993 UN Hazard Class: 3.2 IMO Packaging Group: I/II Subsidiary Risk Label: -EMS Number: 3-07 MED First Aid Guide NUM: T ______ Detail IATA Information ______ IATA PSN BV IATA UN ID Num: 1993 IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. * IATA UN Class: 3 IATA Label: FLAMMABLE LIQUID UN Packing Group: II Packing Note Passenger: 305 Max Quant Pass: 5L Ma x Quant Cargo: 60L Packaging Note Cargo: 307 _____ **Detail AFI Information** ______ AFI PSN BV AFI Symbols: * AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S. AFI Hazard Class: 3 AFI UN ID NUM: UN1993 AFI Packing Group: II **Special Provisions: P5** Back Pack Reference: A7.3 _____ HAZCOM Label ______ Pr oduct ID: S3149-3 EOSIN Y (ALCOHOLIC) Cage: 52380 Company Name: LERNER LABORATORIES Street: 171 INDUSTRY DRIVE City: PITTSBURGH PA Zipcode: 15275 Health Emergency Phone: 800-253-7368 800-424-9300(CHEMTREC) Label Required IND: Y Date Of Label Review: 02/19/1993 Status Code: C MFG Label NO: UNKNOWN Label Date: 02/19/1993 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: WARNING Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Moderate Reactivity Hazard: Non

е

Hazard And Precautions: INHALATION OF HIGH CONCENTRATIONS MAY CAUSE RESPIRATORY TRACT IRRITATION AND NARCOSIS. CONTACT MAY CAUSE EYE IRRITATION AND DRY SKIN. INGESTION MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION, EYE DAMAGE, DEATH. PROLONGED OR REPEATED CONTACT WITH SKIN MAY CAUSE TOXIC EFFECTS. KEEP CONTAINERS CLOSED WHEN NOT IN USE. FIRST AID: INHALED: MOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS N EEDED. SEE DOCTOR. EYES: FLUSH WITHN LOTS OF WATER FOR 15 MI

NUTES, HOLDING LIDSOPEN. SEE DOCTOR. SKIN:

REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER. INGESTED: CONTACT POISON CONTROL CENTER AN D GET IMMEDIATE MEDICAL HELP.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said inf

ormation to have any application, use or

viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to t heir

particular situation regardless of similarity to a corresponding Department of Defense or other government situation.