

LOCTITE CORPORATION -- ADHESIVE CYANOACRYLATE 472 -- 8040-00-826-3535

=====
Product Identification
=====

Product ID:ADHESIVE CYANOACRYLATE 472

MSDS Date:11/17/1992

FSC:8040

NIIN:00-826-3535

MSDS Number: BQCTH

=== Responsible Party ===

Company Name:LOCTITE CORPORATION

Address:705-NORTH MOUNTAIN ROAD

City:NEWINGTON

State:CT

ZIP:06111

Country:US

Info Phone Num:203-278-1280

Emergency Phone Num:203-27

8-1280

Preparer's Name:STEPHEN REPETTO

CAGE:05972

=== Contractor Identification ===

Company Name:LOCTITE CORPORATION

Address:1001 TROUT BROOK CROSSING

Box:City:ROCKY HILL

State:CT

ZIP:06067-3910

Country:US

Phone:860-571-5100

CAGE:05972

Company Name:RESIN FORMULATORS CO

Address:8500 STELLER DR

Box:City:CALVER CITY

State:CA

ZIP:90232

Country:US

Phone:213-870-9561

CAGE:03355

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYL CYANOACRYLATE

CAS:7085-85-0

Fraction

by Wt: 92.5%
Other REC Limits:NONE SPECIFIED

Ingred Name:POLY (METHYL METHACRYLATE)
CAS:9011-14-7
RTECS #:TR0400000
Fraction by Wt: 7%
Other REC Limits:NONE SPECIFIED

Ingred Name:HYDROQUINONE (SARA III)
CAS:123-31-9
RTECS #:MX3500000
Fraction by Wt: .5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:2 MG/M3
ACGIH TLV:2 MG/M3
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

=====
===== Hazards Identification =====

Health Hazards Acute and Chronic:BONDS SKIN RAPIDLY & STRONGLY. SKIN &

EYE IRRITANT. CYANOACRYLATE ADHESIVE IS A VERY FAST SETTING & STRONG ADHESIVE. IT BONDS HUMAN TISSUE INCLUDING SKIN IN SECONDS. ALMOST IMPOSSIBLE TO SWALLOW AS AD HESIVE SOLIDIFIES AND ADHERES IN THE MOUTH. SALIVA WILL LIFT ADHESIVE IN 1/2 TO 2 DAYS. LARGE AMOUNTS CAN CAUSE BURNS.

Effects of Overexposure:VAPOR IS IRRITATING TO EYES AND MUCOUS MEMBRANES. PROLONGED AND REPEATED OVEREXPOSURE TO VAPOR MAY PRODUCE ALLERGIC REACTIONS WITH ASTHMA-LIKE SYMPTOMS IN CERTAIN

INDIVIDUALS. DURING PERIOD OF EYE CON TAMINATION DOUBLE VISION MAY BE EXPERIENCED WITH LACHRYMATORY EFFECTS.

Medical Cond Aggravated by Exposure:NONE

=====
===== First Aid Measures =====

First Aid:SKIN ADHESION: IMMERSE BONDED SURFACES IN WARM SOAPY WATER. PEEL/ROLL SURFACES APART W/AID OF BLUNT EDGE (SPATULA/TEASPOON HANDLE). REMOVE ADHESIVE W/SOAP & WATER. DONT TRY TO PULL SRFCs APART. EYE AD HESION: WASH W/WARM WATER, APPLY GAUZE PATCH. EYE

OPENS W/O FURTHER ACTION (1-4 DAYS). DISASSOCIATION NORMALLY OCCURS W/IN HRS. IF LUMP FORMS IN MOUTH, PREVENT INGESTION.

=====
Fire Fighting Measures
=====

Flash Point:150 TO 200 F
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL
Fire Fighting Procedures:NONE REQUIRED
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:FLOOD WITH WATER TO POLYMERIZE. SOAK UP WITH AN INERT ABSORBENT.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID CONTACT WITH SKIN AND EYES. AVOID BREATHING VAPORS. STORE AT OR BELOW 75 F TO MAXIMIZE SHELF LIFE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE REQUIRED
Ventilation:POSITIVE DOWN DRAFT EXHAUST VENTILATION SHOULD BE PROVIDED TO MAINTAIN VAPOR CONCENTRATION BELOW TLV.
Protective Gloves:POLYETHYLENE GLOVES RECOMMEND-NOT COTTON
Eye Protection:SAFETY GLASSES OR GOGGLES
Other Protective Equipment:NONE
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:>300F,>149C
Vapor Pres: