View NSN Online: https://aerobasegroup.co.il/nsn/5330-01-217-2033

Product ID:DURABLA BLACK MSDS Date:07/15/1986 FSC:5330 NIIN:01-217-2033 MSDS Number: BQCYJ === Responsible Party === Company Name: DURABLA MFR CO Address:140 SHEREE BLVD Box:700 City:LIONVILLE (FORMERLY IN PAOLI) State:PA ZIP:19353 Country:US Info Phone Num:215-363-8900 Emergency Phone Num:215-363-8900 CAGE:JO 980 === Contractor Identification === Company Name: ANCHOR/DARLING VALVE CO Address:701 1ST ST Box:3428 City:WILLIAMSPORT State:PA ZIP:17701-0428 Country:US Phone:717-327-4800 CAGE:85130 Company Name: DURABLA MFG CO Address:140 SHEREE BLVD Box:566 City:EXTON State:PA ZIP:19341-0566 Country:US Phone:215-363-8900 CAGE:72021 Company Name: DURABLA MFR CO Address:140 SHEREE BLVD Box:700 City:LIONVILLE (FORMERLY IN PAOLI) State:PA ZIP:19353 Country:US Phone:215-363-8900 CAGE: JO980

======= Composi

tion/Information on Ingredients ===========

Ingred Name:ASBESTOS (FRIABLE) (SARA III) CAS:1332-21-4 RTECS #:CI6425000 Fraction by Wt: 80% Other REC Limits:NONE RECOMMENDED OSHA PEL:SEE 1910.1001 ACGIH TLV:0.2 - 2 FIBERS/CC EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:STYRENE BUTADIENE CAS:9003-54-7 Fraction by Wt: 20% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Car cinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:ACUTE:MINOR EYS/SKIN IRRITATION. INGESTION- IRRITATION OF GI TRACT. INHALATION-IRRITATION OF RESPIRATORY TRACT. CHRONIC: ASBESTOSIS, LUNG CANCER, & MESOTHELIOMA, ALL OF WHICH ARE DISABLING AND FATAL D ISEASES OF THE LUNG. INHALATION AND INGESTION OF ASBESTOS FIBERS MAY CAUSE CANCER OF THE BOWEL. Explanation of Carcinogenicity:THIS PRODUCT CONTAINS A [1332-21-4], AN OSHA REGULATED CARCINOGEN

Effects of Overexposure:INHALATION: FATIGUE AND SHORTNESS OF BREATH THAT GETS WORSE WITH TIME AND EVENTUALLY BECOMES DISABLING. EYES: IRRITATION. SKIN: IRRITATION. INGESTION: MILD STOMACH DISTRESS. DIARRHEA, VOMITING, AND NA USEA.

Medical Cond Aggravated by Exposure:ASTHMA, EMPHYSEMA, AND TUBERCULOSIS ARE ALL GENERALLY AGGRAVATED BY EXPOSURE TO ASBESTOS FIBERS.

First Aid:INHALATION: REMOVE TO FRESH AIR. SEE

DOCTOR. EYES: RINSE THOROUGHLY WITH WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEE DOCTOR. INGESTION: DIL UTE WITH WATER. DO NOT INDUCE VOMITING.SEE DOCTOR.

Flash Point:NOT REQUIRED Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARA TUS. Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures: VACUUM THE MATERIAL WITH A HEPA FILTERED VACUUM. THE EQUIPMENT SHALL BE USED & EMPTIED SO AS TO MINIMIZE THE RE-ENTRY OF ASBESTOS INTO THE WORKPLACE. OTHERWISE, WET THE MATERIAL WITH WATER & SURFACTAN T AND THEN SHOVEL OR MOP UP CONTAMINATION.

Handling and Storage Precautions: ITEM IS NONFRIABLE & WILL NOT SHED FIBERS IN NORMAL USE AND STORAGE. USED ITEMS SHALL BE WETTED BEFORE, DURING & AFTER DISASSEMBLY.

Other Precautions: IF IT IS NECESSARY TO CUT OR IMPACT THE ITEM WHILE INSTALLING IT, WEAR A RESPIRATOR AND PROTECTIVE CLOTHING. USED ITEMS SHALL BE IDENTIFIED AND DISPOSED OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDE RAL REGULATIONS.

Respiratory Protection:WEAR A NIOSH/MSHA APPROVED HEPA RESPIRATOR IF REQUIRED. WEAR SELF-CONTAINED BREATHING APPARATUS IF REQUIRED FOR HIGH LEVELS OF CONTAMINATES.

Ventilation:LOCAL EXHAUST SUFFICIENT TO ENTRAIN ALL PARTICULATE EMISSIONS. HEPA FILTER REQUIRED. NO LEAKS ON PRESSURE SIDE OF FAN. Protective Gloves:COTTON OR LEATHER Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment: USE COVERALLS OR DISPOSABLE CLOTHING. Work Hygieni

c Practices:WET WORK TO THE DEGREE POSSIBLE. WASH HANDS AFTER HANDLING ITEM. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health

HCC:T6 Spec Gravity:1.92 (WATER=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK OR SLATE GREY Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG MINERAL ACIDS, AND STRONG ALKALIS Stability Condition to Avoid:ACCUMULATIONS OF DUST Hazardous Decomposition Products:ASBESTOS DUST

Waste Disposal Methods:WET THE MATERIAL WITH WATER AND SURFACTANT. PLACE IN 6 MIL THICK POLYETHYLENE PLASTIC BAG. PLACE THESE BAGS INTO ANOTHER POLY BAG OR A SAFE PLACE UNTIL IT CAN BE SHIPPED TO AN APPROVED DISPOSAL SITE. IDENTIFY WITH ASBESTOS CANCER WARNING LABEL.

Dis

claimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.