

EASTMAN KODAK COMPANY APPARATUS DIV -- 135 2004 EKTACHEM ISO-ENZYME CALIBRATOR
KIT DILUENTS -- 6550-01-287-1669

===== Product Identification =====

Product ID:135 2004 EKTACHEM ISO-ENZYME CALIBRATOR KIT DILUENTS

MSDS Date:06/22/1990

FSC:6550

NIIN:01-287-1669

Kit Part:Y

MSDS Number: BQKKZ

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY APPARATUS DIV

Address:901 ELMGROVE ROAD/ELMGROVE P

LANT

City:ROCHESTER

State:NY

ZIP:14634

Country:US

Info Phone Num:716-722-5151

Emergency Phone Num:716-726-3215

CAGE:32153

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO COMMERCIAL AND GOVERNMENT SYSTEMS

Address:901 ELMGROVE RD

Box:City:ROCHESTER

State:NY

ZIP:14653-7219

Country:US

Phone:716-253-6511

CAGE:32153

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 100%

===== Hazard

s Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INGESTION/INHALATION: LOW HAZARD.
EYES: TRANSIENT IRRITATION.
Explanation of Carcinogenicity:NONE

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:USE APPROPRIATE AGENT FOR SURROUNDING FIRE.

===== Accidental Release Measures =====

==

Spill Release Procedures:FLUSH TO SEWER W/LARGE AMOUNTS OF WATER.

===== Exposure Controls/Personal Protection =====

Ventilation:SUFFICIENT
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:100C/212F
Vapor Pres:18
Spec Gravity:1
pH:7
Evaporation Rate & Reference:(N BU AC = 1): 0.4
Solubility in Water:COMPLETE
Appearance and Odor:COLORLESS SOLUTION; ODORLESS
Percent Volatiles by Volume:100/WT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United S

tates of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.