View NSN Online: https://aerobasegroup.co.il/nsn/6750-00-273-8484

PHOTICA INC (WAS PURCHASED BY KROMICA INC.) -- SODIUM THIOSULFATE -- 6750-00-273-8484

Product ID:SODIUM THIOSULFATE MSDS Date:10/01/1986 FSC:6750 NIIN:00-273-8484 MSDS Number: BQNPM === Responsible Party === Company Name: PHOTICA INC (WAS PURCHASED BY KROMICA INC.) Address:491 LYONS AVE City:IRVINGTON State:NJ ZIP:07111-4717 Country:US Info Phone Num:201-705-95 53 (KRONICA INC.) Emergency Phone Num:201-926-1000 (KRONICA INC.) CAGE:60349 === Contractor Identification === Company Name: KRONICA INC. (PURCHASED PHOTICA INC.) Address:495 LYONS AVENUE Box:City:IRVINGTON State:NJ ZIP:07111-4717 Country:US Phone:201-926-1000 OR 201-705-9553 CAGE:0K5T6 Company Name: PHOTICA INC (WAS PURCHASED BY KROMICA INC.) Address:491 LYONS AVE Box:City:IRVINGTON State:NJ ZIP:07111-4717 Country:US Phone:201-926-1000 (KRONICA INC.) CAGE:60349

======= Composition/Inform

ation on Ingredients =========

Ingred Name:SODIUM THIOSULFATE PENTAHYDRATE CAS:10102-17-7 RTECS #:WE6660000 Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:UNKNOWN IARC:UNKNOWN OSHA:NO Health Hazards Acute and Chronic: EYES: DUST SOLUTIONS OR MIST MAY IRRITATE OR BURN THE EYES AND CAUSE TEMP **ORARY CONJUNCTIVITIS. SKIN:** DUST OR MIST MAY CAUSE IRRITATION FROM PROLONGED CONTACT. INHALATION: BREATHING PRODUCT DUST OR MIS T MAY IRRITATE RESPIRATORY TRACT. INGESTION: RELATIVELY LOW IN ACUTE TOXICITY BUT MAY CAUSE IRRITATION OF G.I. TRACT. Effects of Overexposure: SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid: EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. GET MEDICAL ADVICE. INHALATION: REMOVE TO FRESH AIR. GIVE MOUTH-TO-MOUTH RESUSCITATION IF NOT BREATHING. GET MEDICAL ATTENTION. INGESTION: IF CONSCIOUS, PROMPTLY GIVE 2 TO 4 GLASSES OF WATER AND INDUCE VOMITING BY TOUCHING FINGER TO THROAT. Flash Point:NONE Autoignition Temp:Autoignition T emp Text:UNKNON Extinguishing Media: IF IN A FIRE, CHOOSE EXTINGUISHING AGENT SUITABLE FOR TYPE OF SURROUNDING FIRE. MATERIAL ITSELF IS NOT COMBUSTIBLE Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY AND KNOCK DOWN FUMES. Unusual Fire/Explosion Hazard: IRRITATING GASES AND RESIDUE MAY EVOLVE.

Spill Rele

ase Procedures: PROMPTLY SHOVEL OR SWEEP UP THE DRY CHEMICAL INTO AN EMPTY CONTAINER WITH A MINIUM OF DUSTING. CAUTIOUSLY SPRAY RESIDUE WITH PLENTY OF WATER TO COMPLETE CLEAN-UP.

Handling and Storage Precautions: STORE IN A COOL, DRY AREA, AWAY FROM ACIDS OR OXIDIZERS. KEEP CONTAINERS CLOSED WHEN MATERIAL IS NOT IN USE AND PROTECT FROM PHYSICIAL DAMAGE.

Other Precautions:CONTACT WITH ACIDS RELEASES IRRITATING SUL FUR DIOXIDE

GAS. WHEN DISSOLVING AND MAKING SOLUTIONS, ADD TO WATER CAUTIOUSLY AND WITH STIRRING AS SOLUTIONS CAN GET HOT AND MAY SPATTER.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: IF DUSTY OR MISTY CONDITION PREVAILS, USE DUST OR MIST RESPIRATOR, APPROVED BY NIOSH. IF SULFUR DIOXIDE SHOULD BE RELEASED, USE A SUPPLIED-AIR RESPIRATOR OR SCBA OR OTHER ALTERNATE CHOICE, APPROVED BY NIOSH.

Ventilation:LOCAL AND MECHANICAL(GENERA

L) EXHAUST TO PROVIDE ADEQUATE

VENTILATION.

Protective Gloves: IMPERVIOUS

Eye Protection: SAFETY GLASSES - CHEMICAL SPLASH GOGGLES

Other Protective Equipment: WEAR INDUSTRIAL WORK CLOTHING. USE RUBBER

APRON OR BOOTS IF NEEDED. HAVE EMERGENCY EYE WASH AND SAFETY SHOWER AVAILABLE.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

THIS PRODUCT IS NOT FOR FOOD OR

DRUG USE.

HCC:N1 Boiling Pt:B.P. Text:212F,100C Melt/Freeze Pt:M.P/F.P Text:118F,48C Decomp Temp:Decomp Text:>212F,>100C Spec Gravity:1.685 (WATER=1) pH:8.6 Solubility in Water:APPRECIABLE Appearance and Odor:CLEAR TO WHITE CRYSTALS OR GRANULES WITH NO ODOR.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS, ACIDS, WATER-REACTIVE MATERIALS SUCH AS

SODIUM, SODIUM NITRITE. Stability Condition to Avoid:HIGH TEMPERATURES (ABOVE 100C) YIELD SULFUR DIOXIDE GAS AND HAZARDOUS RESIDUE. Hazardous Decomposition Products:SULFUR DIOXIDE GAS, SODIUM SULFIDE RESIDUE.

Waste Disposal Methods:CONTACT APPROPRIATE REGULATORY AUTHORITIES FOR APPROVED METHOD OF DISPOSAL, AS NECESSARY. FLUSH TO SEWER WITH PLENTY OF WATER, IF PERMITTED BY APPLICIABLE REGULATIONS.

Disclai

mer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.