

SCHARPF GROUP, INC -- SCHARPF GROUP, INC SG-50B -- 8030-01-134-6513

=====
Product Identification
=====

Product ID:SCHARPF GROUP, INC SG-50B

MSDS Date:12/19/1992

FSC:8030

NIIN:01-134-6513

MSDS Number: BQWGV

=== Responsible Party ===

Company Name:SCHARPF GROUP, INC

Address:3791 PICKETT ROAD

City:OSHKOSH

State:WI

ZIP:54904

Country:US

Info Phone Num:414-233-7146

Emergency Phone Num:414-233-7146

Prepa

er's Name:MIKE SCHARPF

CAGE:0NLJ2

=== Contractor Identification ===

Company Name:SCHARPF GROUP, INC

Address:3791 PICKETT ROAD

Box:City:OSHKOSH

State:WI

ZIP:54904

Country:US

Phone:414-233-7146

CAGE:0NLJ2

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROTREATED LIGHT PETROLEUM DISTILLATE (MINERAL SPIRITS)

CAS:64742-47-8

RTECS #:OA5504000

Fraction by Wt: 46%

Other REC Limits:NONE SPECIFIED

OSHA PEL:400 PPM/ 1600 MG/M3

ACGIH TLV:100 PPM/ 525 MG/M3

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:ACUTE; INHALATION: IRRITATION OF EYES, NOSE AND THROAT, DIZZINESS. SKIN: DERMATITIS. EYE: IRRITATION. INGESTION: NAUSEA, VOMITING. LARGE AMOUNTS IF RETAINED, LEAD TO SYMPTOMS OF CENTRAL NERVOUS SYSTEM DEPRESSION.

Effects of Overexposure:CHRONIC; MAY CAUSE EYE, NOSE AND THROAT IRRITATION AND DIZZINESS IF USED IN UNVENTILATED AREA.

==

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, CONTACT DR. SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP & WATER. IF IRRITATION DEVELOPS, CONTACT DR. INHALE: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFERRED MOUTH TO MOUTH. IF BREATHING DIFFICULT, GIVE OXYGEN. CALL DR IMMEDIATELY. INGESTION: DONT INDUCE VOMITING. CONTACT DR IMMEDIATL

EY.

=====
Fire Fighting Measures
=====

Flash Point:NR

Lower Limits:0.8

Extinguishing Media:CO2, DRY CHEMICAL, FOAM. CLOSED CONTAINERS EXPOSED TO FIRE MAY BE COOLED WITH WATER SPRAY.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED. WATER SPRAY MAY BE USED WITH CAUTION TO PREVENT SPREAD OF FLAMES.

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedure

s:SHUT OFF LEAK & DIKE LRG SPILLS. AVOID IGNITION SOURCES. INSURE GOOD VENT. TRANSFER INTO CONTAINERS FOR DISPOSAL/RECYCLE. SEAL CONTAINER. ABSORB REMAINING SPILL/LEAK W/SAND, EARTH, VERMICULITE. SWEEP UP. DISPOSE ACCORD TO FEDERAL, STATE, LOCAL REGS.

=====
Handling and Storage
=====

Handling and Storage Precautions:FLAMMABLE. KEEP AWAY FROM HEAT & IGNITION SOURCES. WEAR PROTECTIVE CLOTHING & EQUIPMENT WHILE HANDLING. KEEP CONTAINERS

SEALED UNTIL READY FOR USE.

Other Precautions:AVOID EXCESSIVE STORAGE TEMPERATURES. DO NOT STORE NEAR STRONG OXIDIZING AGENTS. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. WASH CLOTHING BEFORE REUSE. MAXIMUM STORAGE TEMPERATURE: 52 C (125 F).

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR WITH DUAL ORGANIC VAPOR/MIST AND PARTICULATES CARTRIDGE IF VAPOR CONCENTRATIO

N EXCEEDS PERMISSIBLE EXPOSURE LIMIT.

Ventilation:(LOCAL, MECHANICAL, SPECIAL) USE VENTILATION AS REQUIRED TO CONTROL VAPOR CONCENTRATION.

Protective Gloves:RUBBER OR PLASTIC, SOLVENT RESISTANT

Eye Protection:CHEMICAL SAFETY GOGGLES, FULL FACESHIELD

Other Protective Equipment:NONE

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres:1

Spec Gravity:.924 (WATER=1)

Viscosity:>/= 100

Solubility in

Water:NEGLIGIBLE

Appearance and Odor:BLACK OPAQUE THIXOTROPIC LIQUID, SLIGHT KEROSENE-LIKE ODOR

Percent Volatiles by Volume:46

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS SUCH AS HYDROGEN PEROXIDE, BROMINE AND CHROMIC ACID.

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE FROM BURNING. OXIDES OF SULFER.

=====
===== Disposal Considerations =====

Waste Dispo

sal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to ve
rify and
assume responsibility for the suitability of this information to their
particular situation.