

PARKE-DAVIS DIV OF WARNER-LAMBERT CO -- KETALAR 50 MG/ML -- 6505-00-347-2199

=====
Product Identification
=====

Product ID:KETALAR 50 MG/ML

MSDS Date:06/25/1991

FSC:6505

NIIN:00-347-2199

MSDS Number: BRCBC

=== Responsible Party ===

Company Name:PARKE-DAVIS DIV OF WARNER-LAMBERT CO

Address:201 TABOR RD

City:MORRIS PLAINS

State:NJ

ZIP:07950-2614

Country:US

Info Phone Num:201-540-2000

Emergency Ph

one Num:201-540-2000

Preparer's Name:ROY MUELLER

CAGE:82559

=== Contractor Identification ===

Company Name:WARNER-LAMBERT CO

Address:201 TABOR ROAD

Box:City:MORRIS PLAINS

State:NJ

ZIP:07950-2614

Country:US

Phone:201-540-2000

CAGE:82559

=====
Composition/Information on Ingredients
=====

Ingred Name:KETAMINE HYDROCHLORIDE

CAS:1867-66-9

RTECS #:GW1400000

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:THERAPEUTIC SIDE-EFFECTS MAY INCLUDE
HYPERTENSION, INCREASED PULSE RATE, MILD GASTROINTESTINAL DISTRESS,
DIPLOPIA, SKELETAL MUSCLE MOVEMENTS RESEMBLING SEIZURE & NYSTAGMUS.
FOR FURTHER INFORMATION REF ER TO CURRENT PACKAGE INSERT.

Explanation of Carcinogenicity:NONE

=====
First Aid Measures
=====

First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP &
WATER
UNTIL FREE OF RESIDUE. INHALATION: REMOVE TO FRESH AIR. INGESTION:
OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER SPRAY
Fire Fighting Procedures:USE APPROVED SELF CONTAINED BREATHING
APPARATUS.

=====
Accidental Release Measures
=====

Spill Release Procedures:WIPE UP OR MOP UP SPILLED MATERIAL. USE CARE
IN THE CLEANUP OF BROKEN GLASS
OR DROPPED SYRINGES. WASH ALL
CONTAMINATED SURFACES W/SOAP & WATER. PLACE WASTE IN APPROPRIATELY
LABELED, SEALED CONTAINER F OR FUTURE DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AS STATED IN PRODUCT LABELING.
Other Precautions:MATERIAL SHOULD BE HANDLED IN SUCH A WAY AS TO AVOID
SKIN & EYE CONTACT. EXERCISE CAUTION WHEN PURGING AIR FROM THE
ADMINISTRATION SYSTEM.

=====
Exposure Controls/Person
I Protection
=====

Protective Gloves:RECOMMENDED
Eye Protection:RECOMMENDED
Work Hygienic Practices:WASH EXPOSED SKIN PROMPTLY. REMOVE/LAUNDER
CONTAMINATED CLOTHING & WASH CONTAMINATED PROTECTIVE EQUIPEMNT
BEFORE REUSE.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Spec Gravity:1.014
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR COLORLESS OR PRACTICALLY COLORLESS SOLUTION,
ODORLESS.

=====
Stabili
=====

ty and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

Hazardous Decomposition Products: CO, CO₂, NITROGEN & HYDROGEN CHLORIDE.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. INCINERATION IN A PERMITTED INCINERATOR IS THE PREFERRED DISPOSAL METHOD.

Disclaimer (provided with this information by the compiling agencies):

This information is formulate

d for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.