

UNI-KEM CHEMICAL CORPORATION -- SLYDE II -- 9150-00-823-7860

===== Product Identification =====

Product ID:SLYDE II

MSDS Date:06/01/1994

FSC:9150

NIIN:00-823-7860

MSDS Number: BRFQG

=== Responsible Party ===

Company Name:UNI-KEM CHEMICAL CORPORATION

Address:513 HICKORY

City:HARAHAN

State:LA

ZIP:70123

Country:US

Info Phone Num:504-738-1623

Emergency Phone Num:504-738-1623

CAGE:FO798

=== Contractor

Identification ===

Company Name:UNI-KEM CHEMICAL CORPORATION

Address:513 HICKORY AVENUE

City:HARAHAN

State:LA

ZIP:70123

Phone:(504) 738-1623

CAGE:FO798

Company Name:UNI-KEM INTERNATIONAL

Address:1001 HARIMAW COURT EAST

Box:City:METAIRIE

State:LA

ZIP:70001

Country:US

Phone:504-835-7600/FAX:504-835-7608

CAGE:4S446

===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORMATE (SARA III)

CAS:79-22-1

RTECS #:FG3675000

Fraction by Wt: 35%

Other REC Limits:NO

NE RECOMMENDED
ACGIH TLV:350 PER MFG
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ISOBUTANE/PROPANE PROPELLANT
Fraction by Wt: 20%
Other REC Limits:NONE RECOMMENDED

Ingred Name:TRICHLOROTRIFLUOROETHANE
CAS:354-58-5
RTECS #:KJ3975000
Fraction by Wt: 37%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:1000 PER MFG

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:N
O
Health Hazards Acute and Chronic:NONE SPECIFIED BY MFG.
Explanation of Carcinogenicity:NOT CARCINOGENIC.
Effects of Overexposure:HEADACHE, DIZZINESS, AND NAUSEA.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHALATION- REMOVE VICTIM TO FRESH AIR. DO NOT GIVE ANYTHING
BY MOUTH TO AN UNCONSCIOUS PERSON. INGESTION- DO NOT INDUCE
VOMITING, CONTACT PHYSICIAN. EYES- WASH WITH PLENTY OF WATER
FOR 15
MINUTES. SKIN- FLUSH WITH WATER.

=====
===== Fire Fighting Measures =====

Flash Point:FLAMMABLE
Lower Limits:6.2
Upper Limits:17.2
Extinguishing Media:MECHANICAL FOAM, DRY CHEMICAL, WATER, CO2.
Fire Fighting Procedures:SELF CONTAINED RESPIRATORY EQUIPMENT.
Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:MOP, WIPE OR SOAK UP WITH ABSORBENT MATERIAL
USING PROPER PROTECTIVE

TIVE EQUIPMENT. FOR LARGE SPILLS: FLUSH SPILL TO
GROUND AND LET EVAPORATE.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F.

Other Precautions:AVOID BREATHING VAPORS. USE ADEQUATE VENTILATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF CONCENTRATION WILL EXCEED TLV, USE SELF-
CONTAINED BREATHING APPARATUS.

Ventilation:LOCAL EXHAUST REC
COMMENDED. MECHANICAL (GENERAL)
RECOMMENDED.

Protective Gloves:NEOPRENE GLOVES.

Eye Protection:GOGGLES

Other Protective Equipment:RUBBER APRON TO AVOID WETTING CLOTHES.

Work Hygienic Practices:READ INSTRUCTIONS CAREFULLY BEFORE USING.

Supplemental Safety and Health

PROPELLANT: ISOBUTANE-PROPANE MIXTURE=20%. MR. DENNIS WATSON, DSN
468-4200 STATED THAT NAME OF PROPELLANT IS STATED ON THE CAN.

===== Physical/Chemical Properties =====

HCC:V3

Evaporation Rate &

; Reference:1.2, REF=UNK

Solubility in Water:NEGLIGIBLE.

Appearance and Odor:AEROSOL WITH HYDROCARBON ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:OPEN FLAME OR WELDING ARCS

Hazardous Decomposition Products:EXPOSURE TO HIGH TEMPERATURES OR OPEN
FLAME GENERATE HYDROCARBON AND SMALL AMOUNT OF CHLORINE & PHOSGENE.

===== Disposal Considerations =====

Waste

Disposal Methods:DO NOT INCINERATE OR PUNCTURE CAN, WRAP
CONTAINER AND DISPOSE OF IN TRASH COLLECTION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional adv
ice to verify and
assume responsibility for the suitability of this information to their
particular situation.