

DEXTER CORP; ADHESIVES & STRUCTURAL MAT'L DIVISION -- EPK1105, RESIN --
8040-01-165-9394

===== Product Identification =====

Product ID:EPK1105, RESIN

MSDS Date:05/17/1990

FSC:8040

NIIN:01-165-9394

Kit Part:Y

MSDS Number: BRFSV

=== Responsible Party ===

Company Name:DEXTER CORP; ADHESIVES & STRUCTURAL MAT'L DIVISION

Address:ONE DEXTER DRIVE

City:SEABROOK

State:NH

ZIP:03874

Country:US

Info Phone Nu

m:603-474-5541

Emergency Phone Num:603-926-0910

Preparer's Name:KEN DECOSTA

CAGE:1JB33

=== Contractor Identification ===

Company Name:DEXTER CORP DEXTER ELECTRONIC MATERIALS DIV

Address:15051 E DON JULIAN RD

Box:City:LA PUENTE

State:CA

ZIP:91746

Country:US

Phone:818-968-6511

CAGE:12405

Company Name:DEXTER CORP THE HYSOL DIV

Address:1 DEXTER DR

Box:City:SEABROOK

State:NH

ZIP:03874

Country:US

Phone:603-474-5541/FAX: 603-474-5545

CAGE:1JB33

===== Composition/Information on Ingredients ==

=====

Ingred Name:NON-HAZARDOUS MATERIALS
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Health Hazards Acute and Chronic:MAY CAUSE SKIN IRRITATION AND POSSIBLE ALLERGIC REACTIONS. PROLONGED CONTACT MAY CAUSE SENSITIZATION WHICH WILL RESULT IN ALLERGIC REACTIONS.

===== First Aid Measures =====

First Aid:FLUSH SKIN AND EYE CONTACT WITH PLENTY OF WATER. WASH SKIN THOROUGHLY WITH SOAP AND WATER, RUBBING ALCOHOL OR HAND CLEANER. DO NOT USE SOLVENTS. REMOVE SOILED CLOTHING AND WASH BEFORE REUSE. IF IRRITATION PERSISTS OR INCREASES, SEE PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:>300F,>149C
Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXTINGUISHER, OR WATER SPRAY, FOAM OR FOG.
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN CONFINED AREAS.
Unusual Fire/Explosion Hazard:DE
NSE SMOKE AND TOXIC GASSES MAY BE
LIBERATED

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE CLOTHING, GLOVES AND SAFETY GLASSES, SCRAPE UP AND TRANSFER TO METAL CONTAINER. WIPE UP REMAINING RESIDUE WITH SOLVENTS, OBSERVING SOLVENT FLAMMABILITY CAUTIONS, OR USE DETERGENT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP PRODUCT COOL IN ACCORDANCE WITH LABEL

INSTRUCTIONS.

Other Precautions:FOLLOW RECOMMENDED CURING SCHEDULE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED WITH GOOD INDUSTRIAL VENTILATION.
Ventilation:LOCAL EXHAUST ONLY IF HEATED
Protective Gloves:IMPERVIOUS PLASTIC OR RUBBER
Eye Protection:SAFETY GLASSES OR GOGGLES
Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

=====

Boiling Pt:B.P. Text:DECOMPOSES
Vapor Pres:1
Evaporation Rate & Reference:NIL
Solubility in Water:NIL
Appearance and Odor:OFF WHITE PASTE, PUNGENT ODOR
Percent Volatiles by Volume:1/2 POUND TOTAL. DONT MIX ADHESIVE >75F UNLESS CURING SURFACES TO BE BONDED.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO DOT HAZARD CLASS. IF NOT REGULATED BY DOT, DISPOSE OF AS ORM-E. DISPOSAL METHOD CAN BE LAND BURIAL OR CHEMICAL INCINERATION AS REGULATED BY ALL GOVERNMENTAL AGENCIES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.