

ASHWORTH INSTRUMENTATION -- SPEEDY REAGENT MC321A -- 6635-00-976-3463

=====
Product Identification
=====

Product ID:SPEEDY REAGENT MC321A

MSDS Date:01/01/1987

FSC:6635

NIIN:00-976-3463

MSDS Number: BRKTD

=== Responsible Party ===

Company Name:ASHWORTH INSTRUMENTATION

Address:SYCAMORE AVENUE DURNLEY

City:LANCASHIRE

Country:UK

Info Phone Num:0282-26554

Emergency Phone Num:0282-26554

CAGE:ASHWO

==

= Contractor Identification ===

Company Name:ASHWORTH INSTRUMENTATION

Address:SYCAMORE AVENUE DURNLEY

Box:City:LANCASHIRE

Country:UK

Phone:0282-26554

CAGE:ASHWO

Company Name:ELE INTL INC

Address:2421 HWY 11

Box:City:PELHAM

State:AL

ZIP:35124

Country:US

Phone:205-620-2260

CAGE:98773

=====
Composition/Information on Ingredients
=====

Ingred Name:CALCIUM CARBIDE (SARA III)

CAS:75-20-7

RTECS #:EV9400000

Other REC Limits:NONE RECOMMENDED

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

===

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: AS A POWDER, CALCIUM CHLORIDE IS A NUISANCE DUST. WHEN REACTED WITH WATER IT PRODUCES CORROSIVE CALCIUM HYDROXIDE AND ACETYLENE WHICH IS AN ASPHYXIANT AND A NARCOTIC. CHRONIC: NONE SPECIFIED BY MANUFACTURER.
Effects of Overexposure:EYES: MECHANICAL IRRITATION. INHALATION: DUST
MAY CAUSE IRRITATION OF NOSE AND THROAT. INHALATION OF ACETYLENE GAS MAY CAUSE ASPHYXIATION AND NARCOTIC EFFECTS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:EYES/SKIN: FLUSH WITH PLENTY OF WATER. INHALATION: REMOVE TO FRESH AIR.

=====
Fire Fighting Measures
=====

Autoignition Temp:=305.C, 581.F
Lower Limits:1.5/ACETYLENE
Upper Limits:82/ACETYLENE
Extinguishing Media:USE DRY POWDER OR DRY SAND. * NEVER USE WATER OR FOAM *.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:CONTACT WITH WATER LIBERATES HIGHLY FLAMMABLE ACETYLENE GAS AND POSSIBLY PHOSPHINE.

=====
Accidental Release Measures
=====

Spill Release Procedures:SWEEP TOGETHER CAREFULLY AND STORE IN OPEN VESSEL UNDER A PROTECTIVE ROOF OR IN A WELL VENTILATED ROOM UNTIL A REACTION TAKE PLACE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM WATER AND ATMOSPHERIC MOISTURE AT ALL TIMES. KEEP CONTAINERS TIGHTLY CLOSED.
Other Precautions:COVER WITH PROTECTIVE GAS LAYER. OPEN STEEL DRUMS WITH NON-SPARKING TOOLS, NO BRONZE CHISLES OR BARKS. CARBIDE MUST NO

TO BE STORED LOOSE OR IN AN UNSTABLE POSITION. WHEN USING DO NOT DRINK, EAT OR SMOK E.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED.
Ventilation:LOCAL EXHAUST. USE EXPLOSION-PROOF EQUIPMENT.
Protective Gloves:RUBBER GLOVES.
Eye Protection:GOGGLES.
Other Protective Equipment:OXYGEN MONITORING EQUIPMENT.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
NONE.

===== Physical/Chemical Properties =====

HCC:R2
Melt/Freeze Pt:=1900.C, #####F
Spec Gravity:2.5
Solubility in Water:REACTS WITH WATER.
Appearance and Odor:GRAY-WHITE SOLID. CARBIDE-LIKE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID CONTACT WITH WATER, ACIDS.
Stability Condition to Avoid:AVOID HUMIDITY.
Hazardous Decomposition Products:CONTACT WITH WATER PRODUCES FLAMMABLE ACETYLENE AND CORROSIVE CALCIUM HYDROXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:NOTIFY YOUR LOCAL ENVIRONMENTAL OFFICER. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all

liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.