

TRUETECH INC -- PELLET, LEWISITE DETECTING (COMPONENT OF M2 -- 6665-01-133-4964
===== Product Identification =====

Product ID:PELLET, LEWISITE DETECTING (COMPONENT OF M2

MSDS Date:02/01/1992

FSC:6665

NIIN:01-133-4964

Kit Part:Y

MSDS Number: BRLZW

=== Responsible Party ===

Company Name:TRUETECH INC

Address:680 ELTON AVE

City:RIVERHEAD

State:NY

ZIP:11901-2555

Country:US

Info Phone Num:516-727-8600

Emergency Phone Num:516-727-8600

CAGE:06421

=== Contractor Identification ===

Company Name:TRUETECH INC

Address:680 ELTON AVE

Box:City:RIVERHEAD

State:NY

ZIP:11901-2555

Country:US

Phone:516-727-8600

CAGE:06421

===== Composition/Information on Ingredients =====

Ingred Name:ZINC OXIDE

CAS:1314-13-2

RTECS #:ZH4810000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15MG/M3 TDUST/5 FUME

ACGIH TLV:10MG/M3 TDUST; 9293

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Other R

EC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:AMORPHOUS SILICA GEL
CAS:112926-00-8
Other REC Limits:NONE RECOMMENDED

Ingred Name:MICHLER'S THIOKETONE
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NUI
SANCE DUST. MAY BE IRRITATING TO
BREATHE. IRRITATING TO SKIN AND EYES.
Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.
Effects of Overexposure:DIFFICULTY BREATHING, IRRITATION OF SKIN AND
EYES.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====
=====

First Aid:EYES: FLUSH WITH PLENTY OF WATER. SKIN: FLUSH WITH WATER.
INHALATION: REMOVE TO FRESH AIR.

=====
===== Fire Fighting M
easures =====
=====

Flash Point:NON-FLAMMABLE
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE
Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.
Unusual Fire/Explosion Hazard:MAY PRODUCE TOXIC FUMES OF CARBON
MONOXIDE, CARBON DIOXIDE, SULFUR OXIDES, NITROGEN OXIDES.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:SWEEP UP MATERIAL AND PLACE IN CONTAINER FOR
DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFA

CTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:USE ADEQUATE VENTILATION WHEN HANDLING.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NUISANCE DUST MASK, AS NEEDED.

Ventilation:MECHANICAL (GENERAL)

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE WASH

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

KEY 1:N1. THIS ITEM IS A FORMULA CHANGE FROM PN IND G.SEE THIS NSN AND CAGE FOR ADDITIONAL INFORMATION OF THE COMPONENTS THAT COMPRISE THE KIT.

=====
Physical/Chemical Properties
=====

HCC:F2

Decomp Temp:Decomp Text:UNKNOWNUNKN

Solubility in Water:NEGLIGIBLE

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YE

S

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America

in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.