View NSN Online: https://aerobasegroup.co.il/nsn/6810-00-817-9929

Product ID:O-A-451, TYPE I, AMMONIUM HYDROXIDE, TECHNICAL MSDS Date:10/18/1993 FSC:6810 NIIN:00-817-9929 **MSDS Number: BRSTT** === Responsible Party === Company Name: CONTINENTAL CHEM CORP Address:1330 BEECH STREET **City:TERRE HAUTE** State:IN ZIP:47808 Country:US Info Phone Num:812 -235-8035 Emergency Phone Num:812-235-8035 Preparer's Name:DGSC-SSH CAGE:23894 === Contractor Identification === Company Name: CONTINENTAL CHEM CORP Address:1330 BEECH STREET Box:City:TERRE HAUTE State:IN Country:US CAGE:23894

Ingred Name:AMMONIUM HYDROXIDE (SARA III) CAS:1336-21-6 RTECS #:BQ9625000 Fraction by Wt: 29.4% EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt : 70.6%

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES: SEVERE IRRITANT. MAY CAUSE PERMANENT OR SEVERE DAMAGE.SKIN:SEVERE IRRITANT.INHAL:HIGHLY IRRITATING TO THE THROAT AND LUNGS.INGEST: CAUSES SEVERE BURNS TO THE MOUTH, THROAT AND STOMACH, POSSIBLY CAUSI NG DEATH FROM SHOCK AND ASPHYXIA.POSSIBLE LUNG DAMAGE IF VOMIT ED AFTER SWALLOWING.SKIN:SEVERE IRRITANT. Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP. IARC OR OSHA. Effects of Overexposure: EYES: TEARING, BLURRED VISION.SKIN:BURNS.INHAL:COUGHING,DISCOMFORT,DIFFICULT BREATHING, DYSPNEA, CHEST PAIN, PINK FROTHY SPUTUM.INGEST:NAUSEA,VOMITING,DIARRHEA ... SHOCK,ASPHYXIA. Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE. First Aid:SKIN:FLUSH WITH WATER FOR 15 MINUTES.CALL PHYSICIAN.EYES: FLUSH WITH WATER FOR 15 MINUTES.CALL PHYSICIAN.INGEST:DO NOT INDUCE VOMITING.GIVE WATER;THEN ORANGE OR LEMON JUICE; THEN EGG WHITES, OLIVE OIL OR MILK. CALL PHYSICIAN.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL **RESPIRATION IF NEEDED.CALL PHYSICIAN.** Flash Point:NONE Lower Limits:16 Upper Limits:25 Extinguishing Media:WATER SPRAY Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard: OIL OR OTHER COMBUSTIBLES MAY INCREASE FIRE HAZARD.

Spill Release Procedures: AVOID BREATHING VAPOR OR CONTACT WITH SKIN & EYES.FLUSH WITH LARGE AMOUNTS OF WATER.ABSO

RB IF POSSIBLE;PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL.CLEAN SPILL AREA BEFORE READMITTING PERSONNEL. Neutralizing Agent:WEAK ACID(EG.VINEGAR).

 Handling and Storage Precautions:STORE AWAY FROM HEAT.DO NOT PRESSUREIZE DRUMS OR CARBOYS.
Other Precautions:AVOID UNCONTROLLED MIXING WITH HALOGENS OR ACIDS.AVOID USE OF PIPES,VALVES & FITTINGS OF COPPER,COPPER ALLOYS,OR GALVANIZED COATINGS.

Exposure Controls/Personal Protection ==========

Respiratory Protection:BELOW 3%-USE AMMONIA GAS MASK;ABOVE 3%-USE A SELF-CONTAINED BREATHING APPARATUS. Ventilation:LOCAL VENTILATION AT THE WORKSITE;MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV/PEL. Protective Gloves:RUBBER Eye Protection:CHEMICAL GOGGLES Other Protective Equipment:SAFETY SHOWER & EYE WASH Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD O UT OF THE WORK AREA. Supplemental Safety and Health MFR DOES NOT ANSWER THE TELEPHONE.HMIS LEFT SEVERAL MESSAGES SINCE 93229;NONE WERE ANSWERED.

HCC:B1 Boiling Pt:B.P. Text:85.6F,29.8C Melt/Freeze Pt:M.P/F.P Text:-107F,-77C Vapor Pres:2.3 Spec Gravity:0.8974 pH:11 Solubility in Water:APPRECIABLE Appearance and Odor:COLORLESS LIQUID,PUNGENT ODOR Percent Volatiles by Volume:29.4

======== Stability and Reactiv

Stability Indicator/Materials to Avoid:NO ACIDS Stability Condition to Avoid:APPLICATIONS OF HEAT RELEASES AMMONIA GAS. Hazardous Decomposition Products:AMMONIA GAS

Waste Disposal Methods:FLUSH WITH LARGE AMOUNT OF WATER.PLACE ANY ABSORBED MATERIAL IN CONTAINERS SUITABLE FOR SHIPMENT TO DISPOSAL AREA.DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provid

ed with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.