

LOCTITE CORPORATION -- 10220 NAPA REARVIEW MIRROR (6ML KIT)

=====
MSDS Safety Information
=====

FSC: 2540
NIIN: 01-214-9357
MSDS Date: 01/03/1995
MSDS Num: BRTCR
Product ID: 10220 NAPA REARVIEW MIRROR (6ML KIT)
MFN: 01
Responsible Party
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL (FORMALLY IN NEWINGTON) CT 06067
Info Phone Number: 203-571-5100/FAX 203-571-5465
Emergency Phone Number: 203-571-5100
Preparer's Name: STEPHEN REPETTO
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
=====

=====
Contractor Summary
=====

Cage: 70842
Name: BALKAMP INC
Address: 2601 S HOLT ROAD
City: INDIANAPOLIS IN 46241
Phone: 317-244-7241
Cage: 08028
Name: LOCTITE CORP AUTOMOTIVE AND CONSUMER GROUP
Address: 4450 CRANWOOD COURT
City: CLEVELAND OH 44128-4004
Phone: 216-663-3011
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100
Cage: 050Q3
Name: NAPA, A DIVISION OF

LINCOLN AUTOMOTIVE
Address: ONE LINCOLN WAY
City: ST. LOUIS MO 63120-1578
Phone: 414-255-5520

=====
Item Description Information
=====

Item Manager: S9C
Item Name: ADHESIVE MOUNT,MIRROR
Specification Number: UNKNOWN
Unit of Issue: EA
UI Container Qty: 1
Type of Container: UNKNOWN
=====

Ingredients
=====

=====
Name: POLYURETHANE METHACRYLATE RESIN (CAS # PROPRIETARY)
% Wt: 50-55
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 27813-02-1
Name: HYDROXYPROPYL METHACRYLATE
% Wt: 35-40
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 79-10-7
RTECS #: AS4375000
Name: ACRYLIC ACID (SARA 313) (CERCLA)
% Wt: 5-10
Other REC Limits: NONE RECOMMENDED
OSHA PEL
: SEE 1910.1045
ACGIH TLV: S, 2 PPM; 9596
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 80-15-9
RTECS #: MX2450000
Name: 1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXIDE) (SARA 313)
(CERCLA)
% Wt: 1-3
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
EPA Rpt Qty: 10 LBS
DOT Rpt Qty: 10 LBS

Cas: 2530-85-0
RTECS #: UC0230000
Name: 2-PROPENOIC ACID
% Wt: 0.1-1
Other REC Limits: NONE RE

COMMENDED
OSHA PEL: NOT ESTABLISHED.
ACGIH TLV: NOT ESTABLISHED.

Cas: 102-82-9
RTECS #: YA0350000
Name: TRIBUTYLAMINE
% Wt: 0.1-1

Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

RTECS #: 9999999VC
Name: VOLITILE ORGANIC CONTENT AS LISTED ON MSDS., 49.0%, 529.2 G/L, EPA METHOD
24.

% Wt: NA
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

=====
=====
Health Hazards Data

=====
LD50 LC50 Mixture: ORAL LD50 >1000 MG/KG.

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: LIQUID IS EYE IRRITANT.VAPORS MAY IRRITATE
EYE/NOSE/THROAT.

Explanation Of Carcinogenicity: PER MSDS:CARCINOGEN:NTP/IARC/
OSHA:NO.

Signs And Symptions Of Overexposure: IRRITATION OF EYES, SKIN, NOSE, THROAT.
MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.

Medical Cond Aggravated By Exposure: ACRYLIC ACID:UPPER RESPIRATORY & LUNG
DISEASES, DERMATITIS. TARGET ORGANS:RESPIRATORY, NERVOUS SYTES, LUNG, HEART.

First Aid: INGEST:DO NOT INDUCE VOMITING.KEEP INDIVIDUAL CALM.OBTAIN MED ATTN.

INHAL:REMOVE TO FRESH AIR.IF SYMPTOMS PERSIST OBTAIN MED ATTN. SKIN:WASH
W/SOAP/WATER. EYE:FLUSH W/WATER AT LEAST 15MINS.OBTAIN MED ATTN.

=====

=====

Handling and Disposal

=====

Spill Release Procedures: SOAK UP IN INERT ABSORBENT.STORE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE FOLLOWING EPA & LOCAL REGULATIONS. COMPONENT LISTED AS SARA SEC 313 TOXIC CHEM:ACRYLIC ACID, CUMENE HYDROPEROXIDE.

Handling And Storage Precautions: STORE BELOW 100F. AVOID PROLONGED SKIN CONTACT.KEEP AWAY F

ROM EYES.AVOID PROLONGED BREATHING OF VAPORS.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: TCC

Flash Point Text: >200F,>93C

Lower Limits: SUPPLEMENTAL

Upper Limits: SUPPLEMENTAL

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: NONE SPECIFIED BY MANUFACTURER.

Unusual Fire/Explosion H

azard: NONE.

=====

Control Measures

=====

Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.

Ventilation: SUFFICIENT TO MAINTAIN VAPOR CONCENTRATIONS BELOW TLV.

Protective Gloves: RUBBER OR PLASTIC GLOVES.

Eye Protection: SAFETY GLASSES OR GOGGLES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Heal

th: EXPLO LIMITS:LOW 2% ACRYLIC

ACID,0.8%TRIALKYLAMINE;UPPER 8.0% ACRYLIC,6.4%TRIALKYLAMINE.

=====

Physical/Chemical Properties

=====

HCC: N1

B.P. Text: 300F,149C

Vapor Pres: <10 @80F

Vapor Density: NA

Spec Gravity: 1.08 @80F

PH: NA

Evaporation Rate & Reference: NOT AVAILABLE.

Solubility in Water: SLIGHT.

Appearance and Odor: YELLOWISH LIQUID, SHARP, IRRIT ODOR.

=====

=====

Reactivity Data

=====

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: NONE.

Hazardous Decomposition Products: IRRITATING ORGANIC VAPORS.

Hazardous Polymerization Indicator: NO

=====

Toxicological Information

=====

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=

=====

Transportation Information

=====

Responsible Party Cage: 05972

Trans ID NO: 115764

Product ID: 10220 NAPA REARVIEW MIRROR (6ML KIT)

MSDS Prepared Date: 01/03/1995

Review Date: 04/28/1997

MFN: 1

Net Unit Weight: UNKNOWN

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: EA

Container QTY: 1

Type Of Container: UNKNOWN

Additional Data: PER MSDS:SHIPPING REGS DOT/IATA:UNRESTRICTED.

=====

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail

IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

=====
Product ID: 10220 NAPA REARVIEW MIRROR (6ML KIT)

Cage: 05972

Company Name: LOCTITE CORPORATION

Street: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT

Zipcode: 06067-3910

Health Emergency Phone: 203-571-5100

Label Required IND: Y

Date Of Label Review: 04/28/1997

Status Code: C

Label Date: 04/28/1997

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard

And Precautions: LIQUID IS EYE IRRITANT.VAPORS MAY IRRITATE
EYE/NOSE/THROAT. STORE BELOW 100F. AVOID PROLONGED SKIN CONTACT.KEEP AWAY
FROM EYES.AVOID PROLONGED BREATHING OF VAPORS. FIRST AID: INGEST:DO NOT
INDUCE VOMI TING.KEEP INDIVIDUAL CALM.OBTAIN MED ATTN. INHAL:REMOVE TO FRESH
AIR.IF SYMPTOMS PERSIST OBTAIN MED ATTN. SKIN:WASH W/SOAP/WATER. EYE:FLUSH
W/WATER AT LEAST 15MINS.OBTAIN MED ATTN.TARGET ORGANS:LUNG,H EART,RESP
TRACT,CNS. FIRE:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL. SPI
LLS:SOAK UP IN
INERT ABSORBENT.STORE IN PARTLY FILLED CLSD CNTNR TIL DISPO.DISPO:INCINERATE
FOLLOWING EPA & LOC REGS.

=====
Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viabil
ity by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similar
ity to a corresponding Department
of Defense or other government situation.