View NSN Online: https://aerobasegroup.co.il/nsn/9330-01-186-0352

Product ID: ETHAFOAM 220 PLANK BRAND POLYETHYLENE PLASTIC FOAM MSDS Date:09/07/1990 FSC:9330 NIIN:01-186-0352 MSDS Number: BSDSW === Responsible Party === Company Name: DOW CHEMICAL U S A GOVERNMENT MARKETING Address:2020 DOW CENTER City:MIDLAND Stat e:MI ZIP:48640-6030 Country:US Info Phone Num:800-258-2436 Emergency Phone Num:517-636-4400 CAGE:71981 === Contractor Identification === Company Name: DOW CHEMICAL CO Address:100 LARKIN CENTER Box:City:MIDLAND State:MI ZIP:48674 Country:US Phone:800-258-2436 CAGE:96717 Company Name: DOW CHEMICAL U S A Address: BARSTOW BLDG City:MIDLAND State:MI ZIP:48640 Country:US Phone:517-636-4400 CAGE:71981

Ingred Name:POLYETHYLENE CAS:9002-

88-4 RTECS #:TQ3325000 Fraction by Wt: 75-100% Other REC Limits:NONE RECOMMENDED

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III) CAS:75-71-8 RTECS #:PA8200000 Fraction by Wt: 0-4% % Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1

Ingred Name:DICHLOROTETRAFLUOROETHANE (SARA III) CAS:76-14-2 RTECS #:KI1101000 Fraction by Wt: 0-17% % Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 P PM; 9293 Ozone Depleting Chemical:1

Ingred Name:STEARYL STEARAMIDE CAS:13276-08-9 Fraction by Wt: 0-2% % Other REC Limits:NONE RECOMMENDED

Ingred Name:COLOR CONCENTRATE IN POLYETHYLENE Fraction by Wt: 0-2% % Other REC Limits:NONE RECOMMENDED

Ingred Name:CHLORODIFLUOROETHANE CAS:75-68-3 RTECS #:KH7650000 Fraction by Wt: 0-18% % Other REC Limits:NONE RECOMMENDED Ozone Depleting Chemical:2

LD50 LC50 Mixture:NOT SPECIFIED BY M

ANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SOLID OR DUST MAY CAUSE IRRITATION OR
CORNEAL INJURY DUE TO MECHANICAL ACTION. DUST MAY CAUSE IRRITATION TO UPPER RESPIRATORY TRACT. HIGH CONCENTRATIONS OF THE BLOWING
AGENTS (>5000 PPM) MAY CAUSE CEN TRAL NERVOUS SYSTEM, ANESTHETIC OR
NARCOTIC EFFECTS AND CARDIAC SENSITIZATION (IRREGULAR HEARTBEATS).
Explanation of Carcinogenic
ity:THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.
Effects of Overexposure:EYE IRRITATION, UPPER RESPIRATORY TRACT

IRRITATION, ANESTHETIC OR NARCOTIC EFFECTS, IRREGULAR HEARTBEATS. Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

====== First Aid Measure

First Aid:INHALATION: REMOVE TO FRESH AIR.CONSULT A PHYSICIAN.EYES: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 5 MINUTES HOLDING EYELIDS OPEN. MECHANICAL EFFECTS ONLY. SKIN/INGESTION: NO ADVERSE EFFECTS ANTICIPA TED.NOTE TO PHYSICIAN: NO SPECIFIC ANTIDOTE. SUPPORTIVE CARE. TREATMENT BASED ON JUDGMENT OF THE PHYSICIAN IN RESPONSE TO REACTIONS OF THE PATIENT.

Flash Point:NONFLAMMAB LE Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:USE WATER FOG. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS OPERATED IN POSITIVE PRESSURE. COOL FIRE EXPOSED CONTAINERS WITH H2O Unusual Fire/Explosion Hazard:DENSE SMOKE

Spill Release Procedures: PICK UP AND HANDLE AS ANY OTHER INERT MATERIAL. Neutralizing Agent: NOT APPLICABLE

 Handling and Storad	1e ====================================

Handling and Storage Precautions:STORE IN A COOL AREA AWAY FROM EXCESSIVE HEAT, FLAME/SOURCES OF IGNITION.

Other Precautions:LARGE QUANTITIES OF THIS PRODUCT CAN CAUSE CORROSION OF HEATERS AND EVENTUALLY CREATE HOLES IN THE COMBUSTION CHAMBER LEADING TO THE RELEASE OF COMBUSTION GASES AND CARBON MONOXIDE. THIS PRODUCT IS CO MBUSTIBLE AND CAN BURN RAPIDLY.

======= Exposure Controls/Personal Protection

\_\_\_\_\_

Respiratory Protection:NO RESPIRATORY PROTECTION SHOULD BE NEEDED. WHEN RESPIRATORY PROTECTION IS REQUIRED FOR CERTAIN OPERATIONS, USE AN APPROVED AIR-PURIFYING REAPIRATOR. IN DUSTY ATMOSPHERES, USE AN APPROVED DUST RESPIRT OR.

Ventilation: GOOD GENERAL VENTILATION. LOCAL EXHAUST VENTILATION MAY BE NECESSARY FOR SOME OPERATIONS SUCH AS HOT-WIRE CUTTING.

Protective Gloves:NOT NEEDED.RUBBER/PLASTIC MAY BE USED.

Eye Protection:SAFETY GLASSES

Other Protective Equipment

NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:0.02 - 0.16 Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:INSOLUBLE Appearance and Odor:CELLULAR SOLID PL ASTIC FOAM WITH NO ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:FIRE AND TEMPERATURES ABOVE 625F(329C) Hazardous Decomposition Products:CARBON MONOXIDE AND OTHER TOXIC SUBSTANCES

Waste Disposal Methods:REUSE OR BURY IN AN APPROVED LANDFILL. DISPOSAL MUST BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitabi lity of this information to their particular situation.