

CLIFTON ADHESIVE INC -- E-1293 -- 8040-00-832-6173

=====
Product Identification
=====

Product ID:E-1293
MSDS Date:03/25/1990
FSC:8040
NIIN:00-832-6173
MSDS Number: BSHTV
=== Responsible Party ===
Company Name:CLIFTON ADHESIVE INC
Address:BURGESS PLACE
Box:282
City:WAYNE
State:NJ
ZIP:07470
Country:US
Info Phone Num:201-694-0845
Emergency Phone Num:201-694-0845 800-424-9300(CHEMTREC)
CAGE:79833

===

Contractor Identification ===
Company Name:CLIFTON ADHESIVE INC
Address:BURGESS PL
Box:City:WAYNE
State:NJ
ZIP:07470
Country:US
Phone:201-694-0845; 973-694-0845
CAGE:79833

=====
Composition/Information on Ingredients
=====

Ingred Name:TOLUENE (SARA 313)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 17%
Other REC Limits:NONE SPECIFIED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (N-HEXANE)
CAS:110-54-3
RTECS #:MN9275000
Fra

ction by Wt: 37%
Other REC Limits:NONE SPECIFIED
OSHA PEL:50 PPM
ACGIH TLV:50 PPM
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (SARA 313)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 8%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM
ACGIH TLV:200 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACETONE (SARA 313)
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 20%
Other REC Limits:NONE SPECIFIED
OSHA PEL:750 PPM
ACGIH TLV:750 PPM
EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:POLYCHLOROPRENE RUBBER
CAS:9010-84-4
Other REC Limits:NONE SPECIFIED

Ingred Name:VOC: 5.49 LB/GL; 655 G/L
RTECS #:9999999VO
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NAUSEA &/OR NARCOSIS. SEVERE
EYE BURNS. CHRONIC: MAY CAUSE NERVE DAMAGE OR SEVERE E

YE BURNS. MAY

DAMAGE LIVER AND KIDNEYS. MINOR EMBRYOTOXIC/FETOTOXIC EFFECTS HAVE BEEN OBSERVED IN LAB RATS EXP OSED TO MEK BY INHALATION AT LEVELS GREATER THAN 1000 PPM (5 TIMES THE OSHA-PEL) FOR MOST OF THE GESTATION PERIOD.

Effects of Overexposure:IRRITATION TO EYES AND MEMBRANES. DRY AND CRACKED SKIN. LIQUID INGESTION MAY RESULT IN VOMITING. NUMBNESS, TINGLING AND WEAKNESS OF ARMS AND LEGS MAY OCCUR.

Medical Cond Aggravated by Exposure:RESPIRATORY AILMENTS, LIVER AND KIDNEY CONDITIONS.

===== First Aid Measures =====

First Aid:SKIN: WASH WITH SOAP & WATER. REFER TO PHYSICIAN IF IRRITATION PERSISTS. EYES: FLUSH EYES ABUNDANTLY WITH CLEAN WATER & REFER TO PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. REFER TO PHYSICIAN. EXCES SIVE INHALATION: REMOVE PATIENT TO FRESH AIR OR GIVE OXYGEN. USE CPR IF PATIENT IS NOT BREATHING. REFER TO PHYSICIAN.

===== Fire Fighting Measures =====
=====

Flash Point Method:CC
Flash Point: