View NSN Online: https://aerobasegroup.com/nsn/8040-00-728-3088

## POLYMERIC SYSTEMS, INC. -- PSI-601 SILICONE SEALANT -- 8040-00-728-3088

========= Product Identification ==============

Product ID:PSI-601 SILICONE SEALANT

MSDS Date: 08/26/1993

FSC:8040

NIIN:00-728-3088

Kit Part:Y

MSDS Number: BSRYX === Responsible Party ===

Company Name: POLYMERIC SYSTEMS, INC.

Address:723 WHEATLAND STREET

City:PHOENIXVILLE

State:PA ZIP:19460 Country:US

Info Phone Num:215-935-1170

Emergency P

hone Num:215-935-1170 Preparer's Name:ED CLUFF

CAGE:0KND3

=== Contractor Identification ===

Company Name: POLYMERIC SYSTEMS, INC.

Address:723 WHEATLAND STREET

Box:City:PHOENIXVILLE

State:PA ZIP:19460 Country:US

Phone:610-935-1170

CAGE:0KND3

======= Composition/Information on Ingredients ========

Ingred Name: METHYLTRIACETOXYSILANE

CAS:4253-34-3

RTECS #:VV4500000 Fraction by Wt: 2-6%

Other REC Limits: NONE SPECIFIED

Ingred Name: ETHYLTRIACETOXYSILANE

CAS:17689-77-9 Fraction by Wt: 2-6 Other REC Limits: NONE SPECIFIED

Ingred Name: VOC: 0.4 LBS/GAL; 40 GRAMS/LITER

RTECS #:9999999VO

Other REC Limits: NONE SPECIFIED

Ingred Name: DIHYDROXYPOLYDIMETHYLSILOXANE

CAS:70131-67-8

Other REC Limits: NONE RECOMMENDED

Ingred Name: POLYDIMETHYLSILOXANE FLUID

CAS:63148-62-9

Other REC Limits: NONE RECOMMENDED

Ingred Name: AMORPHOUS SILICA, FUMED

CAS:112945-52-5 RTECS #:VV7310000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:80 MG/M3

====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: ACUTE: SEVERE IRRITATION TO

RESPIRATORY TRACT, PULMONARY EDEMA, EYE LACRIMATION, CORNEAL EDEMA,

SKIN IRRITATION AND DERMATITIS. CHRONIC:

BRONCHITIS, LARYNGITIS; DERMATITIS, CONJUNCT IVITIS.

Effects of Overexposure:IRRITATION TO SKIN, EYES, AND MUCOUS MEMBRANES.

MAY CAUSE DISCOMFORT, TEARING, CHOKING, OR BURNING SENSATION.

Medical Cond Aggravated by Exposure:RESPIRATORY, SKIN, OR EY E DISEASES.

L DISLASES.

First Aid:REMOVE TO FRESH AIR. WASH SKIN WITH SOAP AND WATER. FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES.

============ Fire Fighting Measures =========================

Flash Point Method:CC Flash Point:>400F,>204C

Extinguishing Media:WATER SPRAY, CO2, DRY CHEMICALS, FOAM, SAND Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS

OPERATED IN A POSITIVE PRESSURE MODE.

Unusual Fire/Expl

