

MONSANTO CHEMICAL CO -- SANTOCHLOR; PARA-DICHLOROBENZENE -- 6840-00-174-1825

=====
Product Identification
=====

Product ID: SANTOCHLOR; PARA-DICHLOROBENZENE

MSDS Date: 10/15/1992

FSC: 6840

NIIN: 00-174-1825

MSDS Number: BSVYC

=== Responsible Party ===

Company Name: MONSANTO CHEMICAL CO

Address: 800 N LINDBERGH BLVD M/C G5NC

City: ST LOUIS

State: MO

ZIP: 63141

Country: US

Info Phone Num: 314-694-2333

Emergen

cy Phone Num: 314-694-4000 (COLLECT) 800-424-9300

Preparer's Name: MSDS ID=105467

CAGE: 6H252

=== Contractor Identification ===

Company Name: MONSANTO CHEMICAL CO

Address: 800 N LINDBERGH BLVD M/C G5NC

Box: City: SAINT LOUIS

State: MO

ZIP: 63141

Country: US

Phone: 314-694-4000 (COLLECT)

CAGE: 6H252

Company Name: SALATHE OIL CO INC

Address: 2226 PETERS RD

Box: City: HARVEY

State: LA

ZIP: 70058

Country: US

Phone: 504-366-4542

CAGE: 0T5C6

=====
Composition/Information on Ingredients
=====

Ingred Name

:P-DICHLOROBENZENE (1,4-DICHLOROBENZENE) (SARA III)

CAS:106-46-7

RTECS #:CZ4550000

Fraction by Wt: 99-100%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:75 PPM

ACGIH TLV:10 PPP, A3; 9394

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT=3825MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:EYES:MAY BE IRR

ITATING,BUT NOT

REPORTED TO CAUSE SERIOUS INJURY.SKIN:MAY BE IRRITATING,BUT
REPORTED TO CAUSE MINIMAL DAMAGE.INHAL:MAY CAUSE EYE AND
RESPIRATORY IRRITATION.INGEST:OVEREXPOSURE MAY CAUSE
JAUNDICE,KIDNEY DAMAGE AND LIVER TOXICITY.

Explanation of Carcinogenicity:PARA-DICHLOROBENZENE:LISTED ON NTP AND
IARC SCHEDULES AS "REASONABLY" AND "POSSIBLY" CARCINOGENIC
(RESPECTIVELY).

Effects of Overexposure:EYES:PAIN.SKIN:BURNING.INHAL:HEADACHE,SWELLING
AROUND THE EYES,INFLAMMATI

ON OF THE MUCOUS MEMBRANES OF THE

NOSE,LOSS OF APPETITE,NAUSEA AND VOMITING.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING

RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.EYES:FLUSH
WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR
ARTIFICIAL RESPIRATION(PREFERABLY MOUTH-TO-MOUTH) IF
NEEDED.INGEST:IF C

ONSCIOUS,INDUCE VOMITING BY GIVING TWO GLASSES

OF WATER,THEN STICK FINGER DOWN THROAT.REMOVE THIS MATERIAL FROM
EYES,SKIN,CLOTHING.GET PROMPT QUALIFIED MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:150F,66C

Extinguishing Media:WATER SPRAY,FOAM,CARBON DIOXIDE,DRY CHEMICAL OR ANY
CLASS B FIRE EXTINGUISHER.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND
FULL PROTECTIVE EQUIPMENT.DE

CONTAMINATE EQUIPMENT AFTER USE.

Unusual Fire/Explosion Hazard:FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION.USE PROPER PROTECTIVE AND RESPIRATORY EQUIPMENT.SWEEP OR SHOVEL INTO METAL CONTAINERS FOR DISPOSAL.REPORTABLE QUANTITY=100 LBS;CALL NATIONAL RESPONSE CENTER,800-424-8802. RUNOFF INTO SEWER IS A HEALTH AND EXPLOSION HAZARD

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY PLACE,AWAY FROM HIGH HEAT,SOURCES OF IGNITION,STRONG OXIDIZERS.KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:AVOID BREATHING DUST OR VAPORS.AVOID SKIN AND EYE CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPOR OR SELF-CONTAINED BREATHING APPARATUS.

Ventilation:LOCAL VENTILATION AT THE WORKSITE;MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV/PEL.CONSULT NFPA STD.91.

Protective Gloves:CHEMICALLY RESISTANT.

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment:EYE WASH STATION SHOULD BE AVAILBLE.

Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt:B.P. Text:345F,174C

Melt/Freeze Pt:M.P/F.P Text:127F,53C

Vapor Pres:0.5

Vapor Density:5.1

Spec Gravity:1.458

Solubility in Water:NEGLIGIBLE;0.008%

Appearance and Odor:CRYSTALS;WHITE;PENETRATING MOTHBALL-LIKE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HIGH HEAT,SOURCES OF IGNI

TION.

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE, SMOKE, SOOT, CHLORIDES, CHLORINE.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. RCRA CODE IS U072(40CFR261.33).

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.