View NSN Online: https://aerobasegroup.co.il/nsn/6850-00-782-2732

MAGNAFLUX CORPORATION -- ZYGLO PENETRANT ZL-2C -- 6850-00-782-2732

Product ID: ZYGLO PENETRANT ZL-2C MSDS Date:01/20/1993 FSC:6850 NIIN:00-782-2732 MSDS Number: BSVYX === Responsible Party === **Company Name: MAGNAFLUX CORPORATION** Address:7301 WEST AINSLIE AVENUE City:HARWOOD HTS State:IL ZIP:60656 Country:US Info Phone Num:708-867-8000 Emergency Phone Num:708-867 -8000, CHEMTREC 800-424-9300 Preparer's Name: BRUCE C. GRAHAM CAGE:37676 === Contractor Identification === Company Name: ILLINOIS TOOL WORKS INC MAGNAFLUX DIV Address:3624 WEST LAKE AVENUE Box:City:GLENVIEW State:IL ZIP:60025 Country:US Phone:847-657-5300/ CAGE:37676 Ingred Name:WHITE MINERAL OIL (PETROLEUM)

CAS:8042-47-5 RTECS #:PY8047000 Fraction by Wt: 40% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 AS OIL MIST ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:ISODECYL DIPHENYL PHOSPHATE CAS:29761-21-5 Fraction by Wt: 15-40% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE- CAN IRRITATE SKIN BY REMOVING NATURAL SKIN OIL ON LONG/REPEATED EXPOSURES. CAN IRRITATE EYES BUT DOES NOT ATTACK EYE TISSUE. INHALATION CAUSES DIZZINESS AND NAUSEA. INGESTION OF SMALL (MOUTHFUL) AMOUNTS IS NOT SIGNIFICANT. CHRONIC-UNKNOWN. TARGET ORGANS: EYES, SKIN, RESPIRATORY TRACT. Explanation of Carcinogenicity:NONE Effects of Overexposure: IRRITATION OF EYES, SKIN, RESPIRATORY TRACT, DIZZINESS, NAUSEA Medical Cond Aggravated by Exposure: PRE-EXISTING SKIN DISORDERS First Aid:CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH WAT ER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. USE SOOTHING LOTION. INHALED: REMOVE TO FRESH AIR. PROVIDE CPR/OXY GEN IF NEEDED. ORAL:DO NOT INDUCE VOMITING. ACCIDENTAL INGESTION OF A SINGLE MOUTHFUL OF PRODUCT IS NOT EXPECTED TO CAUSE SIGNIFICANT HARM. IN ALL SEVERE CASES, CONTACT PHYSICIAN IMMEDIATELY.

Flash Point Method:PMCC Flash Point:200F,93C MIN. Lower Limits:1 Upper Limits:6 E

xtinguishing Media:CARBON DIOXIDE OR FOAM. DO NOT SPRAY WATER ON BURNING ZL-2C; IT MAY FLOAT AND SPREAD THE FIRE.
Fire Fighting Procedures: WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN THE POSITIVE PRESSURE MODE. USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:WEAR PROTECTIVE EQUIPMENTS. VENTILATE AREA. MOP UP OR REMOVE WITH NON-F LAMMABLE ABSORBENT MATERIALS. PUT INTO CONTAINER. DISPOSE AS HAZARDOUS WASTE. Neutralizing Agent:NOT RELEVANT
======================================
 Handling and Storage Precautions:DO NOT SPRAY AROUND ARCS OR FLAME. STORE AWAY FROM HEAT SOURCES. Other Precautions:"EMPTY" CONTAINERS MAY RETAIN RESIDUE AND CAN BE DANGEROUS. KEEP OUT OF REACH OF CHILDREN. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. DO NOT BREATHE VAPORS/MIST. DO NOT TAKE INTERNA LLY.
======================================
Respiratory Protection: IF TLV IS EXCEEDED, NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OR AIR-SUPPLIED OR FILTERING TYPE WITH ORGANIC VAPOR CARTRIDGES ARE RECOMMENDED. Ventilation:NONE, UNLESS APPLIED AS SPRAY. Protective Gloves: NITRILE RUBBER IF EXPOSURE UNAVOIDABLE Eye Protection: CHEMICAL SAFETY GOGGLES IF SPRAYING Other Protective Equipment: EYE WASH STATION, SAFETY SHOWER, LONG SLEEVE
AND LONG PANTS Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health FORMULA CHANGED. FOR PREVIOUS FORMULATIONS, SEE PNI A/B/C/D UNDER THE SAME NSN.
======================================
HCC:T6 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:455F,235C Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN Vapor Pres:1 Spec Gravity:0.87 Evaporation Rate & amp; Reference:NEGLIGIBLE Solubility in Water:

INSOLUBLE Appearance and Odor:GREEN, OILY LIQUID
======================================
Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:HIGH TEMPERATURES Hazardous Decomposition Products:SOOT, CARBON MONOXIDE, CARBON DIOXIDE
======================================
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. AS A NON-HAZARDOUS OILY WASTE,
INCINERATE IT OR SENT TO WASTE HANDLER WHO CAN BLEND IT INTO SECONDARY FUELS.
Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume

responsibility for the suitability of this information to their particular situation.