

DELTA PETROLEUM CO., INC. -- ATF DEXRON II -- 9150-00-657-4959

=====  
Product Identification  
=====

Product ID:ATF DEXRON II

MSDS Date:04/02/1990

FSC:9150

NIIN:00-657-4959

MSDS Number: BTCMG

=== Responsible Party ===

Company Name:DELTA PETROLEUM CO., INC.

Address:3011 LAUSAT STREET

City:METAIRIE

State:LA

ZIP:70001

Country:US

Info Phone Num:504-833-2861

Emergency Phone Num:504-833-2861

Preparer's Na

me:J.R. SWOAP, TECH DIR

CAGE:7A348

=== Contractor Identification ===

Company Name:DELTA PETROLEUM CO., INC

Address:10352 RIVER ROAD,

Box:10397

City:ST. ROSE

State:LA

ZIP:70087

Country:US

Phone:504-832-2732

CAGE:7A348

Company Name:DELTA PETROLEUM INC

Address:9155 BOSTON STREET

City:HENDERSON

State:CO

ZIP:80640

Phone:504-833-2861

CAGE:DO190

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY  
PARAFFINIC

CAS

:64742-65-0  
RTECS #:PY8038500  
Fraction by Wt: 80-94.9%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 AS OIL MIST  
ACGIH TLV:5 MG/M3 AS OIL MIST

===== Hazards Identification =====

LD50 LC50 Mixture:NOT DETERMINED MAYBE LD50RAT,ORAL>5G/KG  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:PER MFG'S MSDS NOT DETERMINED.  
EYES/SKIN:BELIEVED TO BE MINIMALLY IRRITATING  
. INHAL:BELIEVED TO BE  
MINIMALLY IRRITATING IF NOT IN EXCESS OF PERMISSIBLE  
CONCENTRATIONS.  
Effects of Overexposure:EYES/SKIN:REDNESS, DISCOMFORT. INHAL:COUGHING,  
SHORTNESS OF BREATH.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES:FLUSH W/PLENTY OF WATER. SKIN:WASH AREA W/SOAP & WATER.  
INGEST:PER MFG NONE CONSIDERED NECESSARY; HOWEVER GET MED ATTN.  
INHAL:PER MFG NONE CON  
SIDERED NECESSARY; HOWEVER REMOVE TO FRESH  
AIR.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:374F,190C  
Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL, ALCOHOL FOAM, CARBON  
DIOXIDE. WATER OR FOAM MAY CAUSE FROTHING.  
Fire Fighting Procedures:USE WATER TO COOL FIRE EXPOSED CONTAINERS. USE  
WATER SPRAY TO DISPERSE VAPORS FROM A LEAK/SPILL NOT IGNITED  
PROVIDING PROTECTION WHILE STOPPING LEAK.  
Unusual Fire/Explosion Hazard:  
NONE SPECIFIED BY MANUFACTURER; HOWEVER  
CUTTING/WELDING OF EMPTY CONTAINERS MIGHT CAUSE FIRE, EXPLOSION OR  
TOXIC FUMES FROM RESIDUES.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB  
ON SUITABLE MATERIAL AND SHOVEL UP.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLIN

G TEMP SHOULD

BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMP SHOULD BE MINIMIZED. WATER CONTAMINATION SHOULD BE AVOIDED.

Other Precautions:EMPTY CONTAINERS CAN BE HAZARDOUS IF USED TO STORE TOXIC, FLAMMABLE, OR REACTIVE MATERIALS. CUTTING/WELDING OF EMPTY CONTAINERS MIGHT CAUSE FIRE, EXPLOSION OR TOXIC FUMES FROM RESIDUES. KEEP CONTAINER CLOSED & DRUM BUNGS IN PLACE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REUQUIRED I

F EXPOSURES ARE WITHING

PERMISSIBLE CONCENTRATIONS. IF REQUIRED USE NIOSH-APPROVED RESPIRATOR W/APPROPRIATE CARTRIDGES.

Ventilation:ADEQUATE TO MEET COMPONENT PERMISSIBLE CONCENTRATIONS.

Protective Gloves:GLOVES.

Eye Protection:CHEM TYPE GOGGLES OR FACE SHIELD OPTIONA

Other Protective Equipment:LAB COATS, EYEWASH.

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING.

LAUNDER/DRY CLEANING SOILED WORK CLOTHING AT LEAST WEEKLY.

Supplemental Safety and Health

AVOID BREATHING VAPO

RS.

=====  
===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.8735

Appearance and Odor:RED LIQUID WITH A PETROLEUM ODOR.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:HEAT, FLAMES, PRESSURIZING PRODUCT.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,

ALDEHYDES, KETONES, COMBUSTION PRODUCTS OF NITROGEN & SULFUR.

=====  
=====

===== Disposal Considerations =====

Waste Disposal Methods:UNDER RCRA RESPONSIBILITY OF USER TO DETERMINE @

TIME OF DISPOSAL WHETHER PRODUCT IS HAZ WASTE. PRODUCT DISCARDED IN

ITS PURCHASED FORM DOES NOT MEET RCRA CRITERIA OF HAZ WASTE.

DISPOSE OF IAW FED/STATE/LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in

no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.