View NSN Online: https://aerobasegroup.com/nsn/3439-00-372-3480

AMERICAN ELECTRICAL HEATER COMPANY -- DRI-WICK FINE DESOLDERING BRAID 3439-00-372-3480

============= Product Identification ========================

Product ID:DRI-WICK FINE DESOLDERING BRAID

MSDS Date:01/01/1987

FSC:3439

NIIN:00-372-3480

MSDS Number: BTGFB === Responsible Party ===

Company Name: AMERICAN ELECTRICAL HEATER COMPANY

Address:6110 CASS AVENUE

City:DETROIT

State:MI ZIP:48202 Country:US

Info Phone Num:313-875-2505 OR 313-875-2516(FAX)

Emergency Phone Num:313-875-2505

CAGE:02105

=== Contractor Identification ===

Company Name: ASSEMBLY TECHNOLOGIES INTL INC

Address:1177 WEST MAPLE ROAD

Box:City:CLAWSON

State:MI ZIP:48017 Country:US

Phone:800-550-2510, EXT 112

CAGE:02105

======= Composition/Information on Ingredients ========

Ingred Name: COPPER (BRAIDED) (SARA III)

CAS:7440-50-8

RTECS #:GL5325000

Other REC Limits:NONE RECOMME OSHA PEL:0.1MG/M3 FUME/1 DUST ACGIH TLV:0.2 MG/M3 FUME; 9394 E

Ingred Name:ROSIN Other REC Limits:NONE RECOMME
======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MATERIAL DOES NOT ENTER BODY. HMIS:NORMAL SOLDERING FUMES/VAPORS MAY BE ENCOUNTERED. THERMAL BURNS MAY OCCUR. Explanation of Carcinogenicity:MFR LISTED NO INFORMATION ABOUT THE CARCIN OGENICITY OF THIS MATERIAL. HMIS DOES NOT EXPECT IT TO BE CARCINOGENIC. Effects of Overexposure:HMIS:NO SIGNS/SYNMPTOMS EXPECTED. Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY MFR.
======================================
First Aid:NO SPECIAL FIRST AID PROCEDURES. HMIS:USE NORMAL FIRST AID FOR BURNS AND/OR INHALATION OF FUMES.
======================================
Flash Point Method:SCC Flash Point: NON-FLAMMABLE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:PRODUCT IS NON FLAMMABLE. EXTINGUISH FIRE WITH MEDIA APPROPRIATE FOR SOURCE OF FIRE. Fire Fighting Procedures:NO SPECIAL PROCEDURES REQUIRED. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
Spill Release Procedures:SWEEP UP & DISCARD AS METALLIC SOLID. Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY MFR.
========== Handling and Storage =======

PA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS _____ Handling and Storage Precautions: KEEP DRY & CLEAN. Other Precautions: NO INFORMATION GIVEN ON MSDS BY MFR. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE REQUIRED Ventilation: GENERAL MECHANICAL VENTILATION IS ADEQUATE Protective Gloves: HMIS: AS NEEDED FOR BURN PROTECTION. Eye Protection: HMIS: SAFETY GLASSES Other Protective Equipment: HMIS: AS NEEDED FOR BURN PROTECTION. Work Hygienic Practices:MFR: ? HMIS:USE GOOD INDUSTRIAL HYGIENE RACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health NONE ======== Physical/Chemical Properties =========== HCC:N1 NRC/State Lic Num:NONE Solubility in Water: NEGLIGIBLE Appearance and Odor: ANNEALED COPPER BRAID, COATED W/ROSIN FLUX, WOUND ON A PLASTIC SPOOL ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid: NONE

Haza

rdous Decomposition Products:METAL OXIDES WILL FORM ON INCINERATION Conditions to Avoid Polymerization:WILL NOT OCCUR

======= Disposal Considerations ===========

Waste Disposal Methods: CONSULT LOCAL, STATE & FEDERAL REGULATORY ORDINANCES FOR DISPOSAL OF NON-COMBUSTIBLE METALLIC SOLIDS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of Ameri

ca in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.