

ALPHA ASSOCIATES INC -- ALPHA MARITEX STYLE #8359-2-SS -- 4730-01-010-0997

=====
Product Identification
=====

Product ID:ALPHA MARITEX STYLE #8359-2-SS

MSDS Date:05/11/1993

FSC:4730

NIIN:01-010-0997

MSDS Number: BTGFZ

=== Responsible Party ===

Company Name:ALPHA ASSOCIATES INC

Address:AMBOY AVENUE

Box:128

City:WOODBIDGE

State:NJ

ZIP:07095

Country:US

Info Phone Num:908-634-5700, FAX: 908-634-14

30

Emergency Phone Num:800-631-5399,OR 908-634-5700

CAGE:09079

=== Contractor Identification ===

Company Name:ALPHA ASSOCIATES INC

Address:AMBOY AVENUE

Box:128

City:WOODBIDGE

State:NJ

ZIP:07095

Country:US

Phone:800-631-5399

CAGE:09079

=====
Composition/Information on Ingredients
=====

Ingred Name:FIBROUS GLASS

Fraction by Wt: 80.5%

Other REC Limits:NONE RECOMME

OSHA PEL:15 MG/M3 (DUST)

ACGIH TLV:10 MG/M3 (DUST);9293

Ingred Name:SILICONE COATING

Fraction by Wt: 19.5%

Other R

EC Limits:NONE RECOMME

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE- SLIGHT SKIN IRRITATION.
INHALATION OF DUST (IF GENETATED) MAY CAUSE IRRITATION OF
RESPIRATORY TRACT.
Explanation of Carcinogenicity:THIS MATERIAL IS NOT A KNOWN CARCINOGEN.
Effects of Overexposure:IRRITATION OF THROAT, COUGH; REDNESS AND
IRRITATI
ON OF THE SKIN.
Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
===== First Aid Measures =====
=====

First Aid:INHALATION:MOVE PERSON TO FRESH AIR. SKIN:WASH WITH SOAP &
WATER. IF CONDITIONS PERSIST, SEE A DOCTOR.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:TOC
Flash Point:>482F,>250C
Extinguishing Media:WATER, CARBON DIOXIDE, DRY CHEMICAL
Fire Fighting Procedures:NONE KNOWN
Unusual Fire/Explosion Hazard:NONE KNO
WN

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:MATERIAL IS A SOLID. JUST PICK UP.
Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY MFR.

=====
===== Handling and Storage =====
=====

Handling and Storage Precautions:NONE KNOWN
Other Precautions:WEAR DUST MASK IF SAWING OR SANDING.

=====
===== Exposure Controls/Personal Protection =====
=====

Respiratory Protection:NONE NORMALLY REQUIRED. WEAR DUST MASK WHEN
C

UTTING, SANDING OR SAWING THIS MATERIAL.

Ventilation:NONE

Protective Gloves:COTTON GLOVES

Eye Protection:ALWAYS WEAR SAFETY GLASSES

Other Protective Equipment:WEAR LONG SLEEVES TO KEEP FROM IRRITATING SKIN.

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

GLASS IS ENCAPSULATED IN SILICONE COATING AND WILL NOT BECOME AIRBORNE UNLESS SANDED OR SAWED.

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:N

ONE

Melt/Freeze Pt:M.P/F.P Text:>1000F,>538

Spec Gravity:2.4

Solubility in Water:NEGLIGIBLE

Appearance and Odor:SILVER COLOR, ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:NONE KNOWN

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:BURIAL IN A FEDERAL OR STATE

APPROVED LANDFILL

IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume res

possibility for the suitability of this information to their particular situation.