View NSN Online: https://aerobasegroup.co.il/nsn/4210-01-338-6064

AMEREX CORPORATION -- REGULAR DRY CHEMICAL;SDC,SODIUM BICARBONATE

4210-01-338-6064

Product ID:REGULAR DRY CHEMICAL;SDC,SODIUM BICARBONATE

MSDS Date:08/01/1991

FSC:4210

NIIN:01-338-6064

MSDS Number: BTHQH === Responsible Party ===

Company Name: AMEREX CORPORATION

Address:7595 GADSDEN HWY E

Box:81

City:TRUSSVILLE

State:AL

ZIP:35173-0081 Country:US

Info Phone N

um:205-655-3271

Emergency Phone Num:205-655-3271 Preparer's Name:MSDS COORDINATOR

CAGE:54905

=== Contractor Identification === Company Name:ALL-SAFE INC Address:4767 LANGTON RD

Box:116

City:HIILIARD

State:OH

ZIP:43026 Country:US

Phone:614-876-4041

CAGE:2X264

Company Name: AMEREX CORPORATION

Address:7595 GADSDEN HWY E

Box:81

City:TRUSSVILLE

State:AL

ZIP:35173-0081

Country:US

Phone:205-655-3271

CAGE:54905

Company Name: ARLO CORP (201-575-4676)

Box:UNKNOW CAGE:9R205

Company Name: KAMPI COMPONENTS CO.,

INC.

Address:210 RT 13

Box:721

City:BRISTOL

State:PA

ZIP:19007-3517 Country:US

Phone:215-736-2000

CAGE:7Z016

======= Composition/Information on Ingredients ========

Ingred Name:KAOLIN

CAS:1332-58-7

RTECS #:GF1670500

Other REC Limits: NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:2 MG/M3 TDUST; 9293

Ingred Name: SODIUM BICARBONATE

CAS:144-55-8

RTECS #:VZ0950000

Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST/5RESP

ACGIH TLV:10 MG/M3 TDUST

Ingred Name: ALUMINUM SILICA TE/HYDROS ALUMINA SILICATE

CAS:1318-74-7

Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST/5RESP

ACGIH TLV:10 MG/M3 (MFR)

========= Hazards Identification ==============

LD50 LC50 Mixture:TLV IS 10 MG/M3 FOR TOTAL DUST. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES;SLIGHT IRRITANT.SKIN:SLIGHT

IRRITANT. INHAL:MAY IRRITATE RESPIRATORY TRACT.TREAT AS A MINERAL

DUST.INGEST: INGESTION OF A LARGE QUANTITY MAY LEAD TO SYSTEMIC ALKALOSIS.
Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.
Effects of Overexposure:INGEST:SYSTEMIC ALKALOSIS-NAUSEA, CONSTIPATION,HARDENED STOOLS.
Medical Cond Aggravated by Exposure:MANUFACTURER STATES NONE KNOWN.
======================================
First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND
WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS,RINSE MOUTH WITH WATER;THEN DRINK WATER.
======================================
Flash Point:NONE Extinguishing Media:THIS ITEM IS A FIRE EXTINGUISHER.USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHI
NG APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:NONE
========== Accidental Release Measures ==========
Spill Release Procedures:CONTAIN AND SWEEP UP MATERIAL FOR DISPOSAL OR RECOVERY. THOROUGHLY SWEEP OR WASH AREA OF SPILL TO CLEAN UP ANY RESIDUAL MATERIAL.  Neutralizing Agent:NONE
======================================
Handling and Storage Precautions:STORE I N CLOSED,MOISTURE-FREE
CONTAINERS. KEEP IN A COOL, DRY PLACE. AVOID CREATING DUST. Other Precautions: DO NOT CROSS CONTAMINATE WITH OTHER EXTINGUISHING AGENTS. WASH THOROUGHLY AFTER HANDLING.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:USE A NIOSH APPROVED RESPIRATOR FOR DUST WHENEVER DUST IS PRESENT OR ABOVE PEL.  Ventilation:MFR RECOMMENDS LOCAL VENTILATION AT THE WORKSITE; MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV/PEL.  Protect

ive Gloves:PLASTIC GLOVE Eye Protection: SAFETY GLASSES Other Protective Equipment: EYE WASH STATION, EMERGENCY SHOWER, NORMAL WORK CLOTHING COVERING ARMS AND LEGS. Work Hygienic Practices: WASH THOROUGHLY BEFORE EATING OR DRINKING. DO NOT BREATHE DUSTS. AVOID CONTACT WITH EYES AND SKIN. Supplemental Safety and Health NONE ======== Physical/Chemical Properties =============== HCC:G3 Melt/Freeze Pt:M.P/F.P Text:DECOMPOSES Spec Gravity:0.9 pH:8.3 Solubility in Water:ITEM COAT **ED-INSOLUBL** Appearance and Odor: CHARGED FIRE EXTINGUISHER. POWDER; WHITE; NO CHARACTERISTIC ODOR ======== Stability and Reactivity Data ============ Stability Indicator/Materials to Avoid:YES STRONG ACIDS Stability Condition to Avoid: MANUFACTURER STATES NONE. Hazardous Decomposition Products: SODIUM CARBONATE, CARBON DIOXIDE

======= Disposal Considerations ============

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGU

LATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever. expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particul

