View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-186-0859

SANFORD CORP -- EXPO CLEANER FOR DRY ERASE SURFACES,67429 -- 6850-01-186-0859

Product ID:EXPO CLEANER FOR DRY ERASE SURFACES,67429

MSDS Date:02/21/1996

FSC:6850

NIIN:01-186-0859

MSDS Number: BTKVG === Responsible Party ===

Company Name:SANFORD CORP Address:2740 WASHINGTON BLVD

City:BELLWOOD

State:IL

ZIP:60104-1940 Country:US

Info Phone Num:800-323-0749

Emergen

cy Phone Num:800-228-5635 Preparer's Name:JAMIE PAULIN

CAGE:86874

=== Contractor Identification === Company Name:HIGHSMITH INC Address:W. 5527 STATE ROAD 106

Box:800

City:FORT ATKINSON

State:WI

ZIP:53538-0800 Country:US

Phone:800-558-2110

CAGE:53448

Company Name: SANFORD CORPORATION

Address:2740 WASHINGTON BLVD.

Box:City:BELLWOOD

State:IL ZIP:60104 Country:US

Phone:1-800-323-0749

CAGE:86874

====== Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTEC

S #:ZC0110000 Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Ingred Name: ISOPROPYL ALCOHOL (SARA 313)

CAS:67-63-0

RTECS #:NT8050000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:400 PPM

ACGIH TLV:400 PPM/500STEL;9596

Ingred Name: 2-BUTOXYETHANOL/ETHYLENE GLYCOL MONOBUTYL ETHER

CAS:111-76-2

RTECS #:KJ8575000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9596

========= Hazards Identification ===============

LD50 LC50 M

ixture:LD50 (ORAL, RAT) IS UNKNOWN.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, CNS,

RESPIRATORY & GI TRACTS. ACUTE- MAY CAUSE EYE IRRITATION.

REPEATED/PROLONGED SKIN CONTACT CAN CAUSE DRYING. HIGH VAPOR CONCENTRATIONS MAY PRODUCE RESPIRATORY IRRITATION, CNS EFFECTS.

INGESTION MAY CAUSE VOMITING. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of

Overexposure:IRRITATION, HEADACHE, DIZZINESS, NAUSEA, SKIN DRYNESS, TEARING, BLURRED VISION

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED CNS OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR

MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUC E VOMITING. IF CONSCIOUS, DRINK A GLASSOF WATER. SEEK MEDICAL ATTENTION.

============= Fire Fighting Measures ========================

Flash Point: 105F,41C

Lower Limits: 2.5% ISOPROP

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SF

LF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK. CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP.

======== Accidental Release Measures ===========

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND OR VERMICULITE. TRANSFER TO CONTAINER FOR

REUSE, RECYCLING/DISPOSAL. P REVENT LIQUID FROM ENTERING SEWERS OR WATERWAYS.

Neutralizing Agent: NOT RELEVANT

=========== Handling and Storage ==============

Handling and Storage Precautions:STORE IN COOL, VENTILATED AREA, AWAY FROM HEAT, FLAMES, SPARKS, HOT SURFACES. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions:AVOID BREATHING VAPORS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. KE

EP OUT OF REACH OF CHILDREN. DO NOT INGEST. FOR INDUSTRIAL USE ONLY.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR.

Ventilation: USE EXPLOSION-PROOF VENTILATION EQUIPMENT TO CONTROL VAPOR CONCENTRATIONS.

Protective Gloves:NITRILE FOR REPEATED/PROLONGED CONTACT Eye Protection:SAFETY GLASSES/CHEMIC

AL SPLASH GOGGLES

Other Protective Equipment:EYE BATH, SAFETY SHOWER, WASHING FACILITIES Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

======== Physical/Chemical Properties ===========

HCC:F4

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:180F,82C

Vapor Pres:33 @ 68F Vapor Density:>1 Spec Gravity:0.78

Appearance and Odor: CLEAR LIQUID - CHARACTERISTIC ALCOHOL ODOR

======= Stabi

lity and Reactivity Data ========

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:HEAT, FLAMES, SPARKS, HOT SURFACES
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE MAY BE

FORMED DURING COMBUSTION.

====== Disposal Considerations ==========

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL IS SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. INCINERATION IS RECOMMENDED. SINCE EMPTIED CONTAINERS RETAIN

PRODUCT RESIDUE, FOLLOW LABEL

WARNINGS EVEN AFTER CONTA INER IS EMPTIED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respo

nsibility for the suitability of this information to their particular situation.