View NSN Online: https://aerobasegroup.com/nsn/7930-00-935-3794

Product ID:PLASTIC POLISH,LIQUID;PP560B

MSDS Date:01/01/1987

FSC:7930

NIIN:00-935-3794

MSDS Number: BTSQY
=== Responsible Party ===
Company Name:RALKEM,INC.
Address:36977 FOX GLEN
City:FARMINGTON HILLS

State:MI ZIP:48331 Country:US

Info Phone Num:313-661-0260

Emergency Phone Num:313-661-0260

CAGE:MO

292

=== Contractor Identification ===

Company Name:RALKEM INC

Address:36977 FOX GLEN

Box:City:FARMINGTON HILLS

State:MI ZIP:48331 Country:US

Phone:313-661-0260

CAGE:0DE78

Company Name:RALKEM,INC. Address:36977 FOX GLEN Box:City:FARMINGTON HILLS

State:MI ZIP:48331 Country:US

Phone:313-661-0260

CAGE:MO292

====== Composition/Information on Ingredients ========

Ingred Name: HYDROTREATED LIGHT PETROLEUM DISTILLATE

CAS:64742-47-8

Fraction by Wt: 8-12%

Other REC Limits: NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE IRRITATION.INGEST:MAY CAUSE GI TRACT IRRITATION.INHAL:MAY CAUSE RESPIRATORY IRRITATION. **Explanation of Carcinogenicity: THERE** ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA. Effects of Overexposure: SKIN: SLIGHT IRRITATION. Medical Cond Aggravated by Exposure: UNLIKELY TO AGGRIVATE EXISTING MEDICAL CONDITIONS. First Aid:SKIN:REMOVE CONTAMINATED CLOTHING:WASH WITH SOAP AND WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO N OT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION. ============ Fire Fighting Measures ========================= Flash Point Method:TCC Flash Point:117F,47C Extinguishing Media: WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM. Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER FOG. Unusual Fire/Explosion Hazard: MANUFACTURER STATES NONE. ======== Accidental Release Measures == Spill Release Procedures: SOAK UP WITH RAGS; PLACE IN A PROPER CONTAINER FOR DISPOSAL. Neutralizing Agent:NONE ============ Handling and Storage =========================== Handling and Storage Precautions: STORE AT ROOM TEMPERATURE. DO NOT FREEZE. Other Precautions: FOLLOW LABEL DIRECTIONS. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT NEEDED IN NORMAL SERVICE. Ventilation: USE GENERAL DILUTION VENTILATION. **Protectiv**

Ingred Name: VOLATILE ORGANIC COMPOUNDS

Other REC Limits: NONE RECOMMENDED

RTECS #:9999999VO Fraction by Wt: 0.54% e Gloves:IMPERVIOUS, AS NEEDED. Eye Protection: SAFETY GLASSES, AS NEEDED. Other Protective Equipment: NONE Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING. Supplemental Safety and Health NONE ======== Physical/Chemical Properties =========== HCC:N1 Boiling Pt:B.P. Text:>300F,>149C Spec Gravity:1.0 Solubility in Water: COMPLETE Appearance and Odor:LIQUID,LOTION-LIKE;WHITE;SLIGHT SOLVENT ODOR. Percent Volatiles by Vol ume:1 ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES MANUFACTURER STATES NONE. Stability Condition to Avoid: MANUFACTURER STATES NONE. Hazardous Decomposition Products: MANUFACTURER STATES NONE. ======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): Thi

s information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.