View NSN Online: https://aerobasegroup.co.il/nsn/8010-01-060-7176

SHELL OIL, ENVIRONMENTAL AFFAIRS -- EPON CURING AGENT U -- 8010-01-060-7176

Product ID:EPON CURING AGENT U

MSDS Date:05/23/1988

FSC:8010

NIIN:01-060-7176

Kit Part:Y

MSDS Number: BTSRN === Responsible Party ===

Company Name: SHELL OIL, ENVIRONMENTAL AFFAIRS

Box:4320

City:HOUSTON

State:TX ZIP:77210 Country:US

Info Phone Num:713-241-4819 Emergency Phone Num:713-473-9461 800-424-9300(CHEMTREC) Preparer's Name:G.A.VAN GELDER

CAGE:KO036

=== Contractor Identification ===

Company Name: SHELL OIL COMPANY CORPORATE ENVIRONMENTAL AFFAIRS

Box:4320

City:HOUSTON

State:TX ZIP:77210 Country:US

Phone:713-241-4819/713-473-9461

CAGE:3H919

Company Name: SHELL OIL, ENVIRONMENTAL AFFAIRS

Box:4320

City:HOUSTON

State:TX ZIP:77210 Country:US

Phone:713-241-4819

CAGE:KO036

====== Composition/Information on Ingredients ========

Ingred Name: EPOXY RESIN/AMINE ADDUCT

CAS

:68610-56-0

Fraction by Wt: 73%

Other REC Limits: NONE RECOMMENDED

Ingred Name: DIETHYLENETRIAMINE

CAS:111-40-0

RTECS #:IE1225000 Fraction by Wt: 25%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1 PPM

ACGIH TLV:S, 1 PPM; 9394

Ingred Name:PHENOL (SARA III) (SARA III)

CAS:108-95-2

RTECS #:SJ3327000 Fraction by Wt: 3%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:S, 5 PPM

ACGIH TLV:S,5 PPM; 9394 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

========== Hazards Identification ===========

===

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 2.33G/KG FOR INGRED 3

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES:CORROSIVE.MAY CAUSE SEVERE

IRRITATION OR CORNEAL DAMAGE.SKIN:MAY CAUSE

IRRITATION, SENSITIZATION. MAY BE DERMALLY ABSORBED IN HARMFUL AMOUNTS. INGEST: MAY CAUSE GI TRACT IRRITATION. INHAL: MAY CAUSE RE SPIRATORY IRRITATION. CHRONIC: MAY DAMAGELIVER, KIDNEY, BLADDER AND

HEART.


Ε

xplanation of Carcinogenicity:DIETHYLENETRIAMINE HAS BEEN SHOWN TO HAVE REPRODUCTIVE EFFECTS.

Effects of Overexposure: EYES: TEMPORARY VISION

DISTURBANCE.SKIN:RASHES(HIVES).CNS DEPRESSION,RESPIRATORY DISTRESS.INHAL:GIDDINESS,HEADACHE,NAUSEA,DIZZINESS,WHEEZING,SHORTNE SS OF BREATH,COUGH).KIDNEY DAMAGE-CHANGE IN URINE OUT PUT,SWELLING.LIVER DAMAGE-LOSS OF APPETITE,YELLOWED SKIN,ABDOMINAL PAIN ON RIGHT SIDE.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKI



N,EYE,LIVER,KIDNEY,HEART AND RESPIRATORY AILMENTS MAY BE AT

ICAL-RESISTANT. Eye Protection:CHEMICAL GOGGLES. Other Protective Equipment:PROTECTIVE CLOTHING,AS NEEDED.PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING. Supplemental Safety and Health KEY1;N1,REFER TO PNIND-D.
========= Physical/Chemical Properties ==========
HCC:N1 Vapor Pres:1 Spec Gravity:1.1 Solubility in Water:MODERATE(MISCIBLE) Appearance and Odor:L IQUID;YELLOW;AMMONIA-LIKE ODOR.
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDANTS,STRONG LEWIS OR MINERAL ACIDS Stability Condition to Avoid:HIGH HEAT,SOURCES OF IGNITION.MATERIAL WILL BURN IF PREHEATED. Hazardous Decomposition Products:CARBON MONOXIDE,CARBON DIOXIDE,PHENOL,OXIDES OF NITROGEN,ORGANIC CHEMICALS CONTAINING NITROGEN,DIETHYLENETRIAMINE.
======== Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND

LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advi

ce to verify and assume responsibility for the suitability of this information to their particular situation.