View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-285-4741

INTERNATIONAL COMMUNICATION MATERIALS, INC -- KYOCERA 1010 -- 6850-01-285-4741

Product ID:KYOCERA 1010 MSDS Date:08/15/1993 FSC:6850 NIIN:01-285-4741 Kit Part:Y MSDS Number: BTTVJ === Responsible Party === Company Name: INTERNATIONAL COMMUNICATION MATERIALS, INC Address:ROUTE 119 SOUTH Box:716 City:CONNELLSVILLE State:PA ZIP:15425 Country:US Info Phone Num:412-628-1014/800-438-2530 Emergency Phone Num:412-628-1014/800-438-2530 Preparer's Name:NONE CAGE:INCMM === Contractor Identification === **Company Name: INTERNATIONAL COMMUNICATION** Address: ROUTE 119 SOUTH Box:386 City:CONNELLSVILLE State:PA ZIP:15425 Country:US Phone:412-628-1014;800-424-9300(CHEMTREC) CAGE:INCMM Company Name:LOGANS MARKETING Address:636 BROADWAY SUITE 324 Box:City:SAN DIEGO State:CA ZIP:92101 Country:US Phone:619-233-3767 CAGE:5Y439

======= Composition/Information on Ingredie

nts ===========

Ingred Name:STYRENE/ACRYLATE COPOLYMER CAS:27136-15-8 Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE CAS:1317-60-8 Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG/M3 (FE) ACGIH TLV:5 MG/M3(FE),B2; 9394

Ingred Name:WAX CAS:25085-53-4 Other REC Limits:10 MG/M3 (MFR)

Ingred Name:DYE Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA CAS:112945-52-5 RTECS #:VV7310000 Other REC Limits:NONE RECOMMENDED OSHA PEL:6 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST 9394

=======

First Aid:EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP AND WATER. INHALATION: MOVE TO FRESH AIR. INGESTION: DRINK SEVERAL GLASSES OF WATER.

Flash Point:NOT APPLICABLEN/ Extinguishing Med

ia:WATER, FOAM, DRY CHEMICAL. Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. DON'T INHALE SMOKE. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard: TONER IS COMBUSTIBLE POWDER. WHEN DISPERSED IN AIR, IT FORMS EXPLOSIVE MIXTURES. EXPLOSIVE LIMITS OF TONER PARTICLES SUSPENDED IN AIR ARE EQUAL TO COAL DUST. Spill Relea se Procedures: LOOSE DEVELOPER CAN BE REMOVED BY USING A VACUUM CLEANER. RESIDUE CAN BE REMOVED WITH SOAP AND COLD WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions:NONE. Other Precautions:NONE. Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:NORMAL OFFICE VENTILATION. Protective Gloves:NONE NORMALLY REQ UIRED. Eye Protection: NONE NORMALLY REQUIRED. Other Protective Equipment:NONE NORMALLY REQUIRED. Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. Supplemental Safety and Health TONER KIT USED ON 0478 PRINTER, CONSIST OF 1 TONER CARTRIDGE, 1 FUSER CLEANER, 1 WASTE TONER CARTRIDGE, 4 PER BOX. HCC:N1

HCC:N1 Melt/Freeze Pt:M.P/F.P Text:194F,90C Spec Gravity:1.3 Solubility in Water:NEGLIGIBLE A ppearance and Odor:BLACK POWDER. FAINT ODOR.

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE. Hazardous Decomposition Products:AVOID BREATHINGSMOKE. TOXIC DECOMPOSITION PRODUCTS ARE FORMED ON COMBUSTION. Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DO NOT INCINERATE . NO SPECIAL TECHNIQUES BEYOND NORMAL PRACTICE. DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek comp etent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.