View NSN Online: https://aerobasegroup.co.il/nsn/6810-00-904-9372

Product ID:SULFURIC ACID, ELECTROLYTE 1.250 SP GR MSDS Date:12/17/1993 FSC:6810 NIIN:00-904-9372 MSDS Number: BVBGQ === Responsible Party === Company Name: CYTEC INDUSTRIES INC Address: FIVE GARRET MOUNTAIN PLAZA City:WEST PATERSON State:NJ ZIP:07424 Country:US Info Phone Num:201-357-3100/201-357-3310 Emergency Phone Num:800-424-9300(CHEMTREC)/201-357-3100 Preparer's Name:(CO'S MSDS #:0243) CAGE:0V7G8 === Contractor Identification === Company Name: BARTLETT CHEMICALS Address:4955 RIVER ROAD Box:10710 **City: JEFFERSON** State:LA ZIP:70121 Country:US Phone:504-734-1971 CAGE:1V771 Company Name: CYTEC INDUSTRIES INC Address: FIVE GARRET MOUNTAIN PLAZA Box:City:WEST PATERSON State:NJ ZIP:07424 Country:US Phone:800-652-6013 CAGE:0V7G8

======== Composition/Information on Ingred

Ingred Name: SULFURIC ACID (SARA III) CAS:7664-93-9 RTECS #:WS5600000 Fraction by Wt: 0-100% Other REC Limits:NONE RECOMMENDED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3: 9394 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS LD50 LC50 Mixture:LD50 (ORAL,RAT) IS 2140MG/KG. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic:CORR T O SKIN, EYES, NOSE, MUC MEM, RESP & GI TRACTS. MIST/VAPOR INHAL CAN CASUSE PULM EDEMA, EMPHYSEMA, PERM CHANGES IN PULM FUNCTION. CHRONIC:DERM, CHRONIC BRONCHITIS, GASTRITIS, EROSION OF DENTAL EN AMEL, CONJUNCTIVITIS, **INCREASE FREQ RESP TRACT INFECTIONS, & CANCER OF LARYNX, LUNGS &** UPPER RESP TRACT. Explanation of Carcinogenicity:SULFURIC ACID MISTS ARE CLASSIFIED IARC-2B. Effects of Overexposure: DIRECT CONTACT W/MATERIAL MAY CAUSE SEVERE EYE **& SKIN IRRITATION. CORROSI** ON TO EYE, SKIN, NOSE, MUC MEM, RESP & GI TRACTS. PULM EDEMA, EMPHYSEMA, CHANGES IN FULM FUNCTION. DERM, BRONCHITIS, GASTRITIS, EROSION OF DENTAL ENAMEL, CONJUNCTIVITIS, FREQUENT RESP TRACT INFECTINS, & CANCER OF LARYNX, LUNGS & UPPER **RESP TRACT.** Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MFG. First Aid:SKIN:REMOVE CONTAMIN CLOTH W/O DELAY.CLEANSE THOROUGHLY W/SOAP & WATER.DO NOT OMIT HAIR & FI NGERNAILS IF CONTAMIN. EYE: IMMED IRRIGATE W/PLENTY OF WATER FOR 15MINS.GET MED ATTN W/O DELAY. INHAL: REMOV E FROM EXPOUSRE. GIVE OXY IF DIFFI IN BREATH. GIVE ARTI **RESP IF NOT BREATH & CONTINUE TIL NORMAL BREATH ESTABLISHED.GET MED** ATTN W/O DELAY.

Extinguishing Media:FIRES INVOLVING SM AMTS OF COMBUST MAY BE SMOTHERED BY DRY CHEM.USE WATER ON COMBUST BURNING IN VICINITY OF ACID CAUTIOU Fire Fighting Pro cedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard: H2SO4 WON'T BURN BUT CAPABLE IF IGNITING FINELY DIVIDED COMBUST MATL ON CONTACT. REACTS VIOLENTLY W/ORG MATL & WATER W/HEAT EVOLUTION, BOILING & SPALTTERING. Spill Release Procedures: EXPO LEVEL UNKNOWN WEAR NIOSH APPROVED + PRESS SELFCONTAINED RESP: IF KNOW WEAR APPROPRIATE RESP. USE ACID HOOD/SUIT WHE N SPRAY/SPLASH MAY OCCUR.DILUTE CAUTIOUSLY W/5-6VOLS OF WATER.NEUTRALIZE GRADUALLY W/SODA ASH OR LIME.AVOID UNNEUTRAL ACID IN SEWERS Neutralizing Agent:SODA ASH OR LIME. Handling and Storage Precautions: DO NOT ADD WATER TO CONTENTS WHILE IN CNTNR CAUSE OF VIOLENT REACTION. ACID ATTACKS METALS RELEASING FLAMM H2 GAS. EXTREME HAZ CONTACT W/EXPLOSIVES. Other Precautions: H2 GAS ACCUMULATE IN METAL TANKS CONTAINING ACID.DON'T SMOKE/IGN SOURCES AROUND OPEN DRUMS/TANKS OF ACID.ALWAYS ADD ACID TO WATER WHEN DILUTING; NEVER WATER TO ACID. PROTECT AGAINST PHYSICAL DAMAGE & CO NTACT W/INCOMPATIBLE MATLS. Respiratory Protection: WHERE EXPOSURES ARE BELOW PEL NO RESP PROTECTION IS REQUIRED. WHERE EXOSURES EXCEED PEL USE NIOSH APPROVED RESP OR FULL PROTECTIVE SUIT W/AIR SUPPLY APPROPRIATE FOR MATL & EXPOSURE LEVEL. SEE "GUIDE T O INDUSTRIAL RESP PROTECTION" (NIOSH). Ventilation: USE CLOSED SYS PROCESS WHERE FEASIBLE. IF NOT GOOD ENCLOSURE & LOC EXHAUST VENTILA SHOULD BE PROVIDED TO CONTROL EXPOSURE Protective Gloves: IMPERVIOUS GLOVES, PVC. Eye Protection: CHEM SPLASH PROOF GOGGLES OR FACE SHIELD Other Protective Equipment: IMPERV APRON, WORKPANTS, LONG SLEEVE WORKSHIRT, DISPOSABLE COVERALLS.EYEWASH FOUNTAIN & SAFETY SHOWER CLOSE TO POTENT EXPO Work Hygienic Practices: PREVENT EYE/SKIN CONTACT. WASH CONTAMIN CLOTH

PRIOR TO REUSE.WASH FACE/HANDS W/SOAP/WATER AFT HANDLING & PRIOR TO EAT/DRI Supplemental Safety and Health VAPOR PRESSURE:VARIABLE FUNCTION OF TEMP & CONCEN. PH:0.10N=1.2, 1.0N=0.3. DO NOT STRIKE TANK FITTINGS W/TOOLS OR OTHER HARD OBJECTS.

HCC:C1 Boiling Pt:B.P. Text:640F,338C Vapor Pres:VARIABLE Spec Gravity:1.250 pH:2.1 Solubility in Water:COMPLETE Appearance and Odor:CLEAR TO SLIGHTLY CLOUDY, OILY LIQUID; ODORLESS TO SLIGHTLY PUNGENT ODOR. Percent Volatiles by Volume:0-20

Stability Indicator/Materials to Avoid:YES WATER;MANY METALS;STRONG ALKALI MTLS;CARBIDES; CHLORATES;FULMINATES;NITRATES;PICRATES;ORG MATL(ACIDS,ACETATES,ANHYDRIDES Stability Condition to Avoid:NONE KNOWN. Hazardous Decomposition Products:SULFUR TRIOXIDE &/OR SULFUR DIOXIDE. TOXIC & EXPLOSIVE HYDROGEN SULFIDE MAY FORMED UNDER CERTAIN CONDIT IONS.

Waste Disposal Methods:DISPOSAL MUST BE MADE IN ACCORDANCE WITH APPLICABLE GOVERNMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. A

ny person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.