

BECTON-DICKINSON MICROBIOLOGY SYSTEMS INC -- BIOBAG TYPE A 4361214 --
6640-01-231-7244

===== Product Identification =====

Product ID: BIOBAG TYPE A 4361214

MSDS Date: 11/07/1990

FSC: 6640

NIIN: 01-231-7244

MSDS Number: BVHJW

=== Responsible Party ===

Company Name: BECTON-DICKINSON MICROBIOLOGY SYSTEMS INC

Address: 250 SCHILLING CIR

Box: 243

City: COCKEYSVILLE

State: MD

ZIP: 21030

Country: US

Info Phone Nu

m: 410-785-6257

Emergency Phone Num: 410-785-6257

CAGE: 05545

=== Contractor Identification ===

Company Name: BECTON DICKINSON AND CO MICROBIOLOGY SYSTEMS DIV

Address: 250 SCHILLING CIRCLE

Box: City: HUNT VALLEY

State: MD

ZIP: 21030-1103

Country: US

Phone: 410-771-0101

CAGE: 05545

===== Composition/Information on Ingredients =====

Ingred Name: HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III)

CAS: 7647-01-0

RTECS #: MW4025000

Fraction by Wt: 100% %

Other REC Limits: NONE RECOMMENDED

OSHA PE

L:C 5 PPM
ACGIH TLV:C 5 PPM; 9394
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM HYDROXIDE (SARA III)
CAS:1310-73-2
RTECS #:WB4900000
Fraction by Wt: 15.4% %
Other REC Limits:NONE RECOMMENDED
OSHA PEL:2 MG/M3
ACGIH TLV:C 2 MG/M3; 9394
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:POTASSIUM BOROHYDRIDE
CAS:13762-51-1
RTECS #:TS7525000
Fraction by Wt: 12.0%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mi
xture:NOT GIVEN FOR PRODUCT AS A WHOLE
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:WILL CAUSE EYE IRRITATION. MAY CAUSE
PERMANENT EYE INJURY. WILL CAUSE SKIN IRRITATION. MAY CAUSE BURNING
SENSATION TO SKIN. INGESTION CAN CAUSE BURNING OF THROAT.
INHALATION MAY CAUSE IRRITATION, BURN ING OF RESPIRATORY TRACT.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT
CON
CENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.
Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION, UPPER
RESPIRATORY TRACT IRRITATION, BURNING OF THROAT, EYE INJURY.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND/OR
RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS
PRODUCT.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS
OPEN. GET

MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. IN HALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:CARBON DIOXIDE, CLASS D FIRE EXTINGUISHING MATERIAL
Fire Fi

ighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE.

Unusual Fire/Explosion Hazard:POTASSIUM BOROHYDRIDE WILL REACT WITH WATER GENERATING HYDROGEN GAS. LIQUID CONTAINED IN AMPULE WILL NOT BURN.

===== Accidental Release Measures =====

Spill Release Procedures:WEARING GLOVES ABSORB ANY LIQUID ONTO PAPER TOWELS. PICKUP ALL OHTER CONTAMINATED MATERIAAL AND PLACE IN BIOBAG. AUTOCLAVE

ALL MATERIAL BEFORE DISCARDING. DISINFECT THE EXPOSED AREA ACCORDING TO ESTAB LISHED PRECAUTIONS AGAINST MICROBIOLOGICAL HAZARDS

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:OBSERVE ESTABLISHED PRECAUTIONS AGAINST MICROBIOLOGICAL HAZRDS THROUGHOUT ALL PROCEDURES.

Other Precautions:PRIOR TO DISCARDING STERILIZE SPECIMEN CONTAINERS AND OTHER CONTAMINATED MATERIALS BY AUTOCLA VING. ALL USUAL PRECAUTIONS ATTENDANT TO HANDLING HYDROGEN GAAS SHOULD BE OBSERVED WHEN EMPLOYING THIS PROD UCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:LATEX

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO AVOID SKIN CONTACT. AN EMERGENCY EYE

WASH STATION AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

POTASSIUM BOROHYDRIDE IS THE WATER-REACTIVE METAL HYDRIDE IN THIS PRODUCT AND CONSTITUTES 12.0 % OF THE PELLET. PRODUCT CONSIST OF ONE ANAEROBIC GAS GENERATING UNIT CONTAINING: ONE AMPULE OF DILUTE H CL, ONE GAS GENERATING PILL WITH 12 % POTASSIU BOROHYDRIDE, DESICCANT, BIOBAG INCUBATIO N BAG TYPE A WITH CATALYST.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity:NOT GIVEN

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:NOT GIVEN

Appearance and Odor:1 AMPULE OF DILUTE HCL, ONE PILL WITH 12% POTASSIUM BOROHYDRIDE, METAL CATALYST

===== Stability and Reactivity Data =====

Stability

Indicator/Materials to Avoid:YES

ACIDS, ALCOHOLS

Stability Condition to Avoid:HEAT, OPEN FLAME

Hazardous Decomposition Products:HYDROGEN GAS

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This in

formation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.