View NSN Online: https://aerobasegroup.co.il/nsn/8030-00-008-7206

COURTAULDS AEROSPACE INC -- 0870C104 PRO-SEAL 870 C-24 ACCELERATOR 8030-00-008-7206

Product ID:0870C104 PRO-SEAL 870 C-24 ACCELERATOR MSDS Date:06/03/1994 FSC:8030 NIIN:00-008-7206 Kit Part:Y **MSDS Number: BVTLJ** === Responsible Party === Company Name: COURTAULDS AEROSPACE INC Address:5430 SAN FERNANDO ROAD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Info Phone Num:818-549-7586 Emergency Phone Num:818-549-7586 CAGE:83574 === Contractor Identification === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574

Ingred Name:HYDROGENATED TERPHENYLS CAS:61788-32-7 RTECS #:WZ6535000 Fraction by Wt: 35% Other REC Limits:4.7 MG/CUM OSHA PEL:0.5 PPM ACGIH TL V:0.5 PPM

Ingred Name: MANGANESE DIOXIDE, MANGANESE PEROXIDE \*96-4\* CAS:1313-13-9 RTECS #:OP0350000 Fraction by Wt: 40% **OSHA PEL:5 MG/CUM** ACGIH TLV:5 MG/CUM Ingred Name: MAGNESIUM DICHROMATE \*96-4\* CAS:13423-61-5 Fraction by Wt: 25% OSHA PEL:0.5 MG/CUM ACGIH TLV:0.05 MG/CUM Ingred Name:1,3-DIPHENYL GUANADINE CAS:102-06-7 RTECS #:MF0875000 Fraction by Wt: 200F Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures: USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXP OSED CONTAINERS. Unusual Fire/Explosion Hazard: EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF MANGANESE DIOXIDE, RESULTING IN OXIDATION & POSSIBLE IGNITION OF HYDROCARBON VEHICLE. Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE W/SUITABLE SOLVENT. Handling and Storage Precautions: AVOID INGESTION. ======= Exposure Controls/Pers Respiratory Protection:NOT REQUIRED Ventilation:GENERAL Protective Gloves:SOLVENT RESISTANT Eye Protection:SAFETY GLASSES Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING/EATING. Supplemental Safety and Health KEY1:N1. 

HCC:V5 Boiling Pt:B.P. Text:644F Spec Gravity:1.801 Appearance and Odor:BLACK PASTE Percent Volatiles by Volume:0 Stability Indicator/Materials to Avoid:YES EASILY OXIDIZABLE MATERIALS. Stability Condition to Avoid:EXCESSIVE HEAT. Hazardous Decomposition Products:OXIDES OF CARBON & NITROGEN, MANGANESE & CHROMIUM COMPOUNDS.

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS. EPA HAZARDOUS WASTE NO. D007.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.