

EVERSEAL MFG CO INC -- RED GLOSS ALKYD ENAMEL -- 8010-00-616-7487

===== Product Identification =====

Product ID:RED GLOSS ALKYD ENAMEL

MSDS Date:04/29/1987

FSC:8010

NIIN:00-616-7487

MSDS Number: BVZGP

=== Responsible Party ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

City:RIDGFIELD

State:NJ

ZIP:07657-2329

Country:US

Info Phone Num:201-943-4986 / FAX 201-943-1123

Emergency Phone Num

:201-943-4986

CAGE:72988

=== Contractor Identification ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

Box:City:RIDGFIELD

State:NJ

ZIP:07657-2329

Country:US

Phone:201-943-4986

CAGE:72988

===== Composition/Information on Ingredients =====

Ingred Name:RESIN

Fraction by Wt: 38%

Other REC Limits:NONE RECOMMENDED

Ingred Name:RED PIGMENT

CAS:2425-85-6

Fraction by Wt: 11%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SOLVENT NAPHTHA (PETROLEUM) MEDIUM ALIPHATIC

CAS:647

42-88-7

Fraction by Wt: 50%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN- DRYING. EYES- IRRITATION.

INHALATION- MAY CAUSE ANESTHESIA, CNS DEPRESSION, UPPER RESPIRATORY IRRITATION. POSSIBLE UNCONSCIOUSNESS.

Effects of Overexposure:INHALATION- HEADACHE, DIZZINESS, NAUSEA.

Medical Cond

Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE LIFTING EYELIDS. SKIN: FLUSH WITH WATER. REMOVE CONTAMINATED CLOTHING. INHALATION: REMOVE VICTIM TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATIO N AS REQUIRED. GET MEDICAL ATTENTION. INGESTION- SEEK MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

FI

Flash Point:105F,41C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:WATER IS NOT A SUITABLE EXTINGUISHING MEDIUM.

=====
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH WATER INTO RETAINING AREA OR CONTAINER. AVOID SPARKS, FIRE OR HOT METAL SURFACES. SMALL AMOUNTS CAN BE ABSORBED ONTO AN APPROPRIATE ABSORBANT

. USE SPARK-PROOF

SCOOP FOR LARGER SPILLS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE. VAPORS MAY IGNITE EXPLOSIVELY. VAPORS HARMFUL. KEEP AWAY FORM FIRE, HEAT & OPEN FLAMES. KEEP CONTAINER CLOSED.

Other Precautions:AVOID PROLONGED AND REPEATED PERSONAL CONTACT.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:DEPENDS ON CONCENTRATION ABOVE TI

ME WEIGHTED TLV

- CARTRIDGE OR MASK.

Ventilation:PROVIDE LOCAL EXHAUST VENTILATION IN SUFFICIENT VOLUME AND PATTERN SO AS TO MAINTAIN EXPOSURE BELOW TLV'S.

Protective Gloves:IMPERMEABLE

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:APRON, BARRIER CREAM

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING THIS MATERIAL.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:323-390F

Va

por Density:> AIR

Spec Gravity:7.7 LB/GL

Evaporation Rate & Reference:SLOWER THAN ETHER

Appearance and Odor:RED GLOSS ALKYD ENAMEL

Percent Volatiles by Volume:60,VOL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HEAT, SPARKS AND OPEN FLAMES.

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE.

===== Disposal Considerations =====

=====

Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document

t should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.