View NSN Online: https://aerobasegroup.co.il/nsn/6750-01-243-9290

CLAYTON CHEMICAL CO. -- P20 DEVELOPER CONCENTRATE -- 6750-01-243-9290

Product ID:P20 DEVELOPER CONCENTRATE

MSDS Date:04/22/1992

FSC:6750

NIIN:01-243-9290

MSDS Number: BWCZQ === Responsible Party ===

Company Name: CLAYTON CHEMICAL CO.

Address:13310 FIGUEROA STREET

City:LOS ANGELES

State:CA ZIP:90061 Country:US

Info Phone Num:310-538-9530 Emergency Phone Num:310-

538-9530 CAGE:61803

=== Contractor Identification ===

Company Name: CLAYTON CHEMICAL CO. Address: 13310 S. FIGUEROA STREET

Box:City:LOS ANGELES

State:CA ZIP:90061 Country:US

Phone:310-538-9530/800-424-9300(CHEMTREC)

CAGE:61803

Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP

Address:RR 1 Box:276-Z

City:HEATHSVILLE

State:VA ZIP:22473 Country:US

Phone:703-759-9399

CAGE:6W820

====== Composition/Information on Ingredients ========

Ingred Name: SODIUM SULFITE

CAS:7757-83-7

RTECS

#:WE2150000

Fraction by Wt: 5-8% %

Other REC Limits: NONE RECOMMENDED

Ingred Name: POTASSIUM CARBONATE

CAS:584-08-7

RTECS #:TS7750000 Fraction by Wt: 5-8% %

Other REC Limits:10 (15)PPM TLV (PEL)

Ingred Name: HYDROQUINONE (SARA III)

CAS:123-31-9

RTECS #:MX3500000 Fraction by Wt: 1-3% %

Other REC Limits: NONE RECOMMENDED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9293

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

========== Hazards Identification ================

LD50 LC50 Mixture:LD50, ORAL, RAT 320 MG/KG (HYDROQUINONE)

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION AND/OR ALLERGIC SKIN REACTION. INHALATION OF MIST COULD CAUSE RESPIRATORY IRRITATION. INGESTION MAY CAUSE IRRITATION OF MUCOUS MEMBRANES OR DIGESTIV E TRACT. CHRONIC: (HYDROQUINONE) REPEATED CONTACT CAN CAUSE SKIN SENSITIZATION AND ALLERGIC DERMATITIS.


Explana

tion of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Effects of Overexposure:EYE IRRITATION/BURNS, SKIN IRRITATION/BURNS, RESPIRATORY IRRITATION, MUCOUS MEMBRANE IRRITATION, DIGESTIVE TRACT IRRITATION.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. OBTAIN MED



Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1.260

pH:10.50

HCC:B3

Evaporation Rate & Deference: SAME AS WATER

Solubility in Water: COMPLETE

Appearance and Odor:CLEAR, COLORLESS LIQUID, NO ODOR

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS, OXIDIZERS
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:OXIDES OF SULFUR AND NITROGEN, CARBON DIOXIDE, CARBON MONOXIDE

======= Disposal Considerations ============

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQUID AND/OR CONTAMINATED WATER AND DISPOSE OF IN AN APPROVED AND PREMITTED TREATMENT FACILITY. REMOVE NONUSABLE SOLID MATERIAL AND/OR CONTAMINATED SOIL FOR DISPOSAL IN AN APPR OVED AND PERMITTED LANDFILL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defen

se. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.