

GATES ENERGY PRODUCTS INC -- NICKEL CADMIUM BATTERY (VENTED) -- 6140-00-454-8261

=====
Product Identification
=====

Product ID:NICKEL CADMIUM BATTERY (VENTED)

MSDS Date:05/27/1986

FSC:6140

NIIN:00-454-8261

MSDS Number: BWDVP

=== Responsible Party ===

Company Name:GATES ENERGY PRODUCTS INC

Address:US HWY 441 N

Box:147114

City:GAINESVILLE

State:FL

ZIP:32614-7114

Country:US

Info Phone Num:904-462-

3911

Emergency Phone Num:904-462-3911/816-429-2165

CAGE:19209

=== Contractor Identification ===

Company Name:ENERGIZER POWER SYSTEMS (FORMALLY GATES ENERGY PRODUCTS
INC)

Address:US HWY 411 N

Box:147114

City:GAINESVILLE

State:FL

ZIP:32614-7114

Country:US

Phone:904-462-3911

CAGE:19209

=====
Composition/Information on Ingredients
=====

Ingred Name:NICKEL & NICKEL HYDROXIDE (SARA III)

CAS:12054-48-7

RTECS #:QR7040000

Fraction by Wt: 20-30%

Other REC Limits:NONE RECOMMENDED

O

SHA PEL:1 MG (NI)/M3
ACGIH TLV:0.1 MG(NI)/M3; 9394
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:CADMIUM & CADMIUM HYDROXIDE
CAS:21041-95-2
Fraction by Wt: 13-15%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 MG/M3 (CD FUME)
ACGIH TLV:0.05 MG/M3 (CD FUME)

Ingred Name:COBALT & COBALT HYDROXIDE
CAS:21041-93-0
Fraction by Wt: 1-2%
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (SARA III)
CAS:1310-58-3
RTECS #:TT2100000
Fraction by Wt: 5-7%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 2 MG/M3
ACGIH TLV:C 2 MG/M3; 9394
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ELECTROLYTE IS CAUSTIC. CONTACT WITH
SKIN OR EYES MAY CAUSE IRRITATION.

=====
===== First Aid Measures =====

First Aid:EYE OR SKIN: FLUSH WITH PLENTY OF RUNNING
WATER FOR AT LEAST
15 MINUTES AND CONTACT A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Unusual Fire/Explosion Hazard:CADMIUM FUMES MAY BE RELEASED DURING
BURNING.

=====
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH ELECTROLYTE SPILLS WITH WATER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:DO N

OT SHORT CIRCUIT; MAY CAUSE BURNS.
Other Precautions:AVOID INCINERATION OR MUTILATION.

===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:B1

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:DO NOT INCINERATE OR MUTILATE; MAY
BURSY OR RELEASE TOXIC MATERIALS.

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.