View NSN Online: https://aerobasegroup.co.il/nsn/6505-00-943-4380

UPJOHN COMPANY, THE -- SOLU-MEDROL STERILE POWDER -- 6505-00-943-4380

Product ID:SOLU-MEDROL STERILE POWDER MSDS Date:06/30/1994 FSC:6505 NIIN:00-943-4380 MSDS Number: BWGKV === Responsible Party === Company Name: UPJOHN COMPANY, THE Address:7171 PORTAGE ROAD City:KALAMAZOO State:MI ZIP:49001-0199 Country:US Info Phone Num:616-323-7555 (8:00 AM - 4:30 PM) Emerg ency Phone Num:616-323-5122 24 HOURS Preparer's Name: HEALTH & SAFETY REG AFFRS CAGE:93703 === Contractor Identification === Company Name: PHARMACIA & UPJOHN Address:7171 PORTAGE RD Box:City:KALAMAZOO State:MI ZIP:49001-0199 Country:US Phone:616-833-5122/616-833-7555 CAGE:93703

Ingred Name:METHYLPREDISOLONE SODIUM CAS:2375-03-3 RTECS #:TU4154060 Fraction by Wt: 67-87% Other REC Limits:4UG/M3(UPJOHN)

Ingred Name:SODIUM PHOSPHAT

E, DIBASIC (CERCLA) CAS:7558-79-4 RTECS #:WC4500000 Fraction by Wt: 12-30% Other REC Limits:NONE RECOMMENDED EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM PHOSPHATE, MONOBASIC CAS:7558-80-7 RTECS #:WA1900000 Fraction by Wt: 1-3% Other REC Limits:NONE RECOMMENDED

Ingred Name:LACTOSE CAS:63-42-3 RTECS #:OD9625000 Fraction by Wt: 0-3.2% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5G/K G

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and

Chronic:EYES:NON-IRRITATING.SKIN:NON-IRRITATING.POSSIBLE ANAPHYLACTOID REACTION.INGEST:NOT REPORTED.INHAL:MAY CAUSE RESPIRATORY IRRITATION.SYSTEMIC EFFECTS:AFFECTS,CVS,KIDNEY,SKELETAL MUSCLES,NERVIOUS AND IMM UNE SYSTEM.CHRONIC OVEREXPOSURE MAY PRODUCE PITUITARY-ADRENAL

SUPRESSION, OSTEOPORISIS, CATARACTS, GLAUCOMA

Explanation of Carcinogen

icity:THERE ARE NO INGREDIENTS ABOVE 0.1%

WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA. Effects of Overexposure: ANAPHYLATIC SHOCK IS AN UNUSUAL REACTION TO AN ANTIGEN WHICH CAN OCCUR IN SEVERAL MINUTES(HIVES,LOCAL SWELLING,DIZZINESS,NAUSEA,VOMITING,DIARRHEA,ABDOMINAL PAIN AND CRAMPS,DIFFICULT BREATHING,HYPOTENS ION,CYANOSIS,POSSIBLE CONVULSIONS OR RESPIRATORY FAILURE).CHRONIC:MUSCLE WEAKNESS,FATIGUE,HIGH BLOOD PRESSURE(SEE SUPPL) Medical Cond Aggravated by Expo sure:OVEREXPOSURE TO CORTICOSTEROIDS MAY INCREASE SUSCEPTIBILITY TO INFECTION(EG.LATENT TUBERCULOSIS,SECONDARY EYE INFECTIONS(FUNGAL AND VIRAL) AND MAY MASK SIGNS OF INFECTION.(SEE SUPPL)

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING. GET PR OMPT QUALIFIED MEDICAL ATTENTION.NOTE:PLASMA

HALF-LIFE=2.3-4HRS;PHARMACOLOGICAL ACTIVITY=18-36HRS.

Flash Point:NONE Extinguishing Media:WATER,DRY CHEMICAL,CARBON DIOXIDE. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: THE FINELY DISPURSED DUST FROM THIS PRODUCT IS A FIRE OR EXPLOSION HAZARD IN THE PRESENCE OF SOURCES OF IGNITION.

Spill Release Procedures:REMOVE SOURCES OF IGNITION.VENTILATE AREA.USE PROPER PROTECTIVE AND RESPIRATORY EQUIPMENT.SWEEP OR VACUUM(USING A HEPA FILTER AND EXPLOSION-PROOF EQUIPMENT);DO NOT CREATE DUST;PLACE IN A DRY CONTAINER FOR DISPOSAL.PREVENT CONTAMINATION OF WATERWAYS.

Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions:ST

ORE AT ROOM TEMPERTURE(59-86F).KEEP

CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM CHILDREN.KEEP AWAY FROM LIGHT.

Other Precautions: USE DILUTED SOLUTION WITHIN 48 HOURS. FOLLOW LABEL DIRECTIONS. AVOID BREATHING DUST. AVOID SKIN AND EYE CONTACT.

Respiratory Protection:NOT NEEDED IN NORMAL SERVICE. Ventilation:USE LOCAL EXHAUST. Protective Gloves:RUBBER. Eye Protection:SAFETY GLASSES WITH SIDESHIELDS. Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION.
Work Hygienic Practices:EXECISE GOOD LABORATORY PRACTICES.WASH HANDS AFTER USE AND BEFORE EATING.
Supplemental Safety and Health
SIGNS AND SYMPTOMS(CONT'D):SALT AND WATER RETENTION,INCREASED POTASSIUM EXCRETION,CUSHING'S SYNDROME(REDISTRIBUTION OF BODY FAT,CAUSING A "MOON FACE").MEDICAL COND AGGR(CONT'D):CIRRHOSIS,HYPERTHYROIDI SM. NDC 0009- 0113-12/13; 0190-09/10; 0758-01; 0887-01; 0698-01; 3389-01; 0988-01; 0796-0.

=========

HCC:N1

Solubility in Water:COMPLETE Appearance and Odor:POWDER AND DILUENT IN A COMPARTMENTALIZED VIAL.ODOR AND COLOR NOT REPORTED.

Stability Indicator/Materials to Avoid:YES MANUFACTURER STATES NONE. Stability Condition to Avoid:MANUFACTURER STATES NONE. Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE

======= Disposal Considerations

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent profes sional advice to verify and assume responsibility for the suitability of this information to their particular situation.