View NSN Online: https://aerobasegroup.co.il/nsn/6520-01-137-8472

CAULK/DENTSPLY -- IMPRESSION MATERIALL, DENTAL, REGULAR SET; 605502 -- 6520-01-137-8472

Product ID:IMPRESSION MATERIALL, DENTAL, REGULAR SET; 605502

MSDS Date:03/11/1991

FSC:6520

NIIN:01-137-8472

MSDS Number: BWMGS === Responsible Party ===

Company Name: CAULK/DENTSPLY Address:LAKEVIEW AND CLARKE AVE

Box:359

City:MILFORD

State:DE

ZIP:19963-0359 Country:US

Info Phone

Num:302-422-4511/800-532-2855 Emergency Phone Num:302-422-4511

CAGE:11107

=== Contractor Identification === Company Name: CAULK/DENTSPLY

Address:38 W CLARKE AVE

Box:359

City:MILFORD

State:DE

ZIP:19963-0359 Country:US

Phone: 302-422-4511/703-451-1900

CAGE:11107

======= Composition/Information on Ingredients ========

Ingred Name: AMORPHOUS SILICA

CAS:112945-86-9

Other REC Limits: NONE RECOMMENDED

Ingred Name: SILICA, CRYSTALLINE - CRISTOBALITE

CAS:14464-46-1

RTECS #: VV7325000

Other REC

Limits:NONE RECOMMENDED
OSHA PEL:SEE TABLE Z-3
ACGIH TLV:0.05 MG/M3 RDUST9394

Ingred Name: TETRASODIUM PYROPHOSPHATE

CAS:7722-88-5

RTECS #:UX7350000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9394

Ingred Name:POTASSIUM ALGINATE
Other REC Limits:NONE RECOMMENDED

Ingred Name: QUATERNARY AMMONIUM COMPOUND

Other REC Limits: NONE RECOMMENDED

Ingred Name: ASPARTAME

CAS:22839-47-0

RTECS #:WM3407000

Other REC Limits: NONE RECOMMENDED

======== Hazards Identificat

ion =======

LD50 LC50 Mixture: ACGIH TLV FOR NUISSANCE DUST IS 10MG/M3

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE IRRITATION.INGEST:CONTAINS ASPARTAME;DO NOT USE ON PHENYLKETONURICS.INHAL:MAY CAUSE RESPIRATORY IRRITATION.CHRONIC:EXPOSURE TO CRYSTALLINE SILICA MAY CAUSE SIL ICOSIS(LUNG CANCER).

Explanation of Carcinogenicit

y:CONTAINS CRYSTALLINE SILICA WHICH IS

LISTED BY NTP AND IARC(2A) AND REGULATED BY OSHA AS A CARCINOGEN.

Effects of Overexposure:INHAL:CONGESTION,IRRITATION OF THE THROAT AND UPPER RESPIRATORY TRACT.

Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.EYES:FLUSH WITH WATER FOR 15 M

NUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING.GET PROMP T QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS,DRINK WATER TO CLEAR THROAT AND BLOW NOSE.
======================================
Flash Point:NONE Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. Junusual Fire/Explosion Hazar d:THE FINELY DISPURSED DUST FROM THIS PRODUCT IS A FIRE OR EXPLOSION HAZARD IN THE PRESENCE OF SOURCES OF IGNITION.
========= Accidental Release Measures =============
Spill Release Procedures:SWEEP OR VACUUM;DO NOT CREATE DUST;PLACE IN A DRY CONTAINER FOR DISPOSAL.CLEAN SPILL AREA WITH WATER. Neutralizing Agent:NOT APPLICABLE.
======================================
Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED
PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM AND INCOMPATIBLE MATERIALS. Other Precautions:KEEP AWAY FROM MOISTURE.STORE AWAY FROM FOOD.AVOID CREATING DUST.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A NIOSH/MSHA APPROVED RESPIRATOR FOR NUISSANCE

DUSTS.

Ventilation: USE LOCAL EXHAUST.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Prot

ective Equipment:RUBBER APRON.PROVIDE A LOCAL EYE WASH STATION.
Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS
PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING.
Supplemental Safety and Health
NONE
========= Physical/Chemical Properties ==========
·
HCC:N1
Spec Gravity:0.3
Solubility in Water:PARTIAL
Appearance and Odor:POWDER,DRY,FLUFFY;MAY BE COLORED;SPEARMINT ODOR.
========= Stability and Reactivity Data ==========
Stability Indicator/M
aterials to Avoid:YES
HF
Stability Condition to Avoid:HEAT ABOVE 140F,HIGH HUMIDITY.
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.
Tiazardous Decomposition Froducts. NOTIL OF LOTTILE BY MANOT ACTONEN.
======= Disposal Considerations ==========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.