View NSN Online: https://aerobasegroup.co.il/nsn/6505-01-307-8498

SMITHKLINE BEECHAM PHARMACEUTICALS RESEARCH & DEVE -- NAFCILLIN SODIUM 6505-01-307-8498

Product ID:NAFCILLIN SODIUM MSDS Date:09/16/1991 FSC:6505 NIIN:01-307-8498 MSDS Number: BWMKB === Responsible Party === Company Name: SMITHKLINE BEECHAM PHARMACEUTICALS RESEARCH & DEVE Address:709 SWEDELAND RD Box:1539 City:KING OF PRUSSIA State:PA ZIP:19406 Country:US In fo Phone Num:215-270-7807 Emergency Phone Num:215-270-6110 CAGE:0P1L6 === Contractor Identification === Company Name: SMITHKLINE BEECHAM PHARMACEUTICALS RESEARCH & DEVE Address:709 SWEDELAND RD Box:1539 City:KING OF PRUSSIA State:PA ZIP:19406 Country:US Phone:215-270-6110 CAGE:0P1L6

Ingred Name:NAFCILLIN SODIUM CAS:985-16-0 RTECS #:XI0175000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

====== Hazards

LD50 LC50 Mixture:LD50 ORAL,RAT>5GM/KG MONOHYDRATE Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MAY CAUSE ALLERGIC REACTIONS.NAU, VOMIT, STOMACH PAIN, DIARR, DRY MOUTH, BLACK HAIRY TONGUE.SENSITIZER.SKIN:HYPERSENS RXS(ANGIOEDEMA,ASTHMATIC BREATH.GIANT HIVES)ANAPHYLAXIS.DEATH.EYE:ALLERGIC RXS.INHAL:AN APHYLACTIC SHOCK, BRONCHOCONSTRICTION, ASTHMA. INGEST :HYPERSENSITIVITY RXS, ANAPHYLAXIS, ANGIOEDEMA, SERUM SICKNESS, NAUS, VOMIT Explanation of Carcinogenicity: PER MSDS: CARCINOGEN STATUS: NONE. Effects of Overexposure: HYPERSENSITIVITY. SWELLING OF LIPS, TONGUE, FACE, PERIORBITAL TISSUES, ASTHAMTIC BREATH, GIANT HIVES, ANAPHYLAXIS, DEATH. ALLERGIC DERM. ALLERGIC RXS, ANAPHYLACTIC SHOCK, BRONCHOCONSTRICTION, ASTHMA. EPIGASTRIC DIS TRESS, DIARR, NAU W/W/O VOMIT, SORE/BLACK HAIRY TONGUE, SORE/DRY MOUTH, URTICARIA, PURPURIC SKIN LESIONS, LOCA EDEMA, WEAK, D IZZ Medical Cond Aggravated by Exposure: PER W/ASTHMA, URTICARIA, SENS TO MULTIPLE ALLERGENS OR KNOWN SENS TO PENICILLINS OR **CEPHALOSPORINS.CROSS SENS W/OTHER PENICILLINS & CEPHALOSPORINS IS** POSSIBLE.MAY CROSS PLACENTA & EXCRETED IN BREAST MIL

First Aid:SKIN:REMOVE CONTAMIN CLOTH/SHOES IMMED.WASH SKIN W/SOAP/MILD DETERGENT & LG AMTS OF WATER 15-20MINS.EYE:IMMED WASH W/LG AMTS OF WATER OR NORMAL SALINE LIFTING EYELIDS 15-20MINS.INHAL:REMOVE TO FRESH A IR.BREATH STOP PERFORM ART RESP.KEEP PERSON

WARM/@REST.TREAT STOP PERFORM ART RESP.REEP PERSON WARM/@REST.TREAT SYUMPT/SUPPORT.INGEST:REMOVE CHEM BY EMESIS.DO NOT INDUCE VOMIT IF UNCONSC.PERFORM TREATMENT BY QUAL MED PERSONNEL.IN ALL CASES GET MED ATT

Flash Point:NONE Autoignition Temp:Autoignition Temp Text:NONE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:DRY CHEM,CARBON DIOXIDE,WATERSPRAY,REGULAR FOAM.LG

FIRES:USE WATERSPRAY,FOG,REGULAR FOAM.MAY BURN BUT DOESN'T IGN READIL
Fire Fighting Procedures:MOVE CNTNR FROM FIRE AREA W/O RISK.DO NOT SCATTER SPILL MATL W/HIGH PRESSURE WATER STREAMS.DIKE FIRE-CONTROL WATER FOR DISPOSAL.AVOID BREATH HAZ VAP.KEEP UPWIND
Unusual Fire/Explosion Hazard:DUST/AIR MIXTURES MAY CATCH FIRE/EXPLODE.DO NOT SMOKE/USE NEAR OPEN FLAME/SPARKS.SEEK HELP OF FIREFIGHTING PERSONNEL IF CATCHES ON FIRE.CNTNRS MAY EXPLO IN HEAT
======================================
Spill Release Procedures:SWEEP UP & PLACE IN SUITABLE CLEAN, DRY CONTAINERS FOR RECLAMATION OR LATER DISPOSAL. DO NOT FLUSH SPILLED MATERIAL INTO SEWER. KEEP UNNECESSARY PEOPLE AWAY.
======================================
Handling and Storage Precautions:PROVIDE LOCAL EXHAUST VENTILATION SYS. STORE AWAY FROM INCOMPATIBLE SUBSTANCES. OBSERVE ALL FED/STATE/LOC REGS WHEN STORING OF THIS SUBSTANCES. Other Precau
tions:NONE SPECIFIED BY MFG.
======================================
Respiratory Protection:SPECIFIC RESP SELECTED MUST BE BASED ON CONTAMIN LEVELS IN WORKPLACE,SPECIFIC OPERATIN,MUST NOT EXCEED WORKING LIMITS OF RESP,APPROVED BY NIOSH/MSHA.
Ventilation:PROVIDE LOCAL EXHAUST VENTILATION SYSTEM. Protective Gloves:APPROPRIATE PROTECTIVE GLOVES
Eye Protection:SPLASH-PROOF/DUST-RESIST SAF GOGGLES
Other Protective Equipment: APPROPRIATE PROT IMPERVIOUS CLOTH/EPQMT
PREVENT REPEAT/PROLONG SKIN CONTACT W/SUBSTANCE.EYEWASH FOR POSSIBLE EYE EXPO
Work Hygienic Practices: WASH HANDS AFT HANDLING. LAUNDER CONTAMIN CLOTH.
Supplemental Safety and Health
HEALTH HAZ:SEE INFO ON PENICILLINS.ANTIDOTE:RECOMMENDED HOEVER DECISION SHOULD BE MADE BY QUAL MED PERSONNEL:PENICILLINASE(NEUTRAPEN)WILL REVERSE DELAYED PENICILLIN RXS BUT NOT USEFUL IN ANAPHYLAXIS;I S CAPABLE OF CAUSING SER ANAPHYLACTIC RXS WHICH REQUIRE IMMED EMERG TREATMENT W/EPINE

PHRINE, OXY, INTRA STEROIDS, INTUBATIO

HCC:T6 pH:5-7,3% Solubility in Water:SOLUBLE Appearance and Odor:WHITE TO YELLOWISH WHITE POWDER WITH A SLIGHT ODOR.
======================================
Stability Indicator/Materials to Avoid:YES OXIDIZERS (STRONG):FIRE & EXPLOSION HAZARD. Stability Condition to Avoid:AVOID CONTACT W/STRONG OXIDIZERS, EXCESSIVE HEAT/SPARKS/OPEN FLAME. Hazardous Decompos ition Products:THERMAL DECOMPOSITION PRODUCTS MAY
INCLUDE TOXIC OXIDES OF CARBON, NITROGEN, SULFUR, AND SODIUM.
======================================
Waste Disposal Methods:OBSERVE ALL LOCAL, STATE AND FEDERAL REGULATIONS WHEN DISPOSING OF THIS SUBSTANCE. FOR ASSISTANCE CONTACT DISTRICT DIRECTOR OF ENVIRONMENTAL PROT AGENCY.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of t he Department
of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.