

BASF STRUCTURAL MATERIALS INC -- METLBOND 6725-1 PRIMER -- 8010-01-298-6624

=====  
Product Identification  
=====

Product ID:METLBOND 6725-1 PRIMER

MSDS Date:04/20/1990

FSC:8010

NIIN:01-298-6624

MSDS Number: BWPVR

=== Responsible Party ===

Company Name:BASF STRUCTURAL MATERIALS INC

Address:1440 N KRAEMER BLVD

City:ANAHEIM

State:CA

ZIP:92806

Country:US

Info Phone Num:714-656-4309

Emergency Phone Num:

714-630-9400

CAGE:1HT75

=== Contractor Identification ===

Company Name:BASF STRUCTURAL MATERIALS INC

Address:11501 STEEL CREEK RD

City:CHARLOTTE

State:NC

ZIP:28273

Country:US

Phone:803-329-8051

CAGE:1HT75

Company Name:NARMCO MATERIALS INC SUB OF CELANESE CORP

Address:1440 N KRAEMER BLVD

Box:City:ANAHEIM

State:CA

ZIP:92806-1404

Country:US

CAGE:04622

=====  
Composition/Information on Ingredients  
=====

Ingred Name:EPOXY RESINS

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:CHROMIUM AS

ING #3 & #4. (SARA 313) (CERCLA)

CAS:7440-47-3

RTECS #:GB4200000

Fraction by Wt: 1%

OSHA PEL:1 MG/M3

ACGIH TLV:0.5 MG/M3

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:BARIUM(VI)CHROMIUM (SARA 313) (CERCLA)

CAS:10294-40-3

RTECS #:CQ8760000

OSHA PEL:1 MG/M3

ACGIH TLV:0.5 MG/M3

Ingred Name:CHROMIC ACID, STRONTIUM SALT(1:1)(SARA 313) (CERCLA)

CAS:7789-06-2

RTECS #:GB3240000

OSHA PEL:0.1 MG (CRO3)/M3, C

ACGIH TLV:0.0005MG(CR)/M3;A2

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:FORMAMIDE,N,N-D

IMETHYL-; (DIMETHYLFORMAMIDE) (CERCLA)

CAS:68-12-2

RTECS #:LQ2100000

Fraction by Wt: 175F,>79C

Vapor Pres:1

Spec Gravity:0.838(H\*2O=1)

Evaporation Rate & Reference:>1

Solubility in Water:27

Appearance and Odor:AMBER YELLOW, LOW VISCOSITY LIQUID WITH KETONE  
ODOR.

Percent Volatiles by Volume:93

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:HEAT.

Hazardous Decompos

ition Products:CARBON MONOXIDE, CARBON DIOXIDE,  
OXIDES OF NITROGEN.

Conditions to Avoid Polymerization:HEAT; STRONG OXIDIZING AGENTS,  
ACIDS, ALKALIS, AMINES & MERCAPTANS.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR BURY IN LANDFILL IN ACCORDANCE  
WITH FEDERAL, STATE & LOCAL REGULATIONS. PROD WOULD BE AN IGNITABLE  
HAZARDOUS WASTE(D001) UNDER EPA RCRA REGULATIONS & EPA LISTED  
SOLVENTS.

Disclaimer (provided with thi  
s information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.